CRITICAL INQUIRY EXAM 1 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://criticalinquiry1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which statement best describes common barriers to translating evidence into practice and two strategies to facilitate evidence-based implementation?

A. Barriers include resistance to change and resource constraints.

B. Barriers include organizational culture, but not resource constraints.

C. Barriers are negligible in most settings.

D. Barriers include resistance to change, resource constraints, and organizational culture; strategies include providing decision support tools and engaging leadership with pilot implementations.

2. Dr. Cox's favorite definition of EBP emphasizes:

A. Only clinical expertise.

B. Clinical expertise for producing and interpreting evidence, performing clinical skills, and integrating the best research evidence with patient values and circumstances.

C. Ignoring patient values.

D. Randomized controlled trials alone.

3. Which data type has a true zero and allows multiplicative comparisons?

A. Nominal

B. Ordinal

C. Interval

D. Ratio

4. Which option best defines bias?

A. Random errors due to chance

B. The tendency to ignore outliers

C. Variation in results due to sampling alone

D. Unknown or unacknowledged errors from the study's design, analysis, or protocols

5. Diffusion in internal validity threats occurs when

A. Measurement instrument fails due to calibration drift

B. Randomization fails to balance groups

C. Information spreads from one group to another, contaminating the comparison

D. Participants drop out

SAMPLE

6. Define data saturation in qualitative research and explain how it guides sampling.

A. Data saturation occurs when sample size reaches a fixed quota; guides power analysis.

B. Data saturation is the point when additional data yields little new information; it guides sample size and stopping rules.

C. Data saturation means every possible theme has been identified; guides theoretical saturation only.

D. Data saturation is when researchers become tired; guides staffing.

7. What term describes the process of combining findings from several studies to identify overall trends?

A. Databases

B. Clinical practice guidelines

C. Systematic reviews

D. Bias

8. Which statement describes the Implications/Consequences aspect?

A. The results that logically follow from actions or inactions

B. The initial patient complaint

C. The costs of care

D. The chronological order of events

9. In PICO questions, which component is optional?

A. patient

B. intervention

C. outcome

D. comparison

10. Recall bias occurs when participants misremember past exposures or outcomes; it is particularly problematic in which study design?

A. Cross-sectional

B. Case-control

C. Randomized controlled trial

D. Prospective cohort

SAMPLE

Answers

SAMPLE

1. D
2. B
3. D
4. D
5. C
6. B
7. C
8. A
9. D
10. B

SAMPLE

Explanations

SAMPLE

1. Which statement best describes common barriers to translating evidence into practice and two strategies to facilitate evidence-based implementation?

A. Barriers include resistance to change and resource constraints.

B. Barriers include organizational culture, but not resource constraints.

C. Barriers are negligible in most settings.

D. Barriers include resistance to change, resource constraints, and organizational culture; strategies include providing decision support tools and engaging leadership with pilot implementations.

The main concept being tested is recognizing the common barriers to applying research findings in real practice and identifying practical strategies that actually support implementation. Barriers arise from resistance to change, limited resources, and how organizational culture shapes routines and priorities. Resistance to change shows up when people are reluctant to alter established workflows; resource constraints involve time, staffing, and budget limits that make adopting new evidence challenging; organizational culture affects openness to new guidelines and the emphasis placed on quality improvement. Effective strategies must fit real-world settings. Providing decision support tools helps bring evidence into everyday work by guiding choices at the point of care without adding extra steps, easing the transition and reducing cognitive load. Engaging leadership with pilot implementations builds buy-in, demonstrates feasibility, and allows testing and refinement on a smaller scale before wider rollout, while also securing the necessary resources. When barriers are treated as minor or isolated, or when only one type of strategy is considered, the plan often falls short. The best answer recognizes all major barriers and pairs them with concrete, related strategies that address both the obstacles and the practical process of implementation.

2. Dr. Cox's favorite definition of EBP emphasizes:

A. Only clinical expertise.

B. Clinical expertise for producing and interpreting evidence, performing clinical skills, and integrating the best research evidence with patient values and circumstances.

C. Ignoring patient values.

D. Randomized controlled trials alone.

Evidence-based practice blends research evidence with clinical expertise and patient values to guide care. The best definition here emphasizes that clinicians use their expertise to produce and interpret evidence, apply essential clinical skills, and integrate the strongest available research with what matters to the patient in their specific circumstances. This reflects the balanced approach of using solid research while also considering the patient's preferences and life context. Choosing only clinical expertise misses the need for current evidence and patient values. Ignoring patient values undermines patient-centered care. Relying on randomized trials alone overemphasizes one type of evidence and neglects how evidence is applied in real-world settings with individual patients.

SAMPLE

3. Which data type has a true zero and allows multiplicative comparisons?

A. Nominal

B. Ordinal

C. Interval

D. Ratio

Multiplicity and a true zero point are what allow ratio data to be compared by multiplication. Ratio data have a meaningful zero that means "none of the quantity," so you can form ratios like twice as much, half as big, etc. Examples include height, weight, distances, or Kelvin temperature. Because the zero represents the absence of quantity, a value of 0 indicates no amount, and ratios are interpretable. The other data types don't support these multiplicative comparisons. Nominal data are just categories with no order or magnitude. Ordinal data have order but not equal intervals, so you can't determine meaningful ratios. Interval data have equal intervals, but their zero is arbitrary (like Celsius), so you can add or subtract meaningfully but not form true ratios.

4. Which option best defines bias?

A. Random errors due to chance

B. The tendency to ignore outliers

C. Variation in results due to sampling alone

D. Unknown or unacknowledged errors from the study's design, analysis, or protocols

Bias is a systematic error that enters a study when the design, conduct, analysis, or interpretation tends to push results in one direction. It's not about random fluctuations—those are random errors due to chance. Variation caused by sampling alone is sampling error, which reflects natural diversity in the population rather than a distortion of the truth. While ignoring outliers can influence results, it doesn't define bias by itself. The essence of bias is the presence of unknown or unacknowledged errors in how the study is designed, measured, analyzed, or reported, which systematically distort conclusions away from the true value. Examples include nonrandom sampling that overweights certain groups, instruments that consistently mismeasure, or selectively reporting favorable results.

5. Diffusion in internal validity threats occurs when

A. Measurement instrument fails due to calibration drift

B. Randomization fails to balance groups

C. Information spreads from one group to another, contaminating the comparison

D. Participants drop out

Diffusion of treatment, or contamination, is an internal validity threat that happens when information or effects of the intervention spill from the group receiving the treatment to the comparison group. When this leakage occurs, the groups are no longer truly distinct, so the observed difference between them can be muted or distorted—the treatment effect gets biased toward zero or changes in unexpected ways. For example, if participants in the control group hear about a behavioral program from peers and start using its strategies, they're effectively receiving part of the intervention too, which contaminates the comparison. The other issues describe different problems: calibration drift concerns the measurement tool losing accuracy over time, not the interaction between groups; randomization failing to balance groups is a baseline comparability issue, not cross-group contamination; and participant dropout is an attrition problem that affects sample size and internal validity but not the spillover of treatment effects. To prevent diffusion, researchers separate groups as much as possible, use cluster designs when needed, minimize cross-group contact about the intervention, and monitor exposure and adherence.

SAMPLE

6. Define data saturation in qualitative research and explain how it guides sampling.

A. Data saturation occurs when sample size reaches a fixed quota; guides power analysis.

B. Data saturation is the point when additional data yields little new information; it guides sample size and stopping rules.

C. Data saturation means every possible theme has been identified; guides theoretical saturation only.

D. Data saturation is when researchers become tired; guides staffing.

Data saturation means you've collected enough data when additional data no longer bring new themes, insights, or understandings. In qualitative work, you study patterns by analyzing data as you go, and you look for repetition and redundancy across interviews, observations, or documents. When you notice that new data are just repeating what you've already found, you've likely reached saturation. This is what guides sampling: you continue sampling and analyzing iteratively until you reach that point, then you stop, knowing you've captured the range of experiences or perspectives relevant to the study. It isn't about hitting a fixed quota or performing a power calculation, which are quantitative ideas. It isn't about identifying every possible theme—saturation often occurs before exhaustively mapping every micro-theme. And it isn't about researchers getting tired or staffing; it's about the informational yield and the point at which adding more data stops yielding new insights. If you've still got new angles or divergent cases after adding more data, you keep sampling; once those new angles stop appearing, saturation has been reached.

7. What term describes the process of combining findings from several studies to identify overall trends?

A. Databases

B. Clinical practice guidelines

C. Systematic reviews

D. Bias

Systematic reviews summarize the best available evidence by collecting all relevant studies on a topic, applying predefined criteria, assessing the quality of those studies, and combining their findings to reveal overall trends or effect sizes. This structured, transparent approach helps reveal the weight of evidence across multiple investigations, reducing the influence of any single study and making the conclusions more reliable. When data allow it, a meta-analysis may be used to calculate an overall estimate across studies. Databases are just collections of studies, not syntheses. Clinical practice guidelines translate evidence into actionable recommendations. Bias refers to systematic errors that can distort findings.

SAMPLE

8. Which statement describes the Implications/Consequences aspect?

A. The results that logically follow from actions or inactions

B. The initial patient complaint

C. The costs of care

D. The chronological order of events

Implications/Consequences focuses on the results that logically follow from actions or inactions. It's about what happens next—the potential effects, risks, or benefits that arise because of a decision or a behavior and how those outcomes might shape future care or decisions. This forward-looking view helps you anticipate outcomes and plan accordingly. The initial patient complaint is information you gather to understand the problem, not the downstream results. The costs of care point to economic aspects rather than outcomes. The chronological order of events concerns sequence, not the consequences that follow.

9. In PICO questions, which component is optional?

A. patient

B. intervention

C. outcome

D. comparison

The comparison component is optional. In framing a question with the PICO structure, you typically define the Population, the Intervention, and the Outcome to know who you're studying, what you're doing to them, and what result you care about. The Comparison describes what the Intervention is being measured against, but not all questions have a natural or necessary comparator. For questions focused on whether an intervention can affect an outcome, or for prognosis/harm questions, you can omit the comparator and still formulate a useful question. Including a comparator sharpens the test of effect, but its absence doesn't invalidate the question and can broaden the evidence you search for.

10. Recall bias occurs when participants misremember past exposures or outcomes; it is particularly problematic in which study design?

A. Cross-sectional

B. Case-control

C. Randomized controlled trial

D. Prospective cohort

Recall bias is a form of information bias that happens when the recollection of past exposures differs between groups. It is especially problematic in case-control studies because exposure history is collected after disease status is known. Cases often search for explanations for their illness and may over-report or misremember exposures, while controls may recall less or differently. This differential recall can distort the estimated relationship between exposure and disease, exaggerating or masking true associations. In prospective designs, like randomized trials or prospective cohorts, exposure data are collected before outcomes occur (or from objective records), which reduces reliance on memory and minimizes recall bias. Cross-sectional studies can be affected too, but the distinctive vulnerability is the retrospective, post-disease assessment characteristic of case-control studies.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://criticalinquiry1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE