
CSLB CONCRETE C-8 LICENSE 1 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cslbconcretec81.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **How should embedded items, such as anchor bolts, be anchored into fresh concrete?**

   A. Secure embedded items with mechanical anchors after the pour.

   B. Use epoxy anchors or chemical anchors, installed in the form before or during pour as specified.

   C. Secure with duct tape after curing.

   D. Weld anchors after the concrete has hardened.

2. **How many cubic yards of concrete are needed for a 4-inch-thick circular slab with a circumference of 25 feet?**

   A. 3/4 cu yd

   B. 1/2 cu yd

   C. 1 cu yd

   D. 1-1/4 cu yd

3. **In a beam not exposed to weather or soil; what is the minimum coverage for #4 reinforcing bar?**

   A. 2 inches

   B. 1/2 inch

   C. 3 inches

   D. 1 inch

4. **Which option best differentiates reinforced concrete from plain concrete in terms of tensile stress?**

   A. Reinforced concrete uses steel to carry tensile stresses

   B. Plain concrete relies on cement paste for strength

   C. Reinforced concrete carries no tensile stresses

   D. Plain concrete uses steel reinforcement

5. **What is the main purpose of a slip-form process?**

   A. To create continuous vertical or horizontal surfaces by moving forms as concrete sets

   B. To cure concrete faster

   C. To pour concrete without forms

   D. To transport concrete to the site

SAMPLE

6. Fly ash effect on permeability?

A. Reduces permeability, improving durability.

B. Increases permeability.

C. No effect on permeability.

D. Makes surface rough.

7. The grid used on the sides of the slab's main field uses which dimensions?

A. 10 by 12

B. 12 by 14

C. 15 by 18

D. 8 by 16

8. The code requires additional rebar to be used if the spacing between rebar in the stem wall exceeds what measurement?

A. 12 inches

B. 24 inches

C. 18 inches

D. 6 inches

9. What is the minimum depth of a footing below the soil?

A. 12 inches

B. 6 inches

C. 18 inches

D. 24 inches

10. Which California agency enforces prevailing wage on public works projects?

A. California Department of Industrial Relations (DIR) through the Division of Labor Standards Enforcement (DLSE)

B. California Environmental Protection Agency

C. California Department of Transportation

D. California Department of Real Estate

SAMPLE

Answers

SAMPLE

1. B
2. A
3. D
4. C
5. A
6. A
7. C
8. C
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. How should embedded items, such as anchor bolts, be anchored into fresh concrete?

A. Secure embedded items with mechanical anchors after the pour.

B. Use epoxy anchors or chemical anchors, installed in the form before or during pour as specified.

C. Secure with duct tape after curing.

D. Weld anchors after the concrete has hardened.

When embedding items in fresh concrete, the proper method is to use epoxy or chemical anchors installed in the form before or during the pour, exactly as the manufacturer specifies. This approach bonds the anchor into the concrete as it cures, creating a strong, integral connection that can carry the intended loads. Epoxy or chemical anchors fill the anchor hole and form a chemical bond with the surrounding concrete, so the load is transferred through the adhesive into the concrete rather than relying on after-the-fact drilling or mechanical grip. Following the specified installation procedure and cure times ensures the anchor achieves its rated strength. Other options don't provide a reliable structural connection: securing anchors after the pour would require drilling into hardened concrete, which weakens the concrete and may not meet load requirements; duct tape offers no structural restraint; welding anchors after the concrete has hardened is not feasible or safe for this purpose.

2. How many cubic yards of concrete are needed for a 4-inch-thick circular slab with a circumference of 25 feet?

A. 3/4 cu yd

B. 1/2 cu yd

C. 1 cu yd

D. 1-1/4 cu yd

To find the needed volume, use volume = area × thickness. First convert the circumference to radius: $r = C/(2\pi) = 25/(2\pi) \approx 3.98$ ft. Then the slab area is $\pi r^2 \approx \pi(3.98)^2 \approx 49.8$ ft^2. The thickness is 4 inches, which is 1/3 ft, so the volume is $49.8 \times 1/3 \approx 16.6$ ft^3. Convert to cubic yards by dividing by 27: $16.6/27 \approx 0.615$ yd^3. The closest option is 0.75 cubic yards, i.e., 3/4 cu yd.

3. In a beam not exposed to weather or soil; what is the minimum coverage for #4 reinforcing bar?

A. 2 inches

B. 1/2 inch

C. 3 inches

D. 1 inch

Minimum concrete cover is the distance from the outer surface of the concrete to the outer surface of the reinforcing bar, and it protects the steel while ensuring proper bonding and fire resistance. In a beam that isn't exposed to weather or soil, the environment is considered non-aggressive, so only a modest amount of cover is needed. For a #4 reinforcing bar, the minimum cover is one inch. This amount provides enough concrete around the bar to develop strength and to allow proper placement and consolidation, while still keeping the cover small since there's no harsh exposure. If the beam were exposed to weather or soil, a larger cover would be required to improve corrosion protection.

SAMPLE

4. Which option best differentiates reinforced concrete from plain concrete in terms of tensile stress?

A. Reinforced concrete uses steel to carry tensile stresses

B. Plain concrete relies on cement paste for strength

C. Reinforced concrete carries no tensile stresses

D. Plain concrete uses steel reinforcement

Reinforced concrete differentiates itself by using steel reinforcement to carry tensile stresses, while concrete itself is strong in compression but weak in tension. In bending or other tensile loads, the concrete tends to crack when tension is applied, so the steel bars take over the tensile force. The steel provides ductility and high tensile strength, and when bonded to the concrete, they work together as a single composite member to resist bending and cracking. That's why the best description is that reinforced concrete uses steel to carry tensile stresses. The other statements misattribute where tensile strength comes from or misstate which material carries tension, e.g., plain concrete is not relied on for steel reinforcement, and reinforced concrete does carry tensile loads through the steel, not avoid them.

5. What is the main purpose of a slip-form process?

A. To create continuous vertical or horizontal surfaces by moving forms as concrete sets

B. To cure concrete faster

C. To pour concrete without forms

D. To transport concrete to the site

The key idea behind slip-form is to produce a continuous concrete surface by progressively moving the formwork as the concrete remains plastic. As you pour, the forms are raised (slipped) a little at a time and fresh concrete is placed, allowing a seamless vertical or horizontal surface to be built without joints. This approach lets you create tall walls or long horizontal sections—like roadways, barriers, or towers—monolithically, speeding up construction and reducing the number of joints. It's not about curing the concrete faster, pouring without forms, or transporting concrete; the essence is the continuous, movable formwork that advances as the concrete sets.

6. Fly ash effect on permeability?

A. Reduces permeability, improving durability.

B. Increases permeability.

C. No effect on permeability.

D. Makes surface rough.

Fly ash reduces permeability, which helps improve durability. When fly ash is added to concrete, its fine particles participate in pozzolanic reactions with the calcium hydroxide produced during cement hydration. This reaction forms additional C-S-H gel and refines the pore structure, filling many of the capillary pores and reducing the connected pore network. With fewer pathways for water and aggressive ions to travel, the ingress of moisture, chlorides, and other deleterious substances slows down, making the concrete more resistant to freeze-thaw damage and chemical attack. While fly ash can influence workability and the surface finish, its primary durable effect is the reduction of permeability. The other options don't fit because permeability is indeed reduced, not increased or unchanged, and surface roughness isn't the main durability mechanism here.

SAMPLE

7. The grid used on the sides of the slab's main field uses which dimensions?

A. 10 by 12

B. 12 by 14

C. 15 by 18

D. 8 by 16

Understand that a standard grid is used to subdivide the sides of the slab's main field so measurements and layout can be counted consistently. The grid size of 15 by 18 inches is chosen because it strikes a practical balance: the squares are large enough to count quickly and estimate areas or volumes, yet small enough to keep calculations precise. This standard also aligns with common field practices and forms, making layout and verification straightforward. Other grid sizes would create too many tiny squares or too few large ones, reducing ease of use and accuracy.

8. The code requires additional rebar to be used if the spacing between rebar in the stem wall exceeds what measurement?

A. 12 inches

B. 24 inches

C. 18 inches

D. 6 inches

The spacing of vertical rebar in a stem wall is limited to keep the concrete able to carry bending and tensile forces without cracking too widely. When gaps between the bars get larger than a certain distance, the concrete between them can't transfer tension effectively, leading to larger, uncontrolled cracks and weaker performance under load. Therefore, if the spacing exceeds 18 inches, you need to add more rebar to bring the spacing back to 18 inches or less. This often means adding another vertical bar or staggering additional bars so the wall remains a well-reinforced element that can properly transfer load and resist movement.

9. What is the minimum depth of a footing below the soil?

A. 12 inches

B. 6 inches

C. 18 inches

D. 24 inches

The main idea is that a footing must sit on stable soil and be below the level where frost and surface disturbances can affect it. In practice, the minimum depth used to meet this requirement is about a foot. This depth reaches below typical surface disturbances and helps prevent frost heave or excessive settlement. Shallow footings can move with frost or poor bearing, while deeper ones are only needed where local frost depths or soil conditions demand it. That's why the standard minimum is about one foot.

SAMPLE

10. Which California agency enforces prevailing wage on public works projects?

A. California Department of Industrial Relations (DIR) through the Division of Labor Standards Enforcement (DLSE)

B. California Environmental Protection Agency

C. California Department of Transportation

D. California Department of Real Estate

Prevailing wage on public works is a labor standards issue. The California Department of Industrial Relations, through the Division of Labor Standards Enforcement, is responsible for setting and enforcing those wages. They handle wage-rate determinations, monitor compliance, process wage complaints, audit payroll records, and enforce penalties for violations on public works projects. The Environmental Protection Agency deals with environmental issues, the Department of Transportation handles transportation-related programs, and the Department of Real Estate regulates real estate activities; none of these enforce prevailing wage across public works like the DIR does.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cslbconcretec81.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE