CSS MASTERY RECIPIENT PORTAL PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cssmasteryrecipientportal.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is created when a new MRL Recipient is created?

A. Stop ID

B. MRL

C. Recipient Portal Account

D. Delivery Schedule

2. All addresses are given a validity score between 0 and 100 based on the changes that occurred during standardization. This is called the Zip 11 confidence score. If the Zip 11 score drops below _____ it is considered invalid, and the address will be kicked out to the AMS application for manual validation.

A. 50

B. 69

C. 70

D. 80

3. Which score determines address validity that could trigger AMS manual validation?

A. Zip 11 confidence score

B. GeoCode score

C. Address Quality score

D. Delivery Timeliness score

4. Stations can NOT add an address to the Delivery Instructions portal that did not cleanse.

A. True

B. False

C. Not sure

D. It depends

5. True or False: An MRL Workaround involves two different addresses that cleanse to one address. It leaves the original, correctly cleansing address unassigned, and the incorrectly cleansing address assigned with a special label in the recipient name section.

A. True

B. False

C. Not enough information

D. Both statements are true

SAMPLE

6. Which statement correctly identifies a common trigger for applying an MRL Workaround?

A. An address is cleansed incorrectly to another valid address requires an MRL Workaround.

B. Routine data maintenance is performed via MRL Workaround.

C. An address is cleansed correctly and does not require a workaround.

D. The MRL Workaround is used only for testing.

7. In CSS Grid, grid-auto-rows controls what aspect?

A. The height of implicitly created rows; content can increase height; use minmax to constrain

B. The width of implicitly created columns

C. The gap between rows

D. The start position of grid items

8. Which selector has higher specificity?

A. .nav

B. ul.nav > li.active a:hover

C. ul li a

D. .nav .active

9. To position a decorative underline using a pseudo-element, what must you set on the parent element?

A. position: relative

B. position: absolute

C. display: block

D. float: left

10. Which of the following is a valid BEM class name?

A. card-title--highlight

B. card__title_highlight

C. card__title--highlight

D. Card__Title--Highlight

SAMPLE

Answers

SAMPLE

1. A
2. B
3. A
4. B
5. A
6. A
7. A
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What is created when a new MRL Recipient is created?

A. Stop ID

B. MRL

C. Recipient Portal Account

D. Delivery Schedule

When you add a new MRL Recipient, a Stop ID is created. This Stop ID is the unique reference for that recipient's delivery stop within the route, allowing routing, tracking, and status updates to be tied to the specific stop. The MRL itself is the container of recipients, so adding one recipient doesn't recreate the whole MRL. A Recipient Portal Account is a separate setup if the recipient needs portal access, and the Delivery Schedule is built from the planned stops and route, not created simply by adding the recipient.

2. All addresses are given a validity score between 0 and 100 based on the changes that occurred during standardization. This is called the Zip 11 confidence score. If the Zip 11 score drops below _____ it is considered invalid, and the address will be kicked out to the AMS application for manual validation.

A. 50

B. 69

C. 70

D. 80

The idea behind this score is to gauge how confident we can be in the standardized address after the changes. It ranges from 0 to 100, with higher numbers meaning the address needed only minor adjustments and is therefore more trustworthy, while lower numbers indicate larger changes or more uncertainty. If the Zip 11 confidence score drops below 69, the address is considered invalid and must go to manual validation in the AMS system. Choosing 69 as the cutoff strikes a balance: it accepts addresses that are reliably corrected during standardization, but flags those that require more careful human review. A score of 69 or higher signals enough confidence to proceed automatically, whereas a score below 69 suggests the data is uncertain enough to warrant manual checking.

3. Which score determines address validity that could trigger AMS manual validation?

A. Zip 11 confidence score

B. GeoCode score

C. Address Quality score

D. Delivery Timeliness score

In this context, the score that directly tests whether an address can be considered valid for processing is the ZIP 11 confidence score. This score relates to the ZIP+11 delivery-point validation, which is the most granular check to confirm an address matches the postal system's delivery point data. If the ZIP 11 confidence is high, the address is typically deemed valid and can proceed; if it's low, AMS prompts manual validation to avoid misdelivery. Geocode score measures the accuracy of mapping the address to real-world coordinates, which is useful for routing but not a direct indicator of postal address validity. Address Quality score provides an overall assessment of the address usefulness, but it's a broader metric and may not alone trigger manual review. Delivery Timeliness score predicts how quickly a package would be delivered, not whether the address itself is valid.

SAMPLE

4. Stations can NOT add an address to the Delivery Instructions portal that did not cleanse.

A. True

B. False

C. Not sure

D. It depends

This question hinges on whether adding an address and cleansing it are treated as two separate steps in the Delivery Instructions portal. If the system allows you to enter an address and save it even though it hasn't been cleansed yet, then the statement is not true. In many workflows, you can submit an address that hasn't been validated and mark it as pending cleansing or unverified. The address is stored and visible, but it will undergo cleansing afterward to correct formatting, standardize street names, or fix typos. This separation means stations can add an uncleaned address, which is why the statement is false. If, instead, the portal blocked saving until cleansing was complete, the statement would be true. But given the typical setup where addition and cleansing are distinct steps, allowing an uncleaned address to be added is the expected behavior.

5. True or False: An MRL Workaround involves two different addresses that cleanse to one address. It leaves the original, correctly cleansing address unassigned, and the incorrectly cleansing address assigned with a special label in the recipient name section.

A. True

B. False

C. Not enough information

D. Both statements are true

The idea being tested is that an MRL Workaround uses two distinct addresses, both of which resolve to the same final destination, with labeling to indicate the workaround. This setup allows the system to route to the correct recipient while clearly marking that one address was used as a workaround rather than as the standard, properly cleansing address. In this scenario, you have two addresses that end up cleansing to one target address. The original, correctly cleansing address is left unassigned for the recipient, while the other address—one that would not normally be the valid choice—is assigned to the recipient name with a special label indicating it's a workaround. The label serves as a flag for handling and auditing, showing that this path was intentional to satisfy processing requirements while preserving the true delivery target. Given these details, the statement is true.

SAMPLE

6. Which statement correctly identifies a common trigger for applying an MRL Workaround?

A. An address is cleansed incorrectly to another valid address requires an MRL Workaround.

B. Routine data maintenance is performed via MRL Workaround.

C. An address is cleansed correctly and does not require a workaround.

D. The MRL Workaround is used only for testing.

The situation a workaround addresses is when the cleansing step produces an unintended but valid result. Specifically, applying the MRL Workaround is triggered when an input address is cleansed into a different valid address than what is actually intended. This kind of misrouting or misidentification isn't about the process failing entirely or about routine maintenance—it's about the outcome being wrong even though it looks acceptable, which can cause data consistency and matching issues. That's why the trigger is described as an incorrect cleansing to another valid address. The other scenarios—doing routine maintenance with the workaround, the address cleansing being correct, or using the workaround only for testing—don't reflect the real need to override or adjust the cleansing because the result is the wrong target.

7. In CSS Grid, grid-auto-rows controls what aspect?

A. The height of implicitly created rows; content can increase height; use minmax to constrain

B. The width of implicitly created columns

C. The gap between rows

D. The start position of grid items

Implicit rows in CSS Grid are created automatically when items wrap to new lines. grid-auto-rows defines the height of those implicitly created rows, giving you a track size to start from. If the content inside a cell is taller than that height, the row can still grow if you use a sizing function like minmax to allow expansion, which lets the row height increase up to a maximum you specify. This is handy for keeping a uniform grid while still accommodating variable content heights. Note that grid-auto-rows only affects the height of implicit rows, not the width of implicit columns (that's grid-auto-columns). It also doesn't set the gaps between rows (that's row-gap or gap) or control where items start (that's grid-row-start and related placement).

8. Which selector has higher specificity?

A. .nav

B. ul.nav > li.active a:hover

C. ul li a

D. .nav .active

Specificity determines which CSS rule wins when multiple selectors target the same element. It's calculated by four parts: inline styles, then the number of IDs, then the number of classes/attributes/pseudo-classes, and finally the number of element/pseudo-element selectors. The rule with the higher value in this scale takes precedence. The first selector uses one class, so its specificity is 0-0-1-0. The second selector mixes an element chain with multiple classes and a pseudo-class: two classes (.nav and .active) plus a pseudo-class (:hover) give three in the class-category, and there are three elements (ul, li, a), giving a specificity of 0-0-3-3. The third selector uses only elements: ul, li, a, for a specificity of 0-0-0-3. The fourth selector uses two classes (.nav and .active), for a specificity of 0-0-2-0. Since 0-0-3-3 is greater than 0-0-2-0, 0-0-1-0, or 0-0-0-3, the second selector has the highest specificity and would win when all match the same element.

SAMPLE

9. To position a decorative underline using a pseudo-element, what must you set on the parent element?

A. position: relative

B. position: absolute

C. display: block

D. float: left

Establishing a containing block for the absolutely positioned decorative element. When you create a pseudo-element like ::after to draw an underline, you typically position it absolutely. To keep it aligned with the element you're styling, the pseudo-element's positioning is relative to its parent. Setting the parent to position: relative creates that containing block, so the underline can be anchored with left: 0 and bottom: 0 and stretch across the full width with width: 100%. If no containing block is defined, the ::after element could position itself relative to the page or another ancestor, making the underline drift out of place. Using position: absolute on the parent would remove the parent from normal flow and isn't the intended approach for a decorative underline, and display: block or float: left aren't required to achieve the positioning. A common pattern is: parent { position: relative; } and parent::after { content: ""; position: absolute; left: 0; bottom: 0; width: 100%; height: 2px; background: ...; }

10. Which of the following is a valid BEM class name?

A. card-title--highlight

B. card__title_highlight

C. card__title--highlight

D. Card__Title--Highlight

BEM naming uses the pattern Block__Element--Modifier, with all parts in lowercase. The valid class name card__title--highlight follows that exactly: block is card, element is title, and modifier is highlight, connected by the proper double underscores and double dash. This structure keeps styles predictable: the element title inside the card block can have a distinct appearance when the highlight modifier is applied. The other forms break the convention in different ways. Using a hyphen to join block and element (card-title--highlight) isn't the correct separator for BEM. Using a single underscore between the element and modifier (card__title_highlight) uses the wrong connector for the modifier. Capitalizing the names (Card__Title--Highlight) goes against the lowercase convention, which helps avoid case-related issues and keeps naming consistent across the codebase.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cssmasteryrecipientportal.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE