CSX CONDUCTOR TEST 2 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://csxconductor2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. A single locomotive consist without cars attached must not exceed which speed?

A. 15 MPH

B. 25 MPH

C. 30 MPH

D. 45 MPH

2. Perform a Class III brake test under which combination of conditions?

A. The train has been separated and recoupled without any change to the train's consist.

B. A locomotive or caboose is changed.

C. A car or solid block of cars is removed from the train.

D. All of the above.

3. What is the purpose of attaching a Hot Box Tag to equipment near a hot bearing?

A. To identify the bearing for inspection

B. To indicate the bearing has overheated and needs replacement

C. To mark the car for removal from service

D. To instruct to lubricate the bearing

4. If a conflict exists between authorized speeds, which speed must you comply with?

A. The highest specified speed.

B. The lowest specified speed.

C. The average of the specified speeds.

D. The most recently posted speed.

5. When providing warning signals, employees must use:

A. Red flag or fusees during the day. White light or red fusees at night or during the day when signals cannot be plainly seen.

B. Sound the horn continuously at all times.

C. Green lanterns on all trains.

D. Only whistle signals regardless of visibility.

SAMPLE

6. Trains operating on any signal indication that requires approaching the next signal prepared to stop must operate at a speed that permits stopping within one-half the range of vision, not exceeding 20 MPH, until which condition?

A. Leading end of the train passes a more favorable signal or reaches the far end of the yard limits.

B. The entire train has cleared all turnouts and crossovers.

C. The train is within the next block.

D. The dispatcher authorizes a higher speed.

7. Which action is required regarding blue signals before they may be removed?

A. They may only be removed by an employee of the same craft or group that displayed them.

B. Any employee may remove blue signals after a hand signal.

C. They may be removed by the supervisor on duty only.

D. They may be removed after a ten-minute delay.

8. When handling Plate F box cars, high-sided gondolas, open top hoppers, or covered hoppers, avoid operation at what speeds?

A. Between 14 and 21 MPH.

B. Above 50 MPH.

C. Below 5 MPH.

D. Between 30 and 40 MPH.

9. On tracks other than main or signaled tracks, what is the maximum speed unless otherwise specified?

A. 10 MPH

B. 15 MPH

C. 25 MPH

D. 35 MPH

10. Notification may be verbal when a Class I brake test is completed.

A. True.

B. False.

C. Only in emergencies.

D. Not allowed.

SAMPLE

Answers

SAMPLE

1. C
2. D
3. A
4. B
5. A
6. A
7. A
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. A single locomotive consist without cars attached must not exceed which speed?

A. 15 MPH

B. 25 MPH

C. 30 MPH

D. 45 MPH

Moving a single locomotive without cars attached is treated as a light-engine operation where control and stopping distance are the main concerns. The rule sets a practical ceiling of thirty miles per hour to ensure you can react to signals, occupy switches safely, and stop in a reasonable distance if something unexpected appears on the track. Without a train behind it, the locomotive's braking and stability require a conservative limit, so forty-five miles per hour would be unsafe, while fifteen or twenty-five miles per hour would either hamper efficiency or still not match the standard safety margin in typical yard and road movements. Thirty miles per hour strikes the right balance, keeping operations efficient while maintaining adequate safety margins.

2. Perform a Class III brake test under which combination of conditions?

A. The train has been separated and recoupled without any change to the train's consist.

B. A locomotive or caboose is changed.

C. A car or solid block of cars is removed from the train.

D. All of the above.

A Class III brake test is performed when the train's makeup has changed in ways that can affect the brake system's integrity—so after any major modification, you want to confirm the entire braking setup still works as intended. The changes listed—separating and recoupling the train, changing a locomotive or caboose, or removing a car or block of cars—can alter brake pipe continuity, reservoir pressure, or how braking force is distributed along the train. A thorough Class III test verifies that the trainline charges correctly, that all brakes apply and release properly when commanded, and that there are no leaks or abnormal conditions across the entire train. Because each of those scenarios can impact braking, performing the test in all of them is required, which is why "all of the above" is the best answer.

3. What is the purpose of attaching a Hot Box Tag to equipment near a hot bearing?

A. To identify the bearing for inspection

B. To indicate the bearing has overheated and needs replacement

C. To mark the car for removal from service

D. To instruct to lubricate the bearing

Flagging a hot bearing to flag for inspection. The Hot Box Tag is placed near a bearing that's running hot to signal crew and maintenance that this specific bearing needs to be checked right away. It helps locate the problem quickly, guiding technicians to assess temperature, lubrication, wear, and any damage so they can decide on the proper corrective action. The tag's purpose is to prompt inspection, not to instruct replacement or lubrication directly, or to remove the car from service by itself.

SAMPLE

4. If a conflict exists between authorized speeds, which speed must you comply with?

A. The highest specified speed.

B. The lowest specified speed.

C. The average of the specified speeds.

D. The most recently posted speed.

When there are conflicting authorized speeds, you must operate at the most restrictive one. The lowest specified speed is the speed to comply with because it represents the greatest safety constraint in effect, whether due to track conditions, signals, or a temporary restriction. Riding at a higher speed would violate that stricter limit and could jeopardize stopping distance and overall safety. The average has no basis for determining the limit, and the most recently posted speed may not reflect current conditions and could be superseded by a lower restriction.

5. When providing warning signals, employees must use:

A. Red flag or fusees during the day. White light or red fusees at night or during the day when signals cannot be plainly seen.

B. Sound the horn continuously at all times.

C. Green lanterns on all trains.

D. Only whistle signals regardless of visibility.

The key idea is that warning signals must be clearly visible to those approaching on the tracks, and the signaling method changes with lighting and visibility conditions. During the day, red flags or red fusees are used to clearly denote a warning or hazard. At night, or when signals aren't easily seen, a white light or a red fusee is used so the warning can be seen from a distance. This combination ensures consistent, unmistakable notice to train crews and workers regardless of light or weather. Relying on the horn alone isn't sufficient because sound signals can be drowned out, misheard, or not easily associated with a specific hazard at a distance. Green lanterns on trains aren't part of standard warning practice, and restricting signals to whistle signals regardless of visibility ignores the need for visible warnings when visibility is poor.

6. Trains operating on any signal indication that requires approaching the next signal prepared to stop must operate at a speed that permits stopping within one-half the range of vision, not exceeding 20 MPH, until which condition?

A. Leading end of the train passes a more favorable signal or reaches the far end of the yard limits.

B. The entire train has cleared all turnouts and crossovers.

C. The train is within the next block.

D. The dispatcher authorizes a higher speed.

When a signal ahead requires you to be prepared to stop, you must move at a speed that lets you stop within half the range of vision, not to exceed 20 mph. This restriction stays in effect until you pass a signal that has a more favorable aspect (allowing proceed) or you reach the far end of the yard limits. That point marks the transition where you can then proceed under the next signal's guidance or normal movement rules. The other options don't define the end of the restricted speed: turning all the way through turnouts or being within the next block aren't the trigger, and while a dispatcher can authorize different speeds, the rule specifies the stop-and-go boundary as you pass a more favorable signal or reach yard limits.

SAMPLE

7. Which action is required regarding blue signals before they may be removed?

A. They may only be removed by an employee of the same craft or group that displayed them.

B. Any employee may remove blue signals after a hand signal.

C. They may be removed by the supervisor on duty only.

D. They may be removed after a ten-minute delay.

Blue signals protect workers on or near the tracks, so their removal must be handled by the person who placed them or by someone from the same craft who understands the protection and the work status. This ensures the area is truly clear and that the crew agrees it's safe to resume movement, maintaining accountability and preventing premature removal by someone who might not know the full context. Allowing removal by any employee, or by a supervisor alone, could lead to unsafe conditions if the protected work isn't fully complete or if people are still in the area. A fixed delay doesn't guarantee safety or proper verification.

8. When handling Plate F box cars, high-sided gondolas, open top hoppers, or covered hoppers, avoid operation at what speeds?

A. Between 14 and 21 MPH.

B. Above 50 MPH.

C. Below 5 MPH.

D. Between 30 and 40 MPH.

Tall, top-heavy cars like Plate F box cars, high-sided gondolas, open-top hoppers, and covered hoppers are more prone to lateral sway and instability when moved. The interaction of height, track irregularities, wind, and coupler slack can create oscillations that, in a certain mid-range of speeds, are more likely to build up and lead to a derailment or rollover, especially around curves or switches. That's why the guideline flags a speed range around 14–21 mph as a zone to avoid. Keeping speeds either below or above that band helps reduce the chance of dangerous oscillations in these car types.

9. On tracks other than main or signaled tracks, what is the maximum speed unless otherwise specified?

A. 10 MPH

B. 15 MPH

C. 25 MPH

D. 35 MPH

On tracks that aren't main or signaled, the safest default speed is 10 mph. This low speed gives you better control and enough time to react to unexpected conditions, such as switches, crossing points, or workers on or near the track. The rule includes "unless otherwise specified," meaning a posted sign or dispatcher instruction can override this default if a higher speed is permitted for that segment. The other speeds listed would be unsafe on un-signaled, non-main tracks because there's less protection and visibility, making it harder to stop in time or avoid hazards.

SAMPLE

10. Notification may be verbal when a Class I brake test is completed.

A. True.

B. False.

C. Only in emergencies.

D. Not allowed.

Notification after completing a Class I brake test can be verbal. This test, performed at the terminal, checks that the brake system will apply and release properly and that the train can be stopped within required distances. Once the test is finished and satisfactory, the person who conducted it may verbally tell the locomotive engineer and crew that the test is complete and the train is cleared to move. The formal test records still need to be completed as required, but a quick verbal notice is allowed to keep operations efficient. If any defects are found, movement isn't permitted until they're corrected, and the verbal notification wouldn't be given.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://csxconductor2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE