DANB INFECTION CONTROL (ICE) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://danbice.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which federal agency regulates medical sterilizers?

A. Environmental Protection Agency (EPA)

B. Occupational Safety and Health Administration (OSHA)

C. Food and Drug Administration (FDA)

D. Centers for Disease Control and Prevention (CDC)

2. What is the minimum temperature a steam sterilizer should reach to achieve sterilization?

A. 100 degrees C

B. 121 degrees C

C. 135 degrees C

D. 150 degrees C

3. What does the body produce in response to the hepatitis B vaccine?

A. Antibiotics

B. Antibodies

C. White blood cells

D. Viral particles

4. Why should dental healthcare personnel avoid wearing jewelry under gloves?

A. It may cause allergic reactions

B. It can puncture the gloves

C. It is considered unprofessional

D. It accumulates germs

5. To limit contamination, single-dose injectable (parenteral) medications should be:

A. Stored at room temperature

B. Reused for multiple patients

C. Discarded after each use including leftover contents

D. Kept in a refrigerator

SAMPLE

6. How should dental healthcare workers handle liquid disinfectants?

A. Leave them uncovered on work surfaces

B. Store them in accessible but secure locations

C. Use them after expiration dates

D. Read and follow the label instructions carefully

7. What is the recommended infection control protocol when working with an HIV-positive patient?

A. Use contact precautions

B. Use standard precautions

C. Use droplet precautions

D. Use airborne precautions

8. A used dental anesthetic needle is considered which type of waste?

A. General waste

B. Non-regulated waste

C. Hazardous waste

D. Regulated waste

9. What may occur if a patient closes their lips and spits into the saliva ejector?

A. Absorption into the ejector

B. Retraction towards the patient's mouth

C. Increased saliva flow

D. Leakage of fluids

10. What is the best practice for environmental infection control on clinical surfaces with irregular shapes?

A. Cleaning with disinfectant

B. Covering surfaces with fluid impervious barriers

C. Using disposable wipes

D. Regularly changing the equipment

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. C
6. D
7. B
8. D
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which federal agency regulates medical sterilizers?

A. Environmental Protection Agency (EPA)

B. Occupational Safety and Health Administration (OSHA)

C. Food and Drug Administration (FDA)

D. Centers for Disease Control and Prevention (CDC)

The Food and Drug Administration (FDA) regulates medical sterilizers because they are classified as medical devices. The FDA ensures that all medical devices, including sterilizers, meet established safety and effectiveness standards before they can be marketed and used in healthcare settings. This includes overseeing the manufacturing processes, which ensures they comply with good manufacturing practices, and evaluating the performance of these devices in clinical use. While the other agencies mentioned do have important roles, their focus is different. The Environmental Protection Agency (EPA) typically deals with environmental protection and safety regulations, which can include some sterilization processes but not specifically the regulation of sterilizers as medical devices. The Occupational Safety and Health Administration (OSHA) is primarily concerned with workplace safety and health regulations, enforcing compliance with standards that protect workers. The Centers for Disease Control and Prevention (CDC) focuses on disease prevention and public health but does not regulate medical devices. Therefore, the FDA's specific authority and responsibility are why it stands out as the correct answer regarding the regulation of medical sterilizers.

2. What is the minimum temperature a steam sterilizer should reach to achieve sterilization?

A. 100 degrees C

B. 121 degrees C

C. 135 degrees C

D. 150 degrees C

In the context of steam sterilization, achieving effective sterilization requires specific temperatures to eliminate all forms of microbial life, including highly resistant spores. The minimum temperature that a steam sterilizer should reach to ensure this level of sterilization is 121 degrees Celsius. At this temperature, combined with the appropriate pressure and exposure time, the steam effectively penetrates items being sterilized, allowing the moist heat to denature proteins, disrupt cell membranes, and ultimately kill bacteria and spores. This temperature is supported by established guidelines and protocols within infection control practices, ensuring maximum efficacy in maintaining patient safety and preventing infection risks in healthcare settings. The other temperature options provided do not achieve the same level of sterilization effectiveness recognized in medical practice.

SAMPLE

3. What does the body produce in response to the hepatitis B vaccine?

A. Antibiotics

B. Antibodies

C. White blood cells

D. Viral particles

The body produces antibodies in response to the hepatitis B vaccine as a means to provide protection against the virus. When the vaccine is administered, it introduces a harmless part of the hepatitis B virus (often a protein) into the immune system. In response, the immune system recognizes this protein as foreign and generates specific antibodies that can recognize and neutralize the actual virus if the person gets exposed in the future. This immune response is essential for building long-lasting immunity against hepatitis B, which can help prevent the disease from developing if the individual encounters the virus. The presence of these antibodies can also be measured through blood tests to confirm immunity following vaccination. While the body does produce white blood cells as part of the immune response, it is specifically the antibodies that are crucial for neutralizing viruses. Additionally, antibiotics are used to treat bacterial infections, not viral ones like hepatitis B, and viral particles are not produced in response to the vaccine; rather, the vaccine itself helps the body recognize and prepare to fight the virus should exposure occur.

4. Why should dental healthcare personnel avoid wearing jewelry under gloves?

A. It may cause allergic reactions

B. It can puncture the gloves

C. It is considered unprofessional

D. It accumulates germs

Wearing jewelry under gloves is particularly discouraged in dental healthcare settings primarily because it can puncture or tear the gloves. Jewelry, such as rings or bracelets, can create pressure points against the glove material, leading to micro-tears or punctures that compromise the glove's integrity. This is critical in maintaining a sterile environment and protecting both the dental staff and the patient from the risk of infections. Additionally, while jewelry might also accumulate germs and potentially cause allergic reactions, the immediate concern with gloves is their protective function. Ensuring the gloves remain intact is crucial for effective infection control, as any breach could allow pathogens to enter. Therefore, removing jewelry before donning gloves helps to ensure optimal hand hygiene and safety protocols are upheld in clinical practice.

SAMPLE

5. To limit contamination, single-dose injectable (parenteral) medications should be:

A. Stored at room temperature

B. Reused for multiple patients

C. Discarded after each use including leftover contents

D. Kept in a refrigerator

Single-dose injectable medications are specifically designed for use in a single patient at a single time, which is why it is critical to discard any leftover contents after administration. This practice helps to minimize the risk of contamination and the potential transmission of infectious diseases. By discarding these medications after each use, healthcare providers ensure that the integrity of the drug is maintained and that it is not exposed to external contaminants or pathogens that may compromise patient safety. While the context of storage conditions for medications is important, storing single-dose injectables at room temperature or in a refrigerator does not address the key issue of preventing contamination between patients. Reusing these medications for multiple patients would significantly increase the risk of cross-contamination and infection. Hence, discarding them after each use is the best practice for ensuring safety and compliance with infection control protocols.

6. How should dental healthcare workers handle liquid disinfectants?

A. Leave them uncovered on work surfaces

B. Store them in accessible but secure locations

C. Use them after expiration dates

D. Read and follow the label instructions carefully

Reading and following the label instructions carefully is crucial for the safe and effective use of liquid disinfectants. The label provides essential information regarding the proper concentration, contact time, safety precautions, and specific surfaces that the disinfectant is approved for. Adhering to these instructions ensures that the disinfectant is used in a manner that maximizes its effectiveness in killing pathogens while minimizing risks to the healthcare workers and patients. In dental settings, liquid disinfectants play a vital role in infection control by preventing the transmission of infectious agents. Therefore, understanding how to handle them correctly helps maintain a safe clinical environment, protects the integrity of the disinfectant, and complies with regulatory standards. Proper handling also reduces the likelihood of accidents or ineffective disinfection, which can have serious implications for both patient safety and overall public health.

SAMPLE

7. What is the recommended infection control protocol when working with an HIV-positive patient?

A. Use contact precautions

B. Use standard precautions

C. Use droplet precautions

D. Use airborne precautions

Using standard precautions is the recommended infection control protocol when working with an HIV-positive patient. Standard precautions are a set of guidelines designed to prevent the transmission of infectious agents from both recognized and unrecognized sources of infection. These precautions assume that every patient's blood and certain body fluids are potentially infectious, regardless of their known HIV status. Standard precautions include practices such as hand hygiene, the use of personal protective equipment (PPE) like gloves and masks when needed, safe handling of sharp instruments, and proper cleaning and disinfecting of surfaces and equipment. This approach is effective not only for HIV but also for a wide range of other infectious diseases, making it universally applicable in healthcare settings. In contrast, contact precautions, droplet precautions, and airborne precautions are specific protocols intended for particular types of infections that require additional measures due to their modes of transmission. However, HIV is primarily transmitted through direct contact with infected blood or bodily fluids, making standard precautions the appropriate and safest practice for managing care for patients living with HIV.

8. A used dental anesthetic needle is considered which type of waste?

A. General waste

B. Non-regulated waste

C. Hazardous waste

D. Regulated waste

A used dental anesthetic needle is classified as regulated waste due to its potential to be hazardous and its association with infectious materials. Regulated waste includes items that can cause injury or pose a risk of infection, such as sharps, which encompasses any needles, scalpels, or other items that can puncture the skin. This classification is important for the safe handling and disposal of such items to prevent the risk of needlestick injuries and the transmission of bloodborne pathogens. Regulated waste disposal generally requires specific procedures and containers, often color-coded, to minimize exposure risks to healthcare workers and the public. Understanding that used needles fall into this category emphasizes the need for proper disposal practices in dental and medical settings, ensuring compliance with safety regulations and protecting both workers and patients.

SAMPLE

9. What may occur if a patient closes their lips and spits into the saliva ejector?

A. Absorption into the ejector

B. Retraction towards the patient's mouth

C. Increased saliva flow

D. Leakage of fluids

When a patient closes their lips and spits into the saliva ejector, retraction towards the patient's mouth may occur due to the negative pressure that can develop in the system. This situation arises because saliva ejectors operate by creating a vacuum that pulls fluid away from the mouth. If the patient's lips are sealed around the ejector while generating this negative pressure, it can lead to a backflow of fluids toward the oral cavity instead of effectively evacuating them. This phenomenon is important to understand in infection control practices, as it can potentially expose healthcare workers and the patient to contaminants present in saliva or other fluids. Proper use and positioning of the saliva ejector, along with instructing the patient on the correct way to use it, can help prevent such occurrences and maintain a safe and hygienic environment during dental procedures.

10. What is the best practice for environmental infection control on clinical surfaces with irregular shapes?

A. Cleaning with disinfectant

B. Covering surfaces with fluid impervious barriers

C. Using disposable wipes

D. Regularly changing the equipment

Covering surfaces with fluid impervious barriers is considered the best practice for environmental infection control on clinical surfaces with irregular shapes. This method provides a protective layer that prevents contamination from blood, saliva, and other potentially infectious materials. Irregularly shaped surfaces can be challenging to clean thoroughly due to their contours and nooks, which may trap debris and pathogens. By using fluid impervious barriers, practitioners can ensure that these surfaces remain uncontaminated during procedures, making it easier to maintain a clean environment. This approach also allows for efficient disinfection because, once the procedure is complete, barriers can be replaced or disposed of easily, minimizing the risk of cross-contamination. Therefore, fluid impervious barriers play a critical role in an effective infection control strategy, especially on surfaces that may not be easily accessible for cleaning.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://danbice.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE