DAVIES PUBLISHING SPI PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://daviespublishingspi.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. The product of PRF and PRP is approximately:

A. One

B. Zero

C. Two

D. Infinite

2. In convex array operation, to form a single beam, the system typically fires:

A. All crystals are fired

B. None are fired

C. Crystals are fired in alternating groups

D. Some but not all crystals are fired

3. What is the prefix, symbol, and meaning of the exponent 10 to the -6th power?

A. Nano; n; Billionth

B. Micro; u; Millionth

C. Milli; m; Thousandth

D. Micro; μ; Millionth

4. An echo from which reflector is most dependent on the angle of incidence?

A. Rayleigh Scatterer

B. Diffuse Reflector

C. Specular Reflector

D. Acoustic Scatterer

5. Which two controls affect the spatial resolution of the color image?

A. Line density and ensemble length

B. Ensemble length and priority

C. Frequency and line density

D. Frequency and ensemble length

SAMPLE

6. The depth of the reflector determines the depth at which the reflection focus occurs.

A. Surface

B. Depth of the reflector

C. Height

D. Distance to transducer

7. Which type of reflection is associated with rough or irregular interfaces?

A. Specular reflection

B. Backscatter

C. Diffractive reflection

D. Diffuse reflection

8. Dynamic Apodization is a method employed to:

A. Focus the beam at multiple depths on transmit

B. Focus the beam at multiple depths on receive

C. Reduce side lobes

D. Steer the beam

9. Where are images stored in the ultrasound system?

A. Pulser

B. Receiver

C. Scan converter

D. Beam former

10. Elevational resolution affects the ability to distinguish structures in which direction?

A. Along the beam path

B. Perpendicular to the beam path

C. Across the lateral width

D. In time

SAMPLE

Answers

SAMPLE

1. A
2. D
3. D
4. C
5. C
6. B
7. D
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. The product of PRF and PRP is approximately:

A. One

B. Zero

C. Two

D. Infinite

The main idea here is how two ideal, random-looking primitives behave when their outputs are multiplied. A PRF and a PRP are modeled as independent, uniformly random objects. If you map their outputs to numbers in a multiplicative group where the identity element is 1, each output is effectively centered around 1 on average. Because they are independent, the expected value of their product is the product of their expectations, which is 1 × 1 = 1. So, on average (or in an indistinguishability sense), the product stays around the neutral element, making approximately one the best description. In other words, combining two such ideal primitives multiplicatively does not drift the result away from the identity on average, hence the answer is one. The other options would imply a bias or unbounded growth that doesn't align with the normalized, random-looking nature of PRF and PRP.

2. In convex array operation, to form a single beam, the system typically fires:

A. All crystals are fired

B. None are fired

C. Crystals are fired in alternating groups

D. Some but not all crystals are fired

In forming a single beam with a convex array, the transmitter uses a controlled aperture: only a portion of the crystals are energized, and they are timed (phased) so their waves add up coherently in the desired direction. This selective firing creates a well-defined main lobe while shaping the beam and keeping side lobes under control. If all crystals were fired, you'd lose that deliberate control of the aperture and beam characteristics, and other patterns (like multiple lobes) could arise. Leaving no crystals fired or firing alternating groups would also prevent forming a single, focused beam. So, energizing some but not all crystals achieves the needed single, steerable beam.

3. What is the prefix, symbol, and meaning of the exponent 10 to the -6th power?

A. Nano; n; Billionth

B. Micro; u; Millionth

C. Milli; m; Thousandth

D. Micro; μ; Millionth

The concept here is how SI prefixes map to powers of ten. A exponent of -6 corresponds to the prefix micro, with the standard symbol μ, and it means one millionth. So 1 μ (one micro) equals 1 × 10^-6, which is 0.000001. The micro prefix comes from Greek mikros meaning small, and μ is the official symbol. In ASCII contexts you might see 'u' used, but the correct symbol is μ. The other options would pair the wrong exponent or use an alternative symbol: nano is 10^-9 (billionth), milli is 10^-3 (thousandth).

SAMPLE

4. An echo from which reflector is most dependent on the angle of incidence?

A. Rayleigh Scatterer

B. Diffuse Reflector

C. Specular Reflector

D. Acoustic Scatterer

The key idea is how reflection works for different kinds of surfaces. A specular reflector behaves like a mirror: the energy obeys the law of reflection, so the angle of incidence equals the angle of reflection. Because of that, the portion of energy that returns to the source (the echo) depends strongly on the exact incidence angle—tilt the surface, and the reflected energy may miss the receiver, weakening or eliminating the echo. In contrast, a Rayleigh scatterer (tiny particles) and a diffuse reflector (rough surface) scatter energy in many directions, so the received echo is less tied to the precise incidence angle. An acoustic scatterer likewise disperses energy rather than reflecting it in a single direction. So the angle-dependence of the echo is greatest for a specular reflector.

5. Which two controls affect the spatial resolution of the color image?

A. Line density and ensemble length

B. Ensemble length and priority

C. Frequency and line density

D. Frequency and ensemble length

Spatial resolution is about how finely the image samples detail in space. Two controls directly affect that sampling: frequency and line density. Higher transmit frequency shortens the wavelength, which improves the system's ability to distinguish small structures, boosting both axial and lateral resolution and making color features crisper. Increasing line density means more scan lines cover the same width, so spatial sampling is finer and small color details are resolved more clearly. Ensemble length influences temporal sampling and Doppler sensitivity, affecting frame rate rather than the true spatial sharpness of the color image. So the factors that determine spatial resolution are frequency and line density.

6. The depth of the reflector determines the depth at which the reflection focus occurs.

A. Surface

B. Depth of the reflector

C. Height

D. Distance to transducer

In ultrasound imaging, where a reflection shows up along the depth axis is determined by how deep the reflecting interface is. The transducer sends a pulse, it travels to the reflector and back, and the system converts that two-way travel time into a display depth using the known speed of sound. The deeper a reflector is, the longer the round-trip time and the deeper the echo appears on the image. So the depth of the reflector directly sets the depth position of the reflection focus in the image. The surface would primarily produce shallow echoes, but it doesn't regulate deeper reflections. Height isn't the depth axis used for showing where reflections lie, and while the distance to the transducer is related to the setup, it's the reflector's actual depth that fixes where the reflection is displayed.

SAMPLE

7. Which type of reflection is associated with rough or irregular interfaces?

A. Specular reflection

B. Backscatter

C. Diffractive reflection

D. Diffuse reflection

Rough or irregular interfaces cause light to scatter in many directions. This diffuse reflection happens because each tiny facet on a rough surface is oriented differently, so instead of a single reflected ray there is a spread of rays in various directions, giving a matte, non-shiny look. On smooth surfaces, the law of reflection is observed as specular reflection, where light reflects at a specific angle. Backscatter describes light or waves returning toward the source in particular contexts and isn't defined by surface roughness alone. Diffraction involves bending of waves around edges or through openings, not the general reflection from a rough surface. So diffuse reflection best describes reflection from rough interfaces.

8. Dynamic Apodization is a method employed to:

A. Focus the beam at multiple depths on transmit

B. Focus the beam at multiple depths on receive

C. Reduce side lobes

D. Steer the beam

Dynamic apodization works by adjusting the amplitude weights across the transducer elements as the scan progresses, tapering the aperture to reduce energy that leaks into side lobes. By shaping the aperture in this way, the sidelobe and grating-lobe levels are lowered, which improves image contrast and reduces artifacts. This isn't about focusing at multiple depths through time delays, nor about steering the beam—those tasks rely on dynamic focusing and phase delays, respectively. The primary benefit here is suppressing sidelobes, making the image cleaner and more reliable.

9. Where are images stored in the ultrasound system?

A. Pulser

B. Receiver

C. Scan converter

D. Beam former

The image is stored in the scan converter. This part of the system acts as the memory that holds the display-ready image data. It takes the processed echoes from the receiver (which have been organized by the beam former) and maps them into a two-dimensional array of pixels with the appropriate grayscale or color information. It also stores the current frame and often a cine loop for playback after freezing or reviewing. The other components play different roles: the pulser sends the ultrasound pulses, the receiver processes the echoes, and the beam former coordinates timing and phasing to form coherent receive beams. But storing and organizing the image for display is the scan converter's job.

SAMPLE

10. Elevational resolution affects the ability to distinguish structures in which direction?

A. Along the beam path

B. Perpendicular to the beam path

C. Across the lateral width

D. In time

Elevational resolution is about distinguishing structures in the direction out of the imaging plane—the dimension perpendicular to the path the ultrasound beam travels. In practice, that means it reflects how well we can separate two structures that lie above and below each other in the third dimension, outside the plane we're viewing. This slice-thickness limitation is what sets elevational resolution, and it tends to be poorer when the slice is thick unless the transducer design or 3D/4D imaging provides better focusing or thinner slices. For context, axial resolution refers to separation along the beam path (depth), and lateral resolution refers to separation across the width of the image within the plane. Temporal resolution, meanwhile, concerns how quickly frames are acquired over time.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://daviespublishingspi.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE