
DAVITA IN-CENTER HEMODIALYSIS (ICHD) NURSE/PCT PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://davitaichdnursepct.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. When implementing a care plan, what is the primary focus for patients with chronic illness?

A. Symptom management only

B. Problem solving and decision making

C. Monitoring health fluctuations

D. Adhering strictly to prescribed medications

2. What signifies a blood loss due to dislodged needle during dialysis?

A. Increased urination

B. Clearly visible clots in chamber

C. Pain at access site

D. Respiratory distress

3. What is the purpose of conducting a post-dialysis assessment?

A. To evaluate financial outcomes and insurance coverage

B. To gather feedback on the nursing staff's performance

C. To monitor for complications and ensure safety

D. To discuss future treatment plans

4. What is the main focus of a nurse or PCT in relation to a social worker?

A. Direct dictation of care plans

B. Providing technical skills only

C. Support through active listening and emotion recognition

D. Serving as the primary caregiver only

5. In relation to arterial needle sites, what is a key goal during infiltration troubleshooting?

A. Maximizing the use of the same site

B. Minimizing patient discomfort

C. Ensuring efficient blood flow

D. Securing the site for longer durations

SAMPLE

6. What is the purpose of using an albumin infusion in dialysis patients?

A. To provide nutrition

B. To manage fluid shifts and maintain oncotic pressure

C. To increase blood viscosity

D. To replace electrolytes

7. What is the normal pH range of blood?

A. 6.8-7.2

B. 7.0-7.4

C. 7.35-7.45

D. 7.5-7.8

8. What are the four indicators of optimal nutritional status in dialysis patients?

A. Stable target weight, adequate fat stores, good appetite

B. Albumin greater than or equal to 4, stable target weight, appropriate appetite intake

C. High protein intake, low caloric intake, proper hydration

D. Adequate hydration, consistent energy levels, positive mindset

9. What is the definition of hemodialysis?

A. A method to enhance kidney function

B. A procedure that removes waste products from the blood

C. A surgery to implant a kidney

D. A technique to measure blood flow

10. What might cause hypotension during hemodialysis?

A. Improper medication dosage

B. Removal of excess fluid

C. Low blood volume

D. Excessive exercise

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. C
6. B
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. When implementing a care plan, what is the primary focus for patients with chronic illness?

A. Symptom management only

B. Problem solving and decision making

C. Monitoring health fluctuations

D. Adhering strictly to prescribed medications

The primary focus for patients with chronic illness should be on problem solving and decision making. This approach empowers patients by involving them actively in their care. It encourages them to understand their condition, evaluate their treatment options, and collaborate with healthcare providers to make informed choices that align with their personal health goals and lifestyle. Effective problem solving and decision making can lead to improved adherence to treatment plans, better self-management skills, and ultimately, enhanced quality of life. It recognizes that managing a chronic illness often involves navigating various challenges and adjusting care plans as needed, rather than just following strict protocols or focusing solely on symptom management or medication adherence. Additionally, while monitoring health fluctuations and symptoms is essential in chronic illness management, these tasks fall under the broader scope of problem-solving strategies. A comprehensive approach that includes evaluating one's symptoms, understanding potential health fluctuations, and addressing them through effective decision-making processes is vital for optimal care.

2. What signifies a blood loss due to dislodged needle during dialysis?

A. Increased urination

B. Clearly visible clots in chamber

C. Pain at access site

D. Respiratory distress

The presence of clearly visible clots in the chamber is a crucial indicator of blood loss due to a dislodged needle during dialysis. When the needle becomes dislodged, it disrupts the flow of blood in the dialyzer and can lead to the formation of clots within the bloodlines and dialyzer. These clots can become visible as the blood recirculates, demonstrating that the blood is not properly returning to the patient and indicating a significant issue with the dialysis process. The formation of clots is critical as it not only represents a loss of blood but can also compromise the effectiveness of the treatment. Monitoring for clots is essential for nurses and patient care technicians (PCTs) because it can help identify potential complications early, allowing for prompt intervention to mitigate risks such as inadequate dialysis or further blood loss.

3. What is the purpose of conducting a post-dialysis assessment?

A. To evaluate financial outcomes and insurance coverage

B. To gather feedback on the nursing staff's performance

C. To monitor for complications and ensure safety

D. To discuss future treatment plans

Conducting a post-dialysis assessment is essential for monitoring complications and ensuring the safety of the patient after a hemodialysis session. This assessment involves checking vital signs, observing the patient for signs of any adverse reactions, and assessing the overall well-being of the patient. It allows healthcare providers to identify immediate issues that may arise as a result of the dialysis process, such as hypotension, cramping, or other complications that might occur. Additionally, by monitoring the patient's response to dialysis, the healthcare team can make informed decisions to enhance future treatments, medication adjustments, and patient education, all of which contribute to a safer and more effective treatment experience. This continuous monitoring is vital for providing high-quality care and ensuring that the patient's health is prioritized during and after treatment.

EXAMPLE

4. What is the main focus of a nurse or PCT in relation to a social worker?

A. Direct dictation of care plans

B. Providing technical skills only

C. Support through active listening and emotion recognition

D. Serving as the primary caregiver only

The main focus of a nurse or patient care technician (PCT) in relation to a social worker revolves around providing support through active listening and recognizing patients' emotions. This collaboration emphasizes the holistic approach to patient care, where understanding the emotional and psychological needs of patients is just as important as addressing their physical health. Active listening enables nurses and PCTs to fully grasp the challenges their patients face, leading to more personalized and empathetic care. Recognizing emotions allows healthcare providers to identify signs of anxiety, stress, or depression, which can significantly impact a patient's overall well-being and treatment outcomes. By fostering strong communication with social workers, nurses and PCTs can ensure that patients receive comprehensive support, including psychosocial interventions that enhance their quality of life during treatment. This collaborative approach not only strengthens the care team but also helps in creating a supportive environment for patients, which is essential in a dialysis setting where emotional well-being can influence adherence to treatment regimens.

5. In relation to arterial needle sites, what is a key goal during infiltration troubleshooting?

A. Maximizing the use of the same site

B. Minimizing patient discomfort

C. Ensuring efficient blood flow

D. Securing the site for longer durations

A key goal during infiltration troubleshooting is to ensure efficient blood flow. This is crucial because optimal blood flow is essential for effective dialysis treatment. When infiltration occurs at an arterial needle site, it can lead to inadequate access for blood removal from the patient. Ensuring that blood flows efficiently through the dialysis machine is vital for maintaining the quality of treatment and preventing complications. Monitoring and addressing the flow rates helps in detecting infiltration early, reducing the risk of further complications, and allowing for timely interventions. Thus, achieving and maintaining efficient blood flow is central to successful hemodialysis practices.

6. What is the purpose of using an albumin infusion in dialysis patients?

A. To provide nutrition

B. To manage fluid shifts and maintain oncotic pressure

C. To increase blood viscosity

D. To replace electrolytes

The purpose of using an albumin infusion in dialysis patients is to manage fluid shifts and maintain oncotic pressure. Albumin is a protein that plays a crucial role in keeping fluid within the bloodstream and preventing it from leaking into tissues, which can lead to edema. In hemodialysis patients, who may experience changes in fluid balance due to the dialysis process, administering albumin can help stabilize their fluid status and ensure that adequate oncotic pressure is maintained. Maintaining proper oncotic pressure is vital for preventing complications associated with fluid overload and for ensuring that organ systems receive the appropriate blood flow. In the context of dialysis, where patients can experience significant fluid shifts, using albumin can support their overall fluid management strategy effectively.

SAMPLE

7. What is the normal pH range of blood?

A. 6.8-7.2

B. 7.0-7.4

C. 7.35-7.45

D. 7.5-7.8

The normal pH range of blood is indeed 7.35 to 7.45. This range is critically important for maintaining various physiological functions within the body, as even slight deviations can lead to significant health issues. The body has various mechanisms to regulate pH, including the bicarbonate buffer system and respiratory adjustments, to ensure that blood pH remains within this range. When blood pH dips below 7.35, it is considered acidemia, which can result in a multitude of complications like impaired enzyme function and altered oxygen transport. Conversely, a pH above 7.45 indicates alkalosis, which can similarly disrupt bodily processes. Therefore, the specified range of 7.35 to 7.45 is a vital parameter in clinical settings, informing healthcare professionals about the body's acid-base balance and guiding necessary interventions.

8. What are the four indicators of optimal nutritional status in dialysis patients?

A. Stable target weight, adequate fat stores, good appetite

B. Albumin greater than or equal to 4, stable target weight, appropriate appetite intake

C. High protein intake, low caloric intake, proper hydration

D. Adequate hydration, consistent energy levels, positive mindset

The four indicators of optimal nutritional status in dialysis patients are critical for assessing their overall health and well-being while undergoing treatment. The correct answer highlights key elements that healthcare providers focus on to determine whether a patient is receiving adequate nutrition. Albumin is a significant protein in the body, and levels greater than or equal to 4 g/dL are often seen as a marker of good nutritional status. In dialysis patients, maintaining an appropriate albumin level is particularly important, as it can reflect protein intake and overall health. Stable target weight indicates that the patient is managing their fluid balance effectively and is not experiencing significant weight fluctuations that could suggest nutritional deficiencies or fluid overload. Additionally, appropriate appetite intake is crucial. A good appetite signifies that the patient is likely consuming enough calories and nutrients, which is vital for their recovery and overall health. These three indicators combined provide a comprehensive view of a patient's nutritional status, making this answer the most relevant for evaluating optimal nutrition in dialysis patients. Understanding these markers helps in tailoring dietary recommendations and interventions to enhance patient outcomes in a dialysis setting.

SAMPLE

9. What is the definition of hemodialysis?

A. A method to enhance kidney function

B. A procedure that removes waste products from the blood

C. A surgery to implant a kidney

D. A technique to measure blood flow

Hemodialysis is defined as a procedure that removes waste products from the blood. This treatment is essential for patients with kidney failure, as their kidneys can no longer effectively filter out toxins and excess fluids from the bloodstream. Through hemodialysis, blood is drawn from the body, passed through a dialyzer (artificial kidney), which removes waste products and excess salts, and then returned to the body. This process not only helps to maintain the appropriate balance of electrolytes and fluids in the body but also alleviates symptoms of kidney failure by ensuring that harmful substances are effectively filtered out. Hemodialysis typically occurs several times a week in a center or at home, depending on the patient's needs and circumstances. The focus on waste removal makes this definition precise and directly aligned with the primary function of hemodialysis in patient care.

10. What might cause hypotension during hemodialysis?

A. Improper medication dosage

B. Removal of excess fluid

C. Low blood volume

D. Excessive exercise

During hemodialysis, the removal of excess fluid from the bloodstream is a critical component of the treatment. Patients with kidney failure often retain fluid due to impaired fluid balance, leading to complications such as hypertension. When excess fluid is removed during dialysis, it can lead to a decrease in blood volume, which in turn can cause hypotension. As fluid is filtered out of the blood, the remaining blood volume may decrease to the point where there is insufficient circulating blood to maintain normal blood pressure. This condition can be exacerbated if the fluid removal rate is too rapid or if the patient is volume depleted prior to dialysis. Thus, while the purpose of fluid removal is to improve the patient's condition, if not managed carefully, it can lead to dangerously low blood pressure during the procedure.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://davitaichdnursepct.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE