DAVITA PATIENT CARE TECHNICIAN (PCT) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://davitapct.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. For how long should each hub be scrubbed as part of CVC care?

A. 10 seconds

B. 15 seconds

C. 20 seconds

D. 30 seconds

2. Which key skill is essential for PCTs when interacting with patients?

A. Technical proficiency in machine operation

B. Effective communication and empathy

C. Research skills for documentation

D. Sales techniques to promote services

3. A standing post-treatment blood pressure reading of what value is considered an abnormal finding?

A. Less than 90 systolic

B. Above 140 systolic

C. Less than 60 diastolic

D. Above 120 diastolic

4. What is a common psychosocial need of dialysis patients?

A. Financial assistance

B. Emotional support

C. Nutritional guidance

D. Physical therapy

5. What is an important element of patient education regarding dialysis treatment?

A. The costs associated with treatment

B. The importance of adhering to fluid intake restrictions

C. The history of dialysis technology

D. Alternate treatments available

SAMPLE

6. What amount of fluid weight is considered excessive relative to the patient's target weight?

A. 2% of target weight

B. 5% of target weight

C. 10% of target weight

D. 15% of target weight

7. Which practice is essential to ensure safe dialysis treatment?

A. Preparing meals for the patient

B. Cannulating only experienced patients

C. Following hygiene and safety protocols

D. Administering medications before treatment

8. If a patient is in severe pain during dialysis, what should be the priority intervention?

A. Notify the physician immediately

B. Administer pain medication as prescribed

C. Monitor vital signs closely

D. Continue the dialysis without interruption

9. What does the term "anemia" imply in dialysis patients?

A. An excess of red blood cells

B. A deficiency of red blood cells or hemoglobin

C. A higher than normal hemoglobin level

D. An increase in blood volume

10. Which three steps are included in the vascular access assessment process?

A. Check, fill, and document

B. Look, listen, and feel

C. Inspect, measure, and report

D. View, assess, and record

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. B
7. C
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. For how long should each hub be scrubbed as part of CVC care?

A. 10 seconds

B. 15 seconds

C. 20 seconds

D. 30 seconds

The correct duration for scrubbing each hub as part of central venous catheter (CVC) care is 15 seconds. This practice is critical for reducing the risk of bloodstream infections associated with catheter use. The 15-second scrubbing time allows for sufficient antimicrobial action, ensuring that any potential pathogens on the surface are adequately removed. This duration strikes a balance between being long enough to be effective while not being excessively long, which could lead to increased discomfort or complications in patients. Maintaining scrubbing protocols for this length of time is part of a larger set of best practices aimed at ensuring the sterility of access points on the catheter, enhancing patient safety, and improving overall care outcomes in dialysis and other procedures involving CVCs.

2. Which key skill is essential for PCTs when interacting with patients?

A. Technical proficiency in machine operation

B. Effective communication and empathy

C. Research skills for documentation

D. Sales techniques to promote services

Effective communication and empathy are crucial skills for Patient Care Technicians (PCTs) when interacting with patients. This involves not just the ability to convey information clearly but also the capacity to listen actively, understand patient concerns, and provide emotional support. Establishing rapport with patients leads to better trust and compliance, which can significantly enhance their overall care experience. In a healthcare setting, PCTs often encounter patients who may be anxious, scared, or in pain. By demonstrating empathy, PCTs can help ease these feelings, making patients feel more comfortable and valued. Effective communication also allows PCTs to ensure that patients understand their treatment plans, medications, and any necessary follow-up care, which is essential for promoting adherence and positive health outcomes. While technical proficiency in machine operation is important for performing specific tasks, it does not encompass the relational aspect of patient care. Similarly, research skills and sales techniques are less relevant in the context of direct patient interaction, as the primary focus should be on patient comfort, understanding, and emotional well-being. Therefore, the ability to communicate effectively and demonstrate empathy stands out as the key skill for PCTs in their interactions with patients.

SAMPLE

3. A standing post-treatment blood pressure reading of what value is considered an abnormal finding?

A. Less than 90 systolic

B. Above 140 systolic

C. Less than 60 diastolic

D. Above 120 diastolic

A standing post-treatment blood pressure reading above 140 systolic is considered an abnormal finding because it indicates that the patient may be experiencing elevated blood pressure, which could be a sign of hypertension. In the context of patient care, particularly for individuals undergoing dialysis treatment, maintaining normal blood pressure ranges is critical for overall health and can prevent complications. Blood pressure readings that exceed established thresholds can lead to further evaluation and management to reduce the risk of cardiovascular issues. Monitoring blood pressure is especially important in patients receiving dialysis, as fluid shifts during the treatment can significantly affect cardiovascular health. Therefore, a post-treatment systolic reading above 140 can prompt healthcare providers to investigate the potential need for intervention, such as adjusting medications or reviewing the patient's fluid management plan.

4. What is a common psychosocial need of dialysis patients?

A. Financial assistance

B. Emotional support

C. Nutritional guidance

D. Physical therapy

Emotional support is a crucial psychosocial need for dialysis patients. The experience of dealing with chronic kidney disease and undergoing regular dialysis treatments can lead to feelings of anxiety, depression, and social isolation. Patients often face significant lifestyle changes, which can impact their mental well-being. Providing emotional support helps patients cope with the stress associated with their treatment and fosters a sense of community and understanding among peers and caregivers. While financial assistance, nutritional guidance, and physical therapy are important aspects of care for dialysis patients, emotional support specifically addresses the psychological challenges they face, making it a primary psychosocial need. Addressing emotional health can improve overall patient outcomes, adherence to treatment, and quality of life, highlighting its significance in the holistic care of individuals undergoing dialysis.

SAMPLE

5. What is an important element of patient education regarding dialysis treatment?

A. The costs associated with treatment

B. The importance of adhering to fluid intake restrictions

C. The history of dialysis technology

D. Alternate treatments available

An important element of patient education regarding dialysis treatment is the importance of adhering to fluid intake restrictions. This aspect is crucial because patients undergoing dialysis often have compromised kidney function, which means their bodies cannot eliminate excess fluids effectively. Failure to adhere to fluid intake restrictions can lead to serious complications, such as hypertension, fluid overload, and heart problems. Educating patients about the necessity of managing their fluid intake helps them understand the role it plays in their overall treatment plan and health outcomes. While the other options may contain relevant information, they do not directly address the immediate and critical daily management required during dialysis treatment. Understanding the history of dialysis technology or costs associated with treatment provides background context, but they are less pressing compared to the direct impact that fluid management has on the patient's health and well-being. Additionally, awareness of alternate treatments can be valuable, but the focus should primarily be on how patients can successfully manage their treatment plan through proper understanding of fluid intake.

6. What amount of fluid weight is considered excessive relative to the patient's target weight?

A. 2% of target weight

B. 5% of target weight

C. 10% of target weight

D. 15% of target weight

An excessive amount of fluid weight relative to a patient's target weight is typically considered to be 5% of that target weight. This threshold is crucial in managing patients, particularly those on dialysis, as it helps prevent complications such as hypertension, pulmonary edema, and heart failure. When a patient's fluid retention exceeds 5% of their target weight, it signals that they are carrying too much excess fluid, which can impact their overall health negatively. For patients undergoing treatment, consistently maintaining their weight within a safe range ensures they are within optimal fluid balance, which is essential for their wellbeing. In clinical practice, monitoring weight gain helps staff make necessary adjustments to dietary intake and fluid removal during dialysis sessions, aiding in maintaining the patient's health and avoiding unnecessary hospitalizations. Thus, recognizing 5% of target weight as excessive is an important guideline in providing appropriate patient care.

SAMPLE

7. Which practice is essential to ensure safe dialysis treatment?

A. Preparing meals for the patient

B. Cannulating only experienced patients

C. Following hygiene and safety protocols

D. Administering medications before treatment

Following hygiene and safety protocols is essential to ensure safe dialysis treatment because these practices help prevent infections, ensure the sterility of the treatment environment, and protect both patients and healthcare staff. During dialysis, patients are often vulnerable due to their compromised immune systems. Adhering to established protocols minimizes the risk of contamination and complications that can arise from improper handling of equipment or materials, ensuring optimal treatment outcomes. Proper hygiene includes washing hands, using gloves, sterilizing equipment, and maintaining a clean workspace, all of which are critical components of patient care during dialysis. By emphasizing safety protocols, healthcare providers can effectively reduce the likelihood of infections and other adverse events, thus enhancing the overall safety and efficacy of the dialysis process.

8. If a patient is in severe pain during dialysis, what should be the priority intervention?

A. Notify the physician immediately

B. Administer pain medication as prescribed

C. Monitor vital signs closely

D. Continue the dialysis without interruption

In situations where a patient is experiencing severe pain during dialysis, addressing the patient's immediate comfort and well-being is a priority. Administering pain medication as prescribed is the most effective immediate response to manage the patient's pain, and therefore, is the optimal choice. When severe pain occurs, patients can experience increased anxiety, which may affect their vital signs and overall state. Quick intervention with medication can help alleviate discomfort and prevent further stress on the body. While notifying the physician is important, it does not provide immediate relief to the patient. Monitoring vital signs is essential for observing the patient's condition, but it does not address the acute pain that may require urgent action. Continuing the dialysis without interruption could exacerbate the patient's discomfort and is generally not advisable unless the situation is stable and pain is manageable. In summary, administering pain medication promptly is critical in managing severe pain effectively during dialysis, prioritizing patient comfort and care.

9. What does the term "anemia" imply in dialysis patients?

A. An excess of red blood cells

B. A deficiency of red blood cells or hemoglobin

C. A higher than normal hemoglobin level

D. An increase in blood volume

The term "anemia" in dialysis patients refers to a deficiency of red blood cells or hemoglobin. This is a common condition among individuals with chronic kidney disease, particularly those who require dialysis. The kidneys play a crucial role in producing erythropoietin, a hormone that stimulates the production of red blood cells in the bone marrow. When kidney function declines, the production of erythropoietin decreases, leading to reduced red blood cell production and thus anemia. In dialysis patients, the body's ability to maintain adequate hemoglobin levels can be compromised due to the loss of blood during treatments, the underlying kidney disease, and the nutritional deficiencies that can arise from a restricted diet necessary for managing kidney disease. Therefore, properly understanding and identifying anemia is critical in the management of dialysis patients, as it significantly affects their overall health and quality of life. Effective treatment may involve the administration of erythropoiesis-stimulating agents (ESAs) or iron supplementation to help improve hemoglobin levels.

SAMPLE

10. Which three steps are included in the vascular access assessment process?

A. Check, fill, and document

B. Look, listen, and feel

C. Inspect, measure, and report

D. View, assess, and record

The vascular access assessment process involves specific, systematic steps to ensure that the access site is functioning properly and to identify any potential complications. The steps "look, listen, and feel" align perfectly with the clinical practice of assessing vascular access points. When assessing vascular access, "look" involves visually inspecting the access site for any signs of infection, inflammation, or abnormalities. Clinicians must be attentive to any changes in the skin condition, color, or swelling around the access site. "Listen" refers to auscultation of the vascular access site to detect the presence of a bruit, which is an important indicator of good blood flow through the access point. The sound of blood flowing through the vessel can indicate that the access is functioning properly. "Feel" involves palpating the area to assess the thrill, a vibration felt over the site. A strong thrill suggests that the fistula or graft is patent and functioning correctly whereas a weak or absent thrill may indicate a blockage or other complications. This triad of evaluation ensures a comprehensive assessment of the vascular access site, making it crucial for patient safety and effective dialysis treatment. Other options, while they include relevant components of patient care and monitoring, do not encapsulate the specific sensory approach needed for a thorough vascular access

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://davitapct.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE