DAVITA STAR LEARNING PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://davitastarlearning.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Why is it important to measure calcium and phosphorus levels in dialysis patients?

A. To enhance energy levels

B. To prevent bone disease and maintain bone health

C. To monitor hydration status

D. To assess liver function

2. How does the FDA ensure the efficacy of dialysis devices?

A. By conducting annual reviews of existing devices

B. By approving each device before market introduction

C. By distributing educational materials to patients

D. By mandating patient feedback on device performance

3. How do you prepare a 1:100 bleach solution?

A. Add 1 part of bleach to 99 parts of water

B. Add 99 parts of bleach to 1 part of water

C. Add 1 part of bleach to 1 part of water

D. Add 50 parts of bleach to 50 parts of water

4. Why is communication essential in the dialysis care team?

A. It ensures personalized treatment plans

B. It ensures coordinated and effective patient care

C. It reduces treatment costs

D. It limits patient involvement in decision-making

5. Before removing a patient's venous needle, what is the first action that should be taken after rinseback is complete?

A. Check patient's blood pressure

B. Confirm the patient's identity

C. Prepare the next patient's materials

D. Document the treatment

SAMPLE

6. What is the primary goal of establishing professional boundaries?

A. To ensure patient compliance

B. To maintain a personal connection

C. To keep the relationship appropriate and safe

D. To increase patient satisfaction

7. What should be investigated if a patient's temperature increases significantly after treatment?

A. It is a normal reaction

B. It may indicate a fever

C. It suggests dehydration

D. It is unrelated to treatment

8. What is the primary focus of patient safety in a dialysis setting?

A. To prevent adverse events such as infection and medication errors

B. To increase the number of patients treated

C. To speed up the dialysis process

D. To reduce facility costs

9. What is a common use for a 1:10 bleach solution?

A. To clean equipment

B. To clean up visible blood or gross blood spills

C. To disinfect non-porous surfaces

D. To prepare solutions for patients

10. What is the recommended distance between needle tips during AVF/AVG cannulation?

A. At least 0.5 inches

B. At least 1 inch

C. At least 1.5 inches

D. At least 2 inches

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. B
5. A
6. C
7. B
8. A
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Why is it important to measure calcium and phosphorus levels in dialysis patients?

A. To enhance energy levels

B. To prevent bone disease and maintain bone health

C. To monitor hydration status

D. To assess liver function

Measuring calcium and phosphorus levels in dialysis patients is crucial for preventing bone disease and maintaining bone health. In patients with chronic kidney disease, the kidneys are unable to properly excrete phosphorus, which can lead to elevated levels in the blood. High phosphorus levels can stimulate the release of parathyroid hormone (PTH), contributing to a condition known as secondary hyperparathyroidism. This condition can result in bone demineralization, leading to fragile bones and increasing the risk of fractures. Additionally, calcium and phosphorus play a critical role in bone metabolism. Maintaining a proper balance between these minerals is essential not only for bone structure but also for various cellular functions throughout the body. Monitoring these levels allows healthcare providers to appropriately adjust therapies, dietary restrictions, and medication regimens to help minimize the risk of skeletal disorders. Thus, ensuring optimal calcium and phosphorus levels is key to preserving the bone health of dialysis patients.

2. How does the FDA ensure the efficacy of dialysis devices?

A. By conducting annual reviews of existing devices

B. By approving each device before market introduction

C. By distributing educational materials to patients

D. By mandating patient feedback on device performance

The FDA plays a critical role in ensuring the safety and efficacy of medical devices, including dialysis devices, primarily through its pre-market approval process. Before a dialysis device can be marketed to healthcare providers and patients, it must undergo rigorous evaluation to assess its effectiveness and safety. This process involves a comprehensive review of data submitted by manufacturers, which includes clinical studies and evidence demonstrating that the device performs as intended. The FDA's approval signifies that the device has met stringent criteria and regulations aimed at protecting public health. While ongoing monitoring and patient feedback are important aspects of post-market surveillance, the foundational step in ensuring efficacy is the thorough vetting of devices before they reach the market. This pre-approval process helps to confirm that these critical devices can deliver the necessary therapeutic benefits to patients with kidney failure, thus ensuring that healthcare providers can trust their use in clinical settings.

3. How do you prepare a 1:100 bleach solution?

A. Add 1 part of bleach to 99 parts of water

B. Add 99 parts of bleach to 1 part of water

C. Add 1 part of bleach to 1 part of water

D. Add 50 parts of bleach to 50 parts of water

To prepare a 1:100 bleach solution, you need to mix one part of bleach with 99 parts of water. This mixture creates a dilution that is commonly used for disinfecting and sanitizing purposes. The ratio of 1:100 means that for every single unit (such as milliliter or ounce) of bleach, there are 99 units of water, resulting in a total of 100 units of solution. This precise dilution is crucial in ensuring the solution is effective while also being safe for use, as concentrated bleach can be hazardous. Other proposed methods, such as adding 99 parts of bleach to 1 part of water, would create a solution that is much more concentrated—that would not achieve the desired dilution ratio for effective disinfecting purposes.

SAMPLE

4. Why is communication essential in the dialysis care team?

A. It ensures personalized treatment plans

B. It ensures coordinated and effective patient care

C. It reduces treatment costs

D. It limits patient involvement in decision-making

Communication is essential in the dialysis care team because it ensures coordinated and effective patient care. In a multidisciplinary team, members such as nephrologists, nurses, dietitians, and social workers must communicate clearly to share insights about each patient's unique needs and status. This collaboration allows team members to align their approaches, synchronize treatment plans, and make informed decisions, ultimately leading to better health outcomes for patients. Effective communication also helps in addressing any issues that may arise during treatment, fostering a responsive and proactive care environment. While personalized treatment plans and reducing treatment costs are important aspects of patient care, they are more directly influenced by the communication dynamics within the team, rather than being standalone advantages. Limiting patient involvement contradicts the goal of effective communication, which aims to engage patients in their care and decision-making process.

5. Before removing a patient's venous needle, what is the first action that should be taken after rinseback is complete?

A. Check patient's blood pressure

B. Confirm the patient's identity

C. Prepare the next patient's materials

D. Document the treatment

The first action that should be taken after rinseback is complete, before removing a patient's venous needle, is to check the patient's blood pressure. This step is critical as it allows healthcare providers to ensure that the patient's hemodynamic status is stable before concluding the treatment. Monitoring the blood pressure can help detect any potential complications, such as hypotension, that may arise after dialysis is completed. Ensuring the patient's safety is always a priority, and assessing vital signs provides essential information about the patient's condition. By checking the blood pressure first, the healthcare provider is also establishing a baseline for the patient's status after treatment, which can be useful in later assessments or if any concerns arise. This action is part of a systematic approach to patient care, emphasizing safety and monitoring before proceeding with the next steps of treatment or discharge.

6. What is the primary goal of establishing professional boundaries?

A. To ensure patient compliance

B. To maintain a personal connection

C. To keep the relationship appropriate and safe

D. To increase patient satisfaction

The primary goal of establishing professional boundaries is to keep the relationship appropriate and safe. Professional boundaries are essential in healthcare settings to protect both the patient and the healthcare provider. They create a framework that defines acceptable behaviors, ensuring that interactions remain focused on the patient's well-being and care. By maintaining appropriate boundaries, healthcare professionals can prevent overstepping into personal relationships with patients, which can create ethical dilemmas and jeopardize the therapeutic relationship. This structure helps to foster a safe environment where patients feel comfortable discussing their concerns without fear of unnecessary emotional entanglement or exploitation. In addition to ensuring safety, proper boundaries also enhance the effectiveness of care by allowing clinicians to focus on clinical objectives without personal distractions. Thus, each party benefits from a relationship grounded in professionalism and respect, which can ultimately lead to better health outcomes.

SAMPLE

7. What should be investigated if a patient's temperature increases significantly after treatment?

A. It is a normal reaction

B. It may indicate a fever

C. It suggests dehydration

D. It is unrelated to treatment

When a patient's temperature increases significantly after treatment, it may indicate a fever. A fever can be a physiological response to various factors, including infection or inflammation. In the context of dialysis or other treatments, it's crucial to monitor temperature as it could reflect complications such as an underlying infection or a reaction to treatment. Investigating the cause of the fever is essential to ensure appropriate medical intervention. If the increase in temperature is due to an infection, prompt treatment may be necessary to prevent further complications. Other possible reactions like dehydration or non-specific reactions to treatment can occur, but a notable increase in temperature is generally more indicative of a fever that warrants further evaluation. Ignoring this symptom could lead to overlooking a serious condition, thus the need for a thorough investigation.

8. What is the primary focus of patient safety in a dialysis setting?

A. To prevent adverse events such as infection and medication errors

B. To increase the number of patients treated

C. To speed up the dialysis process

D. To reduce facility costs

The primary focus of patient safety in a dialysis setting revolves around preventing adverse events, including infections and medication errors. Patient safety is crucial in healthcare, particularly in dialysis, where patients are often vulnerable due to their underlying health conditions and the nature of their treatment. Infections can arise from frequent vascular access or exposure to invasive procedures, making it imperative to implement rigorous infection control measures. Furthermore, medication errors can lead to severe complications, as many dialysis patients are on multiple medications that require precise dosing and timing to avoid negative interactions and other health risks. Ensuring protocols are in place to monitor and manage these aspects effectively is critical for enhancing overall patient outcomes and maintaining a safe treatment environment. The other options, while relevant to a broader operational or strategic framework, do not directly align with the primary concern of patient safety. Increasing the number of patients treated, speeding up the dialysis process, or reducing facility costs can inadvertently compromise safety if not managed with the utmost care for patient welfare. Hence, the emphasis remains on safeguarding patients from risks that could jeopardize their health during dialysis sessions.

SAMPLE

9. What is a common use for a 1:10 bleach solution?

A. To clean equipment

B. To clean up visible blood or gross blood spills

C. To disinfect non-porous surfaces

D. To prepare solutions for patients

A 1:10 bleach solution is commonly used to clean up visible blood or gross blood spills due to its effectiveness in decontaminating surfaces. The solution contains a high enough concentration of bleach to kill bacteria, viruses, and other pathogens that may be present in blood, thus helping to reduce the risk of transmission of infectious diseases. This application is crucial in healthcare settings where exposure to bloodborne pathogens is a concern. While this solution can also be used for other cleaning and disinfecting purposes, its specific application for managing blood spills ensures a safe environment for both patients and healthcare providers. The properties of chlorine bleach make it particularly effective for this type of biological hazard, offering a reliable means of ensuring thorough disinfection after such incidents.

10. What is the recommended distance between needle tips during AVF/AVG cannulation?

A. At least 0.5 inches

B. At least 1 inch

C. At least 1.5 inches

D. At least 2 inches

The recommended distance between needle tips during arteriovenous fistula (AVF) or arteriovenous graft (AVG) cannulation is at least 1.5 inches. This guideline is crucial for several reasons. A distance of 1.5 inches allows for proper blood flow between the two needles, ensuring each needle can draw or return blood efficiently without causing turbulence or compromising the access site. This spacing also minimizes the risk of damaging the blood vessels or creating unnecessary trauma, which could lead to complications like clotting or hematoma formation. Maintaining this recommended distance is an essential practice that promotes patient safety and the long-term viability of the vascular access. It helps in achieving optimal hemodialysis performance and preserving the access site for future treatments.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://davitastarlearning.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE