DDOD OHIO MEDICAL CERTIFICATION CATEGORY 1 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ddodohmedicalcat1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the primary function of insulin in the body?

A. To increase blood sugar levels

B. To help cells uptake glucose

C. To stimulate appetite

D. To input fat storage

2. What is a correct way to ensure a client has taken their medication?

A. To give them more medication right away

B. To watch them swallow it

C. To ask them later if they took it

D. To assume they took it

3. When is it appropriate to dispose of medication after a client's death?

A. Immediately after the death

B. When instructed by family members

C. Only after receiving clearance from law enforcement

D. Following facility protocol without exception

4. What is the correct method of administering eye ointment?

A. Apply on the eyelid

B. Create a pocket by pulling down the upper eyelid

C. Gently pull down the lower eyelid to create a pocket

D. Have the client close their eyes tightly

5. What action should you take if you notice a medication has been given incorrectly?

A. Ignore the situation

B. Document the error and move on

C. Investigate and report it as a UIR

D. Ask another staff member for confirmation

6. What is the DOT System used for in medication administration?

A. To track patient medication history

B. To ensure medications have been administered correctly

C. To document patient allergies

D. To log patient vital signs

SAMPLE

7. What determines the order in which ear, eye, and nose drops are given?

A. The time of day
B. Manufacturer's instructions
C. The prescribed instructions by a physician
D. Personal preference of the healthcare provider

8. What is the proper documentation format for a PRN?

A. Only the medication name is necessary
B. Medication information must be written in a patient's chart
C. Only dosages need to be recorded
D. A verbal report to the doctor suffices

9. True or False: You can administer medication without a doctor's order.

A. True
B. False
C. Only in special circumstances
D. With proper training

10. What is the normal range for adult pulse rate?

A. 40-60 BPM
B. 60-100 BPM
C. 100-120 BPM
D. 120-140 BPM

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. C
6. B
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the primary function of insulin in the body?

A. To increase blood sugar levels

B. To help cells uptake glucose

C. To stimulate appetite

D. To input fat storage

The primary function of insulin in the body is to help cells uptake glucose. Insulin is a hormone produced by the pancreas that plays a crucial role in regulating blood sugar levels. After consuming food, particularly carbohydrates, glucose levels in the bloodstream rise. In response, insulin is released to facilitate the movement of glucose from the bloodstream into the cells of the body, where it can be used for energy or stored for future use. This process is essential for maintaining normal blood sugar levels and ensuring that the body's cells have adequate energy to function properly. By promoting glucose uptake, insulin helps prevent hyperglycemia (high blood sugar), which can lead to serious health complications. While insulin does have other roles, such as influencing fat storage and metabolism, its primary and most critical role is in the regulation of blood sugar by enabling cellular uptake of glucose. This function is vital for metabolic homeostasis and energy balance in the body.

2. What is a correct way to ensure a client has taken their medication?

A. To give them more medication right away

B. To watch them swallow it

C. To ask them later if they took it

D. To assume they took it

Watching a client swallow their medication is an effective way to ensure they have taken it. This method removes ambiguity and provides immediate confirmation that the medication has been ingested. In a clinical setting, it is important to maintain clear and verifiable protocols for medication administration to ensure patient safety and treatment efficacy. By observing the client during this process, healthcare providers can significantly reduce the likelihood of misunderstandings or missed doses. In comparison, the other options do not provide reliable confirmation of medication adherence. Simply giving more medication right away can lead to potential overdosing and does not confirm whether the initial dose was taken. Asking the client later if they took it relies on their memory and honesty, which could be problematic due to forgetfulness or reluctance to disclose the truth. Assuming they took it without direct verification can be dangerous, as it may result in untreated conditions or adverse effects related to missed medications. Therefore, observing the client ensures accountability and safety in medication administration.

SAMPLE

3. When is it appropriate to dispose of medication after a client's death?

A. Immediately after the death

B. When instructed by family members

C. Only after receiving clearance from law enforcement

D. Following facility protocol without exception

Disposing of medication following a client's death must adhere to specific protocols to ensure legal compliance and safety. Receiving clearance from law enforcement is crucial because medication disposal may be subject to investigation if the death is sudden or suspicious. Law enforcement can provide guidance on whether the medications can be disposed of or if they need to be preserved as evidence. This procedure is part of ensuring that any potential implications surrounding the death are addressed correctly. Addressing the other options provides a broader understanding of why they may not be appropriate. Disposing of medication immediately after death can lead to complications if the death is subject to investigation. Following instructions from family members without consultation could lead to legal or ethical issues. Additionally, while facility protocols are essential, they should always be followed in the context of any external legal requirements, which may include waiting for law enforcement clearance. The importance of clear and sound procedures in medication disposal ensures compliance with regulations and protects the interests of all parties involved.

4. What is the correct method of administering eye ointment?

A. Apply on the eyelid

B. Create a pocket by pulling down the upper eyelid

C. Gently pull down the lower eyelid to create a pocket

D. Have the client close their eyes tightly

The correct method of administering eye ointment involves gently pulling down the lower eyelid to create a pocket. This technique allows for the efficient application of the ointment directly into the conjunctival sac, which is the space between the eyeball and the eyelid. By creating this pocket, you ensure that the ointment can spread evenly and adhere to the surface of the eye, providing better therapeutic action. Applying the ointment directly onto the eyelid or pulling down the upper eyelid can be ineffective, as these methods may not provide the necessary space for the ointment to be deposited where it can be most beneficial to the eye tissue. Additionally, having the client close their eyes tightly is not advisable, as it can prevent proper distribution of the ointment and may cause discomfort or reduce effectiveness.

SAMPLE

5. What action should you take if you notice a medication has been given incorrectly?

A. Ignore the situation

B. Document the error and move on

C. Investigate and report it as a UIR

D. Ask another staff member for confirmation

When a medication is given incorrectly, it is crucial to take immediate and responsible action to ensure patient safety. Investigating and reporting it as a User Incident Report (UIR) is the proper protocol. This course of action involves documenting the incident in detail, which includes what medication was given, the circumstances surrounding the error, and any potential effects it may have on the patient. By reporting the incident, healthcare professionals contribute to a system of checks and balances that can help prevent future occurrences. It also allows for a thorough analysis of the event, which might prompt necessary changes to procedures or policies to enhance medication safety in the facility. This proactive approach is essential for maintaining high standards of patient care and safety, as well as for compliance with legal and ethical guidelines. Ignoring the situation, simply documenting the error without further action, or seeking confirmation from another staff member would not sufficiently address the potential risks involved and could compromise patient safety. Therefore, the correct response is to investigate and report the medication error through the appropriate channels.

6. What is the DOT System used for in medication administration?

A. To track patient medication history

B. To ensure medications have been administered correctly

C. To document patient allergies

D. To log patient vital signs

The DOT System, which stands for "Directly Observed Therapy," is primarily employed in the context of medication administration to ensure that medications are administered correctly and that patients are taking their prescribed treatments as intended. This approach helps to monitor patient compliance and can identify any issues that may arise during the administration of medication, such as side effects or reactions. By utilizing the DOT System, healthcare providers can confirm that patients have taken their medications on schedule and in the appropriate dosage. This is particularly important in settings where adherence to treatment is critical, such as in the management of infectious diseases. The system not only safeguards effective treatment but also contributes to improving overall patient outcomes by making sure that the necessary therapeutic interventions are being followed. While tracking patient medication history, documenting allergies, and logging vital signs are all crucial components of comprehensive patient care, they fall outside the specific scope of the DOT System's primary purpose of overseeing the administration of medications.

SAMPLE

7. What determines the order in which ear, eye, and nose drops are given?

A. The time of day

B. Manufacturer's instructions

C. The prescribed instructions by a physician

D. Personal preference of the healthcare provider

The order in which ear, eye, and nose drops are administered is primarily determined by the prescribed instructions given by a physician. Physicians provide specific guidelines based on the patient's individual needs, type of medications being used, and the therapeutic goals for treatment. For instance, certain medications may interact or impact absorption if administered in a different order. The physician's instructions ensure that the patient receives the treatment as intended, maximizing efficacy and minimizing potential side effects or complications. It is essential for the healthcare provider to follow these instructions meticulously, as they take into account the specific pharmacological properties and the anatomy involved in the absorption and effect of the drops being given. This practice helps ensure the safety and effectiveness of the treatment regimen.

8. What is the proper documentation format for a PRN?

A. Only the medication name is necessary

B. Medication information must be written in a patient's chart

C. Only dosages need to be recorded

D. A verbal report to the doctor suffices

The correct choice emphasizes the importance of accurately documenting medication information in a patient's chart when it comes to PRN (as needed) medications. Proper documentation is crucial for ensuring continuity of care, preventing medication errors, and providing a legal record of what has been administered to the patient. When documenting for a PRN medication, healthcare providers must include comprehensive details such as the medication name, dosage, time of administration, and the indication for the medication. This information allows other healthcare professionals to be aware of what treatments have been given, the rationale behind them, and to make informed decisions regarding ongoing patient care. Additionally, this thorough documentation promotes effective communication among the healthcare team and supports the safe and effective management of the patient's condition. This level of detail is critical in settings where multiple caregivers may be involved and is essential for accurate and safe medication administration. In this context, simply relying on a verbal report to a doctor or only recording dosages would not provide the necessary legal documentation or communication among the healthcare team, which is why these options are not appropriate for proper PRN medication management.

SAMPLE

9. True or False: You can administer medication without a doctor's order.

A. True

B. False

C. Only in special circumstances

D. With proper training

The statement is false because, in most healthcare settings, administering medication typically requires a doctor's order to ensure the safety and appropriateness of the treatment. A doctor's order is crucial as it provides specific guidelines about the type, dosage, and timing of medication to be administered, tailored to each patient's unique needs and medical history. Without a doctor's order, there could be significant risks involved, including the potential for adverse reactions, incorrect dosages, or inappropriate medications being given. Healthcare professionals, including nurses and pharmacists, are guided by protocols that emphasize the necessity of a physician's authorization to protect patient health and comply with legal standards. In extraordinary circumstances, such as emergency situations where a delay could lead to severe consequences, some healthcare providers may have protocols that allow for the administration of emergency medications without a prior order. However, these situations are clearly defined and not the standard practice. Thus, a doctor's order is generally a fundamental requirement for medication administration across most healthcare environments.

10. What is the normal range for adult pulse rate?

A. 40-60 BPM

B. 60-100 BPM

C. 100-120 BPM

D. 120-140 BPM

The normal range for adult pulse rate is typically between 60 and 100 beats per minute (BPM). This range is considered standard for resting heart rates in healthy adults, reflecting the heart's ability to supply adequate blood flow to meet the body's needs at rest. Factors such as age, fitness level, and overall health can influence resting heart rates within this range. For instance, athletes may often have lower resting heart rates due to greater cardiovascular efficiency. Understanding the normal pulse rate helps in assessing an individual's cardiac health and identifying potential medical issues. The other ranges provided, such as 40-60 BPM, are generally associated with bradycardia, which may indicate an underlying health issue if not attributed to athletic conditioning. The ranges from 100 BPM and above are classified as tachycardia, which can signal stress, fever, or various medical conditions that require further evaluation. Thus, the option of 60-100 BPM accurately reflects the standard for a healthy adult's pulse rate.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ddodohmedicalcat1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE