DEQ STORMWATER MANAGEMENT INSPECTOR PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://deqstormwatermgmtinspector.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the purpose of outlet protection on sediment basins?

A. To dissipate outlet energy and protect downstream channels from scour and erosion, reducing re-suspension of sediment.

B. To prevent water from leaving the sediment basin.

C. To increase the velocity of the outlet flow.

D. To simplify construction and reduce costs.

2. The DEQ conducts program reviews at what interval?

A. Every year

B. Every five years

C. Every ten years

D. Every two years

3. How often must qualified personnel inspect temporary stabilized areas?

A. Daily

B. Weekly

C. Once per month

D. Quarterly

4. Which of the following is NOT one of the five common classes?

A. Perimeter controls and inlet protection

B. Stabilization

C. Sediment basins and traps

D. Noise reduction and aesthetic enhancement

5. What is the primary objective of stormwater management under DEQ regulations?

A. To minimize costs by reducing inspector visits.

B. To maximize land development and accelerated project timelines.

C. To rely solely on downstream treatment facilities.

D. To prevent pollutant-laden runoff from reaching waters of the Commonwealth by controlling erosion, sediment, and other pollutants at construction and development sites and through proper BMPs in post-construction.

SAMPLE

6. What is the first action in preparing the pre-treatment cells for bioretention?

A. Excavate pre-treatment cells first and seal to trap sediments

B. Rip bottom soils 6-12 inches

C. Excavate bioretention from sides

D. Install geotextile fabric

7. What is the maximum amount of a pollutant a water body can receive and still meet water quality standards?

A. Erosion and Sediment Control

B. Total Maximum Daily Load

C. Environmental Site Design

D. Virginia Stormwater Management Act

8. What must be done with hardened and liquid concrete waste?

A. Can be disposed with ordinary trash.

B. Hardened and liquid concrete waste must be removed and properly disposed.

C. Discharged into storm sewer after solidification.

D. Shaken into the soil as fertilizer.

9. Which items are required by the Virginia construction stormwater permit framework?

A. Only a general site plan.

B. Waste management plan and noise assessment.

C. Bidding documents.

D. SWPPP, erosion and sediment controls, and BMPs.

10. Who is primarily responsible for verifying on-site BMP performance during construction?

A. Plan reviewer

B. Field inspector

C. Contractor

D. Owner

SAMPLE

Answers

SAMPLE

1. A
2. B
3. C
4. D
5. D
6. A
7. B
8. B
9. D
10. B

SAMPLE

Explanations

SAMPLE

1. What is the purpose of outlet protection on sediment basins?

A. To dissipate outlet energy and protect downstream channels from scour and erosion, reducing re-suspension of sediment.

B. To prevent water from leaving the sediment basin.

C. To increase the velocity of the outlet flow.

D. To simplify construction and reduce costs.

Outlet protection is placed to reduce the energy of the water as it leaves the basin. By slowing down the outlet flow, it prevents scour and erosion in downstream channels and reduces the chance that settled sediment gets re-suspended and carried away. This helps keep the captured sediment in place and protects the outlet structure from damage during high flows. It's not about keeping water in the basin, increasing velocity, or cutting construction costs—the main purpose is energy dissipation at the outlet to protect downstream areas and maintain sediment capture.

2. The DEQ conducts program reviews at what interval?

A. Every year

B. Every five years

C. Every ten years

D. Every two years

The interval being tested is a five-year cycle for program reviews. This cadence provides enough time to gather meaningful performance data, track trends, and assess how well the program is meeting its goals, while still allowing timely follow-up actions if issues are found. It also aligns with typical regulatory and permit timelines, making the review manageable in scope and resource-wise. Doing reviews annually would be overly burdensome and pull resources from ongoing operations. A two-year or ten-year interval either doesn't balance timely updates with workload (two years could be too frequent for a comprehensive look) or risks becoming too out-of-date to catch problems early (ten years). The five-year cadence sits between these extremes, offering a practical balance of thoroughness and efficiency.

3. How often must qualified personnel inspect temporary stabilized areas?

A. Daily

B. Weekly

C. Once per month

D. Quarterly

Regular review by a qualified person is needed to confirm that temporary stabilization is working and to catch problems before sediment leaves the site. The required minimum cadence is once per month. This frequency provides timely oversight without being overly burdensome, aligning with how stabilization efforts typically progress on a site. Daily or weekly inspections are more frequent than usually required and can be impractical, while quarterly inspections risk missing developing issues. After significant rain events, additional inspections are often advised, but the baseline requirement is monthly.

SAMPLE

4. Which of the following is NOT one of the five common classes?

A. Perimeter controls and inlet protection

B. Stabilization

C. Sediment basins and traps

D. Noise reduction and aesthetic enhancement

The concept here is recognizing which elements are actual erosion and sediment control categories versus items that don't fit those categories. The five common classes are focused on preventing sediment from leaving the construction site—through controls at the site perimeter and inlets, keeping exposed soil stabilized, and using structures like sediment basins and traps to capture sediment-laden runoff. Noise reduction and aesthetic enhancement, while sometimes desirable on a site, does not address erosion control or sediment capture, so it isn't one of the standard five classes. Perimeter controls and inlet protection, stabilization, and sediment basins and traps are all typical BMP categories used to manage stormwater on construction sites, making the noise/appearance option the one that doesn't belong.

5. What is the primary objective of stormwater management under DEQ regulations?

A. To minimize costs by reducing inspector visits.

B. To maximize land development and accelerated project timelines.

C. To rely solely on downstream treatment facilities.

D. To prevent pollutant-laden runoff from reaching waters of the Commonwealth by controlling erosion, sediment, and other pollutants at construction and development sites and through proper BMPs in post-construction.

The main idea is protecting water quality by stopping pollutants from entering waters of the Commonwealth at the source. DEQ regulations focus on preventing pollutant-laden runoff by controlling erosion, sediment, and other pollutants at construction and development sites and by applying proper post-construction best management practices (BMPs). This source-control approach is what minimizes the amount of polluted runoff that can reach streams, rivers, and lakes. Why this is the best fit: it aligns with the goal of safeguarding water resources, using erosion and sediment controls during construction and implementing effective BMPs after development to manage stormwater flows and pollutant loads. It treats runoff before it can cause harm, rather than relying on downstream treatment alone or trying to speed up development or cut oversight. Why the other ideas don't fit: focusing on reducing inspector visits or accelerating development places economic considerations above water protection, which is not the regulatory aim. Relying solely on downstream treatment ignores the need to prevent pollutants from entering waterways in the first place, which is a core part of DEQ's approach to stormwater management.

SAMPLE

6. What is the first action in preparing the pre-treatment cells for bioretention?

A. Excavate pre-treatment cells first and seal to trap sediments

B. Rip bottom soils 6-12 inches

C. Excavate bioretention from sides

D. Install geotextile fabric

The first action is to excavate the pretreatment cell and seal it to trap sediments. Pretreatment acts as a sediment-trapping forebay that protects the main bioretention media from clogging by coarse particles. By creating this space up front and sealing it, sediments settle out before runoff moves into the main planting area, making maintenance easier and extending the life of the bioretention bed. The other steps described—ripping bottom soils, excavating the bioretention area from the sides, or installing geotextile fabric—are completed after the pretreatment cell is established or are not the initial action needed to create the sediment-trapping forebay.

7. What is the maximum amount of a pollutant a water body can receive and still meet water quality standards?

A. Erosion and Sediment Control

B. Total Maximum Daily Load

C. Environmental Site Design

D. Virginia Stormwater Management Act

The main concept is the cap on pollutants a water body can receive and still meet water quality standards, which is defined by a Total Maximum Daily Load. A TMDL is the calculated daily limit on the combined pollutant loads from all sources that a water body can accept while achieving or maintaining water quality standards. It reflects the water body's assimilative capacity and is used to guide how much pollution must be reduced from both point and nonpoint sources to restore or protect the water quality. When a body of water is impaired, a TMDL is developed to specify how much pollutant reduction is needed and how that load should be allocated among sources. Other terms relate to stormwater management but do not define that daily pollutant-cap. Erosion and Sediment Control focuses on preventing sediment from entering waterways during activities. Environmental Site Design describes practices to manage runoff and pollutants, not the overall allowable load. The Virginia Stormwater Management Act is the law governing stormwater programs, not the pollutant cap itself.

8. What must be done with hardened and liquid concrete waste?

A. Can be disposed with ordinary trash.

B. Hardened and liquid concrete waste must be removed and properly disposed.

C. Discharged into storm sewer after solidification.

D. Shaken into the soil as fertilizer.

Handling both hardened and liquid concrete waste requires removal from the site and proper disposal. Concrete waste can contaminate water and soil if it isn't handled correctly, and regulations typically prohibit dumping it with ordinary trash or discharging it to the storm sewer. Liquid concrete waste, if poured or allowed to seep, can solidify and clog drainage systems and release pollutants, so it must be contained, transferred to appropriate containers, and taken to a permitted facility or recycled where allowed. Hardened concrete debris should be disposed of at a construction and demolition waste facility or recycled as aggregate rather than dumped in the trash. It should never be released into the storm sewer or spread on soil as fertilizer due to the potential to disrupt water quality and harm ecosystems.

SAMPLE

9. Which items are required by the Virginia construction stormwater permit framework?

A. Only a general site plan.

B. Waste management plan and noise assessment.

C. Bidding documents.

D. SWPPP, erosion and sediment controls, and BMPs.

Virginia's construction stormwater permit framework requires a formal plan and concrete controls to prevent sediment and pollutants from leaving the site. The essential elements are a Stormwater Pollution Prevention Plan (SWPPP), erosion and sediment controls, and best management practices (BMPs). The SWPPP outlines the site map, proposed activities, specific control measures, responsibilities, inspection and maintenance procedures, and training. Erosion and sediment controls are the actual measures used to keep soil from leaving the site and to treat runoff, such as silt fences, sediment basins, stabilized entrances, and proper drainage management. BMPs encompass broader practices to minimize pollutant sources and keep the site clean, including proper material storage, waste management, spill prevention, concrete washout, and overall housekeeping. The other options miss these permit requirements or focus on items not mandated by the stormwater framework, so the combination of SWPPP, erosion and sediment controls, and BMPs best fits what the framework requires.

10. Who is primarily responsible for verifying on-site BMP performance during construction?

A. Plan reviewer

B. Field inspector

C. Contractor

D. Owner

Field inspectors are the on-site professionals charged with watching BMPs as construction progresses, ensuring they're installed correctly and functioning as designed. Their role is to verify performance in real time, check that sediment controls, outlet protections, stabilized entrances, and other measures meet the permit and SWPPP requirements, and document any deficiencies. They're the ones who observe field conditions, confirm ongoing compliance, and require corrective actions when BMPs aren't performing properly. This on-site verification is essential because the design plan reviewer isn't there on the ground daily, and while a contractor implements the BMPs, the inspector ensures they are applied correctly and remain effective during construction. The owner is ultimately responsible for the project but does not perform the routine on-site verification, and plan reviewers focus on approving the design rather than monitoring daily field performance. Therefore, the primary responsibility for verifying on-site BMP performance during construction lies with the field inspector.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://deqstormwatermgmtinspector.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE