DERMATOLOGY PHYSICIAN ASSISTANT NATIONAL CERTIFYING EXAMINATION (PANCE) PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://dermatologypance.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **For a patient with erythema multiforme, what would you expect regarding the lesion's progression?**

   A. It often resolves within 6 weeks

   B. It typically remains stable

   C. It tends to recur rapidly

   D. It becomes increasingly painful

2. **A 34-year-old female has a diffuse maculopapular rash and generalized lymphadenopathy. Which test will confirm a suspected diagnosis of secondary syphilis?**

   A. A VDRL

   B. B patch testing

   C. C acetowhitening

   D. D Gram stain and culture

3. **What condition is characterized by flushing, facial redness, and papulopustular lesions?**

   A. Rosacea

   B. Acne vulgaris

   C. Psoriasis

   D. Eczema

4. **What is the most likely diagnosis for a 65-year-old male with multiple brown plaques on his back, warty surface, and greasy feel?**

   A. A lentigines

   B. B actinic keratosis

   C. C keratoacanthomas

   D. D seborrheic keratosis

5. **Which skin condition often presents with a "bull's-eye" appearance?**

   A. Psoriasis

   B. Lyme disease

   C. Impetigo

   D. Shingles

SAMPLE

6. What is the most common type of skin cancer?

A. Melanoma

B. Squamous cell carcinoma

C. Basal cell carcinoma

D. Adenocarcinoma

7. Which condition is typically exacerbated by cold weather and occurs on the fingers and toes?

A. Raynaud's phenomenon

B. Cold urticaria

C. Chilblains

D. Frostbite

8. What is the most appropriate initial diagnostic study for a gardener with recurrent skin issues on his hand?

A. Skin scraping and microscopy

B. Patch testing

C. RAST testing

D. Skin biopsy

9. Which skin disorder is frequently linked with stress and anxiety?

A. Psoriasis

B. Eczema

C. Alopecia areata

D. Rosacea

10. What type of fungal infection is commonly referred to as ringworm?

A. Candidiasis

B. Tinea (dermatophyte infection)

C. Dermatophytosis

D. Herpes simplex

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. D
5. B
6. C
7. A
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. For a patient with erythema multiforme, what would you expect regarding the lesion's progression?

A. It often resolves within 6 weeks

B. It typically remains stable

C. It tends to recur rapidly

D. It becomes increasingly painful

Erythema multiforme is an acute condition characterized by distinctive skin lesions. The expectation for the lesion's progression is often that it resolves within a timeframe of approximately 2 to 6 weeks, depending on the severity of the episode and the underlying cause. This resolution is a key aspect of the condition, as most cases are self-limiting and may improve significantly with appropriate management or even spontaneously. It's important to note that while individual lesions may change during this time, the overall expectation is that the condition will not persist indefinitely. Understanding the typical duration of erythema multiforme helps in managing patient expectations and planning follow-up care. In contrast, although recurrence can occur in some patients, it's generally not as rapid or frequent as suggested by other options. The lesions do not typically remain stable over a long period, as they usually evolve and then resolve. Pain associated with erythema multiforme can vary but is not universally progressive; rather, it is more common for the lesions to resolve without increasing in severity.

2. A 34-year-old female has a diffuse maculopapular rash and generalized lymphadenopathy. Which test will confirm a suspected diagnosis of secondary syphilis?

A. A VDRL

B. B patch testing

C. C acetowhitening

D. D Gram stain and culture

The Venereal Disease Research Laboratory (VDRL) test is a non-treponemal test used to screen for syphilis, and it is particularly relevant in cases of secondary syphilis where clinical signs such as a diffuse maculopapular rash and generalized lymphadenopathy are present. In secondary syphilis, the presence of treponemes in the body can lead to the production of antibodies that the VDRL test is designed to detect. A positive VDRL result indicates that the person has been exposed to the syphilis bacteria, thus supporting the diagnosis of secondary syphilis. Although the VDRL test can yield false positives due to other conditions, it is still the most appropriate initial serologic test to confirm suspected cases of syphilis in conjunction with clinical findings. After a positive screening, it is important to follow up with a more specific treponemal test for confirmation. The other tests mentioned are not relevant to diagnosing secondary syphilis. Patch testing is utilized for allergic reactions, acetowhitening involves vinegar application to visualize cervical changes during a gynecological exam, and Gram stain and culture are primarily used for identifying bacterial infections, not for diagnosing syphilis. Thus, the

SAMPLE

3. What condition is characterized by flushing, facial redness, and papulopustular lesions?

A. Rosacea

B. Acne vulgaris

C. Psoriasis

D. Eczema

The condition characterized by flushing, facial redness, and papulopustular lesions is indeed rosacea. Rosacea typically presents with episodes of facial flushing and persistent redness, particularly across the cheeks, nose, forehead, and chin. The papulopustular lesions that may accompany this condition can resemble acne, but they occur in the context of the distinct flushing and vascular changes typical of rosacea. Patients with rosacea often report triggers that can exacerbate their symptoms, such as hot drinks, spicy foods, alcohol, and stress. The chronicity of rosacea can lead to skin thickening, particularly of the nose in a subtype known as rhinophyma. Additionally, unlike acne vulgaris, which primarily affects younger individuals and involves comedones (blackheads and whiteheads), rosacea primarily affects adults and does not involve clogged pores. In contrast, other conditions listed, such as acne vulgaris, psoriasis, and eczema, do not present the same combination of flushing and persistent facial redness linked specifically to rosacea. Eczema generally involves a different distribution and is associated with itchy, inflamed skin, and psoriasis presents with well-demarcated plaques often covered in silvery scales. Hence, the classic symptoms described align closely with rosacea

4. What is the most likely diagnosis for a 65-year-old male with multiple brown plaques on his back, warty surface, and greasy feel?

A. A lentigines

B. B actinic keratosis

C. C keratoacanthomas

D. D seborrheic keratosis

The presentation of multiple brown plaques on the back of a 65-year-old male, described as having a warty surface and a greasy feel, is characteristic of seborrheic keratosis. These benign skin lesions are common in older adults and are often seen on the trunk, scalp, and face. They usually appear as well-defined, adherent plaques that can vary in color from light tan to dark brown or black. The "greasy feel" is particularly indicative, as seborrheic keratoses have a velvety or somewhat oily texture compared to other skin lesions. While other conditions such as lentigines, actinic keratosis, and keratoacanthomas may present with similar colors or appearances, they have distinct features that differentiate them. For instance, lentigines are flat and uniform in color, primarily related to sun exposure but do not typically have the warty texture associated with seborrheic keratosis. Actinic keratosis usually appears as rough, scaly patches that can feel dry rather than greasy, and they are associated with sun damage and have the potential to progress to squamous cell carcinoma. Keratoacanthomas develop rapidly and may resemble squamous cell carcinomas

SAMPLE

5. Which skin condition often presents with a "bull's-eye" appearance?

A. Psoriasis

B. Lyme disease

C. Impetigo

D. Shingles

The skin condition that often presents with a "bull's-eye" appearance is Lyme disease. This characteristic rash is known as erythema migrans, which typically appears at the site of a tick bite. The rash usually starts as a small red spot that expands over time, creating the classic concentric rings that resemble a target or bull's-eye. In the context of Lyme disease, this rash forms as the body's immune response to the infection from the Borrelia burgdorferi bacteria, which are transmitted through tick bites. The center of the rash may clear as it expands outward, leading to this distinctive appearance. Understanding the presentation of erythema migrans is crucial for early diagnosis and treatment of Lyme disease, as prompt management is essential to prevent further complications associated with the illness. This unique presentation distinguishes Lyme disease from other conditions listed, which do not typically exhibit a bull's-eye pattern on the skin.

6. What is the most common type of skin cancer?

A. Melanoma

B. Squamous cell carcinoma

C. Basal cell carcinoma

D. Adenocarcinoma

The most common type of skin cancer is basal cell carcinoma. This type arises from the basal cells in the epidermis, the outer layer of the skin. Basal cell carcinoma is notable for its slow growth and local invasiveness, but it rarely metastasizes to distant sites, making it highly treatable when caught early. Various factors contribute to the prevalence of basal cell carcinoma, including prolonged exposure to ultraviolet (UV) radiation from the sun or tanning beds, which damages the skin and increases the risk of skin cancer. Basal cell carcinoma typically appears as a pearly or waxy bump, a flat, firm scar-like lesion, or a brown/blue lesion, making it recognizable for diagnosis. Given its commonality, early detection through regular skin checks is crucial for effective treatment and management. Melanoma, while more dangerous due to its potential for metastasizing, is much less common than basal cell carcinoma. Squamous cell carcinoma also occurs more frequently than melanoma but has a lower incidence than basal cell carcinoma. Adenocarcinoma primarily arises in glandular tissues and is not classified as a skin cancer, making it irrelevant in this context.

SAMPLE

7. Which condition is typically exacerbated by cold weather and occurs on the fingers and toes?

A. Raynaud's phenomenon

B. Cold urticaria

C. Chilblains

D. Frostbite

Raynaud's phenomenon is characterized by episodic vasospasm in the small blood vessels of the fingers and toes, leading to color changes, numbness, and discomfort typically triggered by cold exposure or emotional stress. In colder weather, these symptoms can worsen significantly as the body attempts to conserve heat by constricting blood vessels, causing reduced blood flow to the extremities. This results in the classic tri-color change of pallor, cyanosis, and finally erythema as blood flow returns. In contrast, cold urticaria is an allergic skin reaction characterized by hives or welts upon exposure to cold stimuli, but it does not result from vasospasm and is not limited to the fingers and toes. Chilblains, while also associated with cold, occur due to prolonged exposure to non-freezing cold and typically affect the fingers and toes along with swelling and itching. Frostbite is a more severe condition resulting from freezing of the skin and underlying tissues, which can occur with prolonged exposure to extreme cold but doesn't specifically refer to the phenomenon of vasospasm.

8. What is the most appropriate initial diagnostic study for a gardener with recurrent skin issues on his hand?

A. Skin scraping and microscopy

B. Patch testing

C. RAST testing

D. Skin biopsy

The most appropriate initial diagnostic study for a gardener experiencing recurrent skin issues on his hand is patch testing. This type of testing is specifically designed to identify allergic contact dermatitis, which is common among individuals who work with various plants, soil, and gardening chemicals. Gardeners are often exposed to a variety of allergens, including plant materials, pesticides, and fertilizers, all of which can lead to localized skin reactions. Patch testing involves applying small amounts of various allergens to the skin and monitoring for reactions. This test is particularly useful for diagnosing contact allergies, allowing the practitioner to pinpoint specific substances that may be causing the dermatitis. Given the gardener's occupation and the likely environmental exposure to numerous potential allergens, patch testing can help establish a clear diagnosis and guide future avoidance strategies. While skin scraping and microscopy may be useful for diagnosing infections like tinea, this scenario seems more aligned with a contact dermatitis. RAST testing, a blood test for allergies, is less common for contact allergens as it primarily assesses for systemic or immediate-type hypersensitivities rather than localized reactions. Skin biopsy, while valuable for evaluating various dermatoses and ruling out conditions like psoriasis or eczema, would be a secondary step after other less invasive tests if the patch test does not yield conclusive results.

SAMPLE

9. Which skin disorder is frequently linked with stress and anxiety?

A. Psoriasis

B. Eczema

C. Alopecia areata

D. Rosacea

Psoriasis is a chronic inflammatory skin disorder characterized by rapid skin cell proliferation, leading to thick, silvery scales and red patches on the skin. It is well-documented that stress and anxiety can exacerbate psoriasis symptoms or trigger flare-ups. Stress-related mechanisms, including the release of inflammatory cytokines and changes in immune function, can influence the severity of psoriasis. Recognizing stress as a potential trigger is important in effective management and treatment of the condition. While eczema, alopecia areata, and rosacea can also be influenced by stress, psoriasis has a more direct connection in terms of exacerbation and flare frequency linked to emotional stress. Eczema typically has a multifactorial cause, with irritants and allergens often playing a larger role. Alopecia areata is an autoimmune condition that can also have stress as a contributing factor; however, its mechanisms are distinct from those of psoriasis. Rosacea is primarily related to vascular issues and environmental factors, and while stress may worsen symptoms, the link is not as strongly supported as in psoriasis. Therefore, psoriasis stands out as the skin disorder most frequently linked to stress and anxiety, making it an important consideration for those managing the condition.

10. What type of fungal infection is commonly referred to as ringworm?

A. Candidiasis

B. Tinea (dermatophyte infection)

C. Dermatophytosis

D. Herpes simplex

Ringworm is commonly referred to as a dermatophyte infection, specifically caused by various species of fungi. This type of fungal infection, known as tinea, affects the skin and is characterized by the presence of a red, itchy, circular rash with raised edges, which can look like a ring. The term "ringworm" can be misleading, as it does not involve a worm but rather a fungal organism. Tinea encompasses several specific infections depending on the site affected, such as tinea corporis for body, tinea capitis for the scalp, and tinea pedis for athlete's foot. The fungi responsible for these infections belong to groups known as dermatophytes, which have the ability to invade keratinized tissue such as skin, hair, and nails. The other terms do not accurately reflect the nature of ringworm. Candidiasis refers to infections caused by Candida species, which are yeast fungi and not dermatophytes. Dermatophytosis is another term that refers to infections caused specifically by dermatophytes, but the use of "tinea" is more commonly understood in the context of ringworm. Herpes simplex pertains to a viral infection, which is entirely different from a fungal infection. Understanding the distinction between these

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://dermatologypance.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE