DESCRIPTIVE STATISTICS AND INTRODUCTION TO PROBABILITY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://descriptivestatsintrotoprobability.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. The 75th percentile is also commonly referred to as which quartile?

A. Q3

B. Q1

C. Q2

D. Q4

2. Which statement correctly describes variance?

A. It is the non-squared average deviation

B. It is the square root of the average squared deviation

C. It is the average of squared deviations from the mean

D. It is the maximum distance from the mean

3. Which probability is derived from observed data rather than theory?

A. Theoretical Probability

B. Empirical Probability

C. Conditional Probability

D. Joint Probability

4. For the set [4,4,4,6,7,7,9], which value is the mode?

A. 6

B. 7

C. 9

D. 4

5. Which formula represents Bayes' theorem for P(A|B) in terms of P(B|A), P(A), and P(B)?

A. P(A|B) = [P(B|A)P(A)] / P(B)

B. P(A|B) = P(A)P(B) / P(A|B)

C. P(A|B) = P(B|A)P(B)/P(A)

D. P(A|B) = P(A|B)P(B)/P(A)

6. In a stem-and-leaf plot, what does the stem represent?

A. The trailing digits.

B. The data values in the tens place.

C. The leading digits (the higher-order place) of the data.

D. The frequency count.

SAMPLE

7. In a perfectly symmetric distribution, which statement is true about quartile distances?

A. The distance from Q1 to Q2 equals the distance from Q2 to Q3.

B. Q1 equals Q2 equals Q3.

C. Q2 equals the mean.

D. Q3 equals the maximum.

8. Which statistic describes the percent of data below a threshold?

A. Mean

B. Percentile

C. Range

D. Mode

9. What does conditional independence mean?

A. A and B are independent regardless of any conditioning.

B. A and B are always mutually exclusive.

C. A and B are independent given C if P(A B) = P(A)P(B).

D. A and B are conditionally independent given C if P(A B | C) = P(A|C) P(B|C).

10. Which statement correctly describes the marginal probability P(A) in a joint distribution with B?

A. P(A) equals sum over B of P(A,B)

B. P(A) equals P(A|B)

C. P(A) equals P(B|A)

D. P(A) equals P(A,B) for a single B

SAMPLE

Answers

SAMPLE

1. A
2. C
3. B
4. D
5. A
6. C
7. A
8. B
9. D
10. D

SAMPLE

Explanations

SAMPLE

1. The 75th percentile is also commonly referred to as which quartile?

A. Q3

B. Q1

C. Q2

D. Q4

Quartiles split data into four equal parts. The 75th percentile is the value below which 75% of observations fall, and that point is the third quartile. So this percentile is the third quartile, commonly denoted Q3. The other standard quartiles correspond to: Q1 at the 25th percentile, Q2 at the 50th percentile (the median), and Q4 at the 100th percentile. This helps you see how data are distributed from the lower to the upper end.

2. Which statement correctly describes variance?

A. It is the non-squared average deviation

B. It is the square root of the average squared deviation

C. It is the average of squared deviations from the mean

D. It is the maximum distance from the mean

Variance is a measure of how spread out the data are around the mean, and it does this by averaging the squared deviations from the mean. Squaring serves two purposes: it makes all deviations positive so they can be added together, and it gives more weight to larger deviations, reflecting greater spread. So the quantity you get by taking the average of those squared differences is the variance. If you take the square root of that quantity, you obtain the standard deviation, which is another common way to express spread in the same units as the data. For example, with data 2, 4, 6, the mean is 4; the deviations are −2, 0, 2; squaring gives 4, 0, 4; averaging gives 8/3 ≈ 2.67, which is the variance (and the square root of this is about 1.63, the standard deviation). The maximum distance from the mean and the mean of the absolute deviations describe other concepts, not variance. Therefore, the statement that variance is the average of squared deviations from the mean is the correct description.

3. Which probability is derived from observed data rather than theory?

A. Theoretical Probability

B. Empirical Probability

C. Conditional Probability

D. Joint Probability

Observing data to estimate how often something happens is empirical probability. It uses relative frequency: count how many times the event occurs and divide by the total number of observations. This makes the probability a reflection of what actually happened in the data, not just what a model predicts. For example, if you record each roll of a die and find a 4 appears 18 times out of 120 rolls, the empirical probability of rolling a 4 is 18/120 = 0.15. This differs from the theoretical probability of 1/6 (about 0.1667) because the data come from a finite sample. Theoretical probability, by contrast, comes from assumptions about the process (like all outcomes being equally likely). Conditional and joint probabilities describe probabilities under relationships or combinations of events, and while you can estimate them from data, they aren't defined as "based on observed data" in the same sense as empirical probability.

SAMPLE

4. For the set [4,4,4,6,7,7,9], which value is the mode?

A. 6

B. 7

C. 9

D. 4

The mode is the value that appears most often in a data set. In this list, 4 occurs three times, while 7 occurs twice and 6 and 9 occur once each. Because 4 shows up more than any other number, it is the mode. There's no tie for the highest frequency here, so this mode is unique. (Remember, a data set can have more than one mode if two values tie for the most frequent, or no mode if all values are unique.)

5. Which formula represents Bayes' theorem for P(A|B) in terms of P(B|A), P(A), and P(B)?

A. P(A|B) = [P(B|A)P(A)] / P(B)

B. P(A|B) = P(A)P(B) / P(A|B)

C. P(A|B) = P(B|A)P(B)/P(A)

D. P(A|B) = P(A|B)P(B)/P(A)

Bayes' theorem lets you update the probability of A after seeing B. It follows from the definition of conditional probability: P(A|B) = P(A B)/P(B). The joint probability P(A B) can be written as P(B|A) P(A). Plugging in gives P(A|B) = [P(B|A) P(A)] / P(B). This is the form for expressing P(A|B) in terms of P(B|A), P(A), and P(B). The other expressions mix up the terms or introduce circulars, so they don't represent the correct relationship.

6. In a stem-and-leaf plot, what does the stem represent?

A. The trailing digits.

B. The data values in the tens place.

C. The leading digits (the higher-order place) of the data.

D. The frequency count.

The stem in a stem-and-leaf plot carries the higher-order digits of each value—the leading part of the number. For two-digit data, that means the tens digit. The leaves hold the lower-order digits (the units). This setup lets you see the distribution of the data while keeping the exact values intact. For example, with values like 12, 15, 23, 27, 34, the tens digits (1, 2, 3) become the stems, and the units (2, 5, 3, 7, 4) become the leaves under each stem.

SAMPLE

7. In a perfectly symmetric distribution, which statement is true about quartile distances?

A. The distance from Q1 to Q2 equals the distance from Q2 to Q3.

B. Q1 equals Q2 equals Q3.

C. Q2 equals the mean.

D. Q3 equals the maximum.

The main idea is that symmetry around the center makes the central portion of the distribution evenly spaced. In a perfectly symmetric distribution, the quartiles sit at equal distances from the median: Q1 is 25th percentile, Q2 is the median, and Q3 is the 75th percentile. Because the left and right halves mirror each other, the gap from Q1 up to Q2 is the same as the gap from Q2 up to Q3. This direct consequence of symmetry is why the statement about equal distances is true. For context, think of the data arranged from smallest to largest and divided into four equal-area parts around the center. The center acts as a mirror, so the distances on either side of the median match. The other statements either describe different quantities or rely on extra conditions. For example, Q3 equaling the maximum would only happen in a degenerate dataset where all values are the same as the maximum, which isn't what symmetry implies. And while Q2 equaling the mean can occur in some symmetric distributions with a finite mean, that fact doesn't address the quartile gaps, which is the focus of the question.

8. Which statistic describes the percent of data below a threshold?

A. Mean

B. Percentile

C. Range

D. Mode

Percentiles measure where a value stands in the ordered data in terms of percentage. They tell you what percent of observations fall at or below a given threshold. For example, the 75th percentile is the value below which 75% of the data lie, so if your threshold is that value, you know what portion of data is below it. The mean is just the average value, not about cutting the data at a threshold. The range is the span from smallest to largest value, and the mode is the most frequent value. Thus, percentile is the statistic that describes the percent of data below a threshold.

9. What does conditional independence mean?

A. A and B are independent regardless of any conditioning.

B. A and B are always mutually exclusive.

C. A and B are independent given C if P(A B) = P(A)P(B).

D. A and B are conditionally independent given C if P(A B | C) = P(A|C) P(B|C).

Conditional independence means that once you know the value of C, A and B behave as if they are unrelated. In symbols, the joint probability of A and B given C factors into the product of their individual probabilities given C: P(A B | C) = P(A | C) · P(B | C). Put differently, knowing B doesn't change the likelihood of A when C is known, and vice versa. This is why the statement is correct: it directly encodes that A and B are independent within each level of C by using conditional probabilities. It captures the idea that C accounts for any association between A and B; after conditioning on C, A and B no longer inform each other. The other ideas don't fit because they describe different notions. Independence without any conditioning means A and B are independent in the overall, unconditional sense, which is not the same as independence given C. Mutual exclusivity would require that A and B cannot occur together, which is stronger and not what conditional independence asserts. And using P(A B) without conditioning describes unconditional independence, not conditional independence; the condition must be inside the probability to reflect dependence only through C.

EXAMPLE

10. Which statement correctly describes the marginal probability P(A) in a joint distribution with B?

A. P(A) equals sum over B of P(A,B)

B. P(A) equals P(A|B)

C. P(A) equals P(B|A)

D. P(A) equals P(A,B) for a single B

When two variables are described together, the marginal probability of the first one is what you get when you combine all the ways the second variable can take on any value and add them up. In discrete settings, P(A) is found by summing the joint probability across all possible values of B: P(A) = sum over all b of P(A, B = b). This removes any dependence on B and tells you the overall chance that A occurs, regardless of B. If B were continuous, you'd instead integrate: P(A) = ∫ P(A, B) dB. This differs from P(A|B), which fixes a value of B and asks how likely A is given that specific B. To recover P(A) from conditional probabilities, you'd average over B: P(A) = sum_b P(A|B=b) P(B=b) (or the analogous integral for continuous B). It also differs from P(B|A), which is the distribution of B given A. And P(A,B) for a single value of B is the joint probability of A and that particular B, not the overall marginal probability of A across all B.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://descriptivestatsintrotoprobability.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE