DHA TACTICAL COMBAT CASUALTY CARE (TCCC) – ROLE 3 MEDICAL TREATMENT FACILITY (MTF) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://dhatcccrole3mtf.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Who is responsible for the transition of care from Tactical Field Care to the receiving evacuation team as the casualty enters the Tactical Evacuation Care phase?**

   A. Combat Medic/Corpsman

   B. Field Surgeon

   C. Emergency Medical Technician (EMT)

   D. Commanding Officer

2. **What type of management keeps the casualty's body heat contained and insulates to prevent further loss, but does not reverse the hypothermic process?**

   A. Active rewarming

   B. Passive hypothermia

   C. Hypothermic resuscitation

   D. Preventative cooling

3. **What is the purpose of using a vacuum splint in TCCC?**

   A. To completely immobilize the casualty for transport

   B. To immobilize fractures and provide stability to injured limbs

   C. To enhance circulation to injured areas

   D. To reduce swelling around the injury

4. **What is the importance of evaluating for hypothermia in trauma patients?**

   A. It has no impact on treatment outcomes

   B. Hypothermia can enhance healing time

   C. Hypothermia can exacerbate coagulopathy and increase mortality

   D. It is only critical for patients in cold environments

5. **What is the role of Combat Wound Medication Pack (CWMP) in casualty management?**

   A. To provide life-saving interventions only

   B. To assist in pain management among casualties

   C. To prevent infection in deep wounds

   D. To stabilize the casualty's vital signs

SAMPLE

6. What is a recommended method for managing hypothermia in a trauma casualty?

A. Applying ice packs

B. Covering the casualty with a blanket

C. Providing warm fluids orally

D. Transporting to a heated environment

7. Which of the following is NOT a reason to document vital signs in a casualty?

A. Tracking clinical improvements

B. Identifying the need for advanced interventions

C. Providing evidence in legal cases

D. Making triage decisions

8. Which is a primary focus of TCCC when dealing with combatant casualties?

A. Prevention of psychological trauma

B. Application of time-consuming treatments

C. Rapid assessment and decisive action

D. Informing medical personnel of the situation

9. What can be inferred if the casualty is alert and oriented during treatment?

A. They have no significant injuries

B. They are in a stable condition

C. They will require emergency surgery

D. They should not be given any medication

10. What are the recommended actions for a casualty exhibiting signs of shock?

A. Position the casualty upright and provide oral fluids

B. Position the casualty flat, raise their legs, and ensure rapid transport

C. Keep the casualty actively engaged in conversation

D. Apply cold packs to the casualty's extremities

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. C
5. B
6. B
7. C
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Who is responsible for the transition of care from Tactical Field Care to the receiving evacuation team as the casualty enters the Tactical Evacuation Care phase?

A. Combat Medic/Corpsman

B. Field Surgeon

C. Emergency Medical Technician (EMT)

D. Commanding Officer

The responsibility for the transition of care from Tactical Field Care to the receiving evacuation team falls on the Combat Medic or Corpsman. This individual plays a critical role in ensuring that the casualty's medical information and status are clearly communicated to the evacuation team, facilitating a smooth handoff. The Combat Medic or Corpsman is specifically trained to manage patient care in pre-hospital settings, gathering essential data such as vital signs, injury assessments, and treatment administered before evacuation. This transfer of information is vital for continuity of care, as it allows the receiving medical team to be fully informed and prepared to continue necessary interventions. While the Field Surgeon and EMTs have their specific roles and expertise, they are not typically responsible for the direct handoff during evacuation. The Commanding Officer oversees broader operations and mission outcomes but is not directly involved with individual patient transitions. Thus, the Combat Medic or Corpsman is the quintessential link in this critical phase of casualty management, ensuring that the transition of care is effective and efficient.

2. What type of management keeps the casualty's body heat contained and insulates to prevent further loss, but does not reverse the hypothermic process?

A. Active rewarming

B. Passive hypothermia

C. Hypothermic resuscitation

D. Preventative cooling

Passive hypothermia management is focused on the utilization of the body's own heat to maintain its temperature by preventing further heat loss. This approach typically involves the use of insulating materials, such as blankets or thermal wraps, to keep the casualty warm without actively introducing heat sources. Its primary goal is to preserve the existing body heat within the casualty's body, creating a barrier against the cold environment, and is especially important in cases where the individual is already experiencing hypothermia. This method acknowledges the body's natural responses and does not attempt to actively reheat the individual, which distinguishes it from active rewarming. In settings where hypothermia is a risk, passive management becomes crucial to prevent further decreases in core temperature, while actively regaining warmth can come later in treatment once the casualty is stabilized and receiving medical intervention at a higher level of care.

SAMPLE

3. What is the purpose of using a vacuum splint in TCCC?

A. To completely immobilize the casualty for transport

B. To immobilize fractures and provide stability to injured limbs

C. To enhance circulation to injured areas

D. To reduce swelling around the injury

The purpose of using a vacuum splint in Tactical Combat Casualty Care (TCCC) is to immobilize fractures and provide stability to injured limbs. Vacuum splints are particularly effective because they conform closely to the shape of the limb, providing support while minimizing movement. This stabilization is crucial in preventing further injury, alleviating pain, and ensuring that the limb is properly aligned for better healing. Additionally, the use of vacuum splints enhances the comfort of the casualty during transport, which is a vital consideration in tactical scenarios where movement can exacerbate injuries. By immobilizing fractures effectively, vacuum splints play a significant role in the management of musculoskeletal injuries in the field, ensuring that the patient is in the best possible condition for subsequent medical treatment. While complete immobilization for transport is important, the primary function of a vacuum splint is the stabilization of fractures specifically, rather than total immobilization of the casualty. Similarly, enhancing circulation or reducing swelling are not the primary roles of a vacuum splint; those functions typically require other interventions.

4. What is the importance of evaluating for hypothermia in trauma patients?

A. It has no impact on treatment outcomes

B. Hypothermia can enhance healing time

C. Hypothermia can exacerbate coagulopathy and increase mortality

D. It is only critical for patients in cold environments

Evaluating for hypothermia in trauma patients is crucial because hypothermia can significantly exacerbate coagulopathy, which is a disorder that affects the blood's ability to clot. When a trauma patient is cold, their metabolic processes slow down, which can impair the body's normal clotting mechanisms. This impairment increases the risk of uncontrolled bleeding, a leading cause of morbidity and mortality in trauma cases. Moreover, hypothermia can affect the effectiveness of medical treatments, including resuscitation efforts. As body temperature drops, the heart and other organs may also not function optimally, leading to further complications. Essentially, hypothermia serves as a negative feedback loop: it worsens coagulopathy, which can result in higher rates of mortality. In contrast, while healing times might be affected in various ways in trauma patients, the escalation of life-threatening conditions due to hypothermia is a more pressing concern that fundamentally impacts treatment outcomes. Additionally, the risk of hypothermia is not confined to cold environments; it can occur in various situations, including those where patients have significant blood loss or are exposed to air conditioning or other cooling mechanisms. This broadens the importance of recognizing and managing hypothermia across all trauma settings.

SAMPLE

5. What is the role of Combat Wound Medication Pack (CWMP) in casualty management?

A. To provide life-saving interventions only

B. To assist in pain management among casualties

C. To prevent infection in deep wounds

D. To stabilize the casualty's vital signs

The Combat Wound Medication Pack (CWMP) plays a crucial role in managing pain for casualties. It is designed to provide tactical and immediate pharmacological support for pain relief in combat situations, enabling better patient comfort and cooperation during treatment processes. Pain management is essential not just for the immediate alleviation of discomfort but also for aiding in the casualty's overall psychological state, which can influence recovery and response to further medical intervention. While life-saving interventions, infection prevention, and vital signs stabilization are vital aspects of casualty management, they typically involve other specific treatments and protocols beyond the scope of what CWMP focus on. The CWMP is specifically engineered to address pain management needs, making it an essential tool in the immediate care of combat casualties.

6. What is a recommended method for managing hypothermia in a trauma casualty?

A. Applying ice packs

B. Covering the casualty with a blanket

C. Providing warm fluids orally

D. Transporting to a heated environment

Covering the casualty with a blanket is a recommended method for managing hypothermia in a trauma casualty because it helps to conserve body heat and prevent further heat loss. In the context of hypothermia, maintaining the core temperature is crucial to prevent complications such as cardiac arrhythmias and impaired coagulopathy, which can worsen a trauma patient's condition. Using blankets provides insulation, which is essential for minimizing exposure to ambient cold temperatures. It can also serve to warm the patient gradually, especially when coupled with underlying heat sources or additional warming measures. This method is often used in combination with other supportive actions, such as providing warm fluids and transporting the casualty to a warmer environment, enhancing the overall effectiveness of the treatment. While other options may have relevance in certain contexts, covering with a blanket directly addresses the immediate need to retain heat and stabilize the casualty's temperature.

SAMPLE

7. Which of the following is NOT a reason to document vital signs in a casualty?

A. Tracking clinical improvements

B. Identifying the need for advanced interventions

C. Providing evidence in legal cases

D. Making triage decisions

Documenting vital signs in a casualty is a critical component of patient care, as it serves various important functions. One key reason for documentation is tracking clinical improvements, which allows healthcare providers to assess how a patient is responding to treatment over time. By monitoring vital signs, medical personnel can identify trends that indicate whether a patient's condition is stabilizing, improving, or deteriorating. Another important reason is identifying the need for advanced interventions. Vital signs provide essential information regarding a patient's physiological status, helping to determine whether additional medical interventions are necessary. For instance, abnormal vital signs may prompt immediate life-saving actions or escalate the level of care. Making triage decisions is also a crucial function of vital sign documentation, especially in a mass casualty scenario. Triage involves determining the priority of patients' treatments based on the severity of their conditions. Vital signs are a key factor in these decisions, as they quickly convey the urgency of a patient's needs. While providing evidence in legal cases can be relevant in certain contexts, it is not a primary or inherent reason for documenting vital signs immediately in a clinical setting. The immediate goals of documenting vital signs are focused on patient care and clinical decision-making, making this the correct answer to identify as NOT a primary reason for documenting vital signs

8. Which is a primary focus of TCCC when dealing with combatant casualties?

A. Prevention of psychological trauma

B. Application of time-consuming treatments

C. Rapid assessment and decisive action

D. Informing medical personnel of the situation

A primary focus of Tactical Combat Casualty Care (TCCC) is the rapid assessment and decisive action in response to combatant injuries. In the chaotic environment of combat, immediate evaluation of a casualty's condition allows medical personnel to quickly identify life-threatening conditions that require urgent intervention, such as hemorrhagic shock or airway obstruction. The principle here is to stabilize wounds and provide care as swiftly as possible to enhance survival chances before evacuation to a higher level of medical care. This rapid approach is essential because delays in treatment can lead to increased morbidity or mortality. By prioritizing decisive measures, such as applying tourniquets or quick control of bleeding, TCCC emphasizes the importance of maintaining casualty survival until further medical assistance can be provided. In contrast, approaches that involve time-consuming treatments would not align with the pressing need of responding to life-threatening emergencies quickly. While psychological trauma is an important aspect of overall casualty care, it is not the primary focus within the immediate tactical environment, especially when life-saving measures must take precedence. Additionally, informing medical personnel of the situation is crucial but is part of the broader communication and planning process rather than the immediate tactical response structure of TCCC.

SAMPLE

9. What can be inferred if the casualty is alert and oriented during treatment?

A. They have no significant injuries

B. They are in a stable condition

C. They will require emergency surgery

D. They should not be given any medication

If a casualty is alert and oriented during treatment, this typically indicates that they are in a stable condition. Alertness and orientation suggest that the casualty's consciousness and cognitive function are intact, which can be a positive sign in the context of their overall medical status. Being alert means that the individual can respond appropriately to questions and understand their surroundings, while being oriented implies that they know who they are, where they are, and the time. These signs are critical in assessing a casualty's neurological status, which is an important aspect of stability. Stability often correlates with a lower risk of immediate life-threatening injuries, allowing for more effective treatment planning. Other options imply conclusions that cannot be definitively drawn solely based on the casualty being alert and oriented. For instance, it does not mean that the individual has no significant injuries, nor does it guarantee that they will not require emergency surgical intervention. Additionally, it does not provide any specific guidance regarding medication administration. Therefore, being alert and oriented is best interpreted as a sign that the casualty is stable.

10. What are the recommended actions for a casualty exhibiting signs of shock?

A. Position the casualty upright and provide oral fluids

B. Position the casualty flat, raise their legs, and ensure rapid transport

C. Keep the casualty actively engaged in conversation

D. Apply cold packs to the casualty's extremities

The recommended actions for a casualty exhibiting signs of shock include positioning them flat and raising their legs, along with ensuring rapid transport to a definitive care facility. This approach is based on principles to improve venous return to the heart, thereby enhancing cardiac output and helping to restore blood pressure, which is critical in the management of shock. By laying the casualty flat and elevating the legs, it facilitates better blood flow to vital organs, which is fundamental when dealing with shock conditions. Rapid transport is also crucial, as shock can rapidly deteriorate a casualty's condition, requiring immediate advanced medical intervention. Waiting for oral fluid intake can lead to complications, especially if the casualty is unable to swallow or ultimately requires intravenous fluids. Engaging the casualty in conversation may not be advisable, as it could lead to exhaustion or distract from managing their physical needs. The application of cold packs is not indicated in this situation, as cold can worsen shock by constricting blood vessels and reducing blood flow to essential areas.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://dhatcccrole3mtf.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE