
DIVE INTEGRATED CHEMISTRY AND PHYSICS (ICP) QUARTERLY EXAM 2 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://diveicpquarterly2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the principle behind the conservation of mass in chemical reactions?

A. Energy cannot be created or destroyed

B. Matter cannot be lost during a reaction

C. Matter cannot be created or destroyed, only transformed

D. Chemical reactions do not change the quantity of matter

2. What characterizes a substance with a pH less than 7?

A. It is a base

B. It is neutral

C. It is an acid

D. It is a salt

3. What is a solution?

A. An unsolved mixture

B. A homogeneous mixture

C. A solid compound

D. A type of strong acid

4. A compound formed from an acid and a base during a neutralization reaction is called what?

A. Solution

B. Salt

C. Hydronium ion

D. Hydroxide ion

5. What unit is commonly used to measure pressure in gases?

A. Bare units (b)

B. Pascals (Pa)

C. Moles (mol)

D. Liters (L)

SAMPLE

6. What describes the addition of a solute to a solvent, which raises the boiling point?

A. freezing point elevation

B. boiling point elevation

C. vapor pressure lowering

D. osmotic pressure

7. What is the role of electrons in electrical conductivity?

A. They repel each other to stop the flow of electricity

B. They become immobile in a conductor

C. Free-moving electrons allow electrical current to flow

D. Electrons do not participate in electrical current

8. What do we call an electron or positron that is emitted during beta decay?

A. Gamma particle

B. Beta particle

C. Alpha particle

D. Neutron particle

9. According to the Brønsted-Lowry theory, how are acids and bases defined?

A. Acids are electron donors, bases are electron acceptors

B. Acids are proton donors, bases are proton acceptors

C. Acids have higher pH than bases

D. Acids and bases are defined solely by their state of matter

10. Which property distinguishes metals from nonmetals in reference to electron behavior?

A. Tendency to gain electrons

B. Tendency to lose electrons

C. Ability to form ionic bonds

D. Hybridization characteristics

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. B
5. B
6. B
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the principle behind the conservation of mass in chemical reactions?

A. Energy cannot be created or destroyed

B. Matter cannot be lost during a reaction

C. Matter cannot be created or destroyed, only transformed

D. Chemical reactions do not change the quantity of matter

The principle behind the conservation of mass in chemical reactions is that matter cannot be created or destroyed; it can only be transformed from one form to another. This fundamental concept implies that during any chemical reaction, the total mass of the reactants must equal the total mass of the products. In other words, the atoms present in the reactants rearrange to form the products, but none of the atoms are lost or gained in the process. This understanding is crucial because it emphasizes the unchanging nature of the amount of matter in a closed system, allowing scientists to balance chemical equations accurately and to predict the outcomes of reactions based on the quantities of reactants used. The distinction made by this principle helps clarify many aspects of physical and chemical processes. For instance, although energy may change forms according to the law of conservation of energy, the actual mass and number of atoms involved in chemical reactions remain constant, underscoring the transformative nature of these reactions without loss or creation of matter.

2. What characterizes a substance with a pH less than 7?

A. It is a base

B. It is neutral

C. It is an acid

D. It is a salt

A substance with a pH less than 7 is characterized as an acid. The pH scale ranges from 0 to 14, with values below 7 indicating increasing acidity. When the pH of a solution is below 7, it signifies an excess of hydrogen ions (\(H^+\)) in the solution, contributing to the acidic nature of the substance. In contrast, a neutral solution has a pH of approximately 7, which indicates that the concentration of hydrogen ions is equal to the concentration of hydroxide ions (\(OH^-\)). Bases, or alkaline substances, have a pH greater than 7, demonstrating a deficiency of hydrogen ions relative to hydroxide ions. A salt, which results from the neutralization reaction between an acid and a base, does not inherently possess a pH lower than 7; its pH can vary depending on the strengths of the parent acid and base. Thus, the correct characterization of a substance with a pH less than 7 is that it is an acid.

SAMPLE

3. What is a solution?

A. An unsolved mixture

B. A homogeneous mixture

C. A solid compound

D. A type of strong acid

A solution is best defined as a homogeneous mixture, meaning that it consists of a uniform combination of substances where the individual components are evenly distributed throughout the mixture. In a solution, the solute (the substance that is dissolved) is mixed at the molecular or ionic level with the solvent (the substance that does the dissolving), resulting in a single phase. This uniformity is key, as it differentiates solutions from other types of mixtures that may be heterogeneous, where the individual components can be seen and are not uniformly distributed. The definition of a solution emphasizes its consistent properties throughout, making it vital in chemistry for understanding reactions and interactions at the molecular level. Solids, unsolved mixtures, or types of strong acids do not capture the essence of a solution as accurately as a homogeneous mixture does. A solid compound, for instance, may not involve any dissolution process, while an unsolved mixture lacks the uniform distribution that characterizes a solution. Likewise, while certain strong acids can form solutions when dissolved in water, the term "solution" is not limited to acids or any specific type of solute, but applies broadly to any homogeneous mixture.

4. A compound formed from an acid and a base during a neutralization reaction is called what?

A. Solution

B. Salt

C. Hydronium ion

D. Hydroxide ion

A compound formed from an acid and a base during a neutralization reaction is called a salt. In a neutralization reaction, the acid donates protons (H ions) and the base donates hydroxide ions (OH). When these two combine, they form water (H O) and a salt. Salts are a broad category of compounds that can be formed from the reaction of acids and bases, and they typically consist of a cation from the base and an anion from the acid. For instance, if hydrochloric acid (HCl) reacts with sodium hydroxide (NaOH), the resulting salt is sodium chloride (NaCl), along with water. The other options refer to different concepts: a solution is a homogeneous mixture, hydronium ions are formed when an acid is dissolved in water, and hydroxide ions are characteristic of bases. None of these represent the compound formed from the neutralization process itself.

5. What unit is commonly used to measure pressure in gases?

A. Bare units (b)

B. Pascals (Pa)

C. Moles (mol)

D. Liters (L)

The unit most commonly used to measure pressure in gases is the Pascal (Pa). Pressure is defined as force per unit area, and the Pascal specifically represents one newton of force applied over an area of one square meter. This measurement is standard in the International System of Units (SI) and is used universally in scientific contexts to quantify pressure. In the context of gases, pressure plays a crucial role in understanding gas behavior and properties, particularly under varying temperature and volume conditions as described by gas laws such as Boyle's Law and the Ideal Gas Law. The use of Pascals allows precise and consistent communication of pressure measurements across scientific disciplines. Other units of pressure do exist, like atmospheres (atm) and torr, but the Pascal remains the SI unit, providing a standardized measure that is essential for scientific rigor and comparison.

SAMPLE

6. What describes the addition of a solute to a solvent, which raises the boiling point?

A. freezing point elevation

B. boiling point elevation

C. vapor pressure lowering

D. osmotic pressure

The addition of a solute to a solvent, which raises the boiling point, is known as boiling point elevation. This phenomenon occurs because the presence of the solute disrupts the solvent molecules' ability to evaporate; as a result, more energy (in the form of heat) is required for the solvent to boil. The amount of boiling point elevation depends on the concentration of the solute and is described by a specific formula that involves the van't Hoff factor, the boiling point elevation constant of the solvent, and the molality of the solution. In contrast, freezing point elevation refers to the decrease in the freezing point of a solvent when a solute is added, while vapor pressure lowering describes how the presence of a solute reduces the vapor pressure of a solvent. Osmotic pressure is the pressure required to stop the flow of solvent into a solution through a semipermeable membrane. Each of these terms describes different colligative properties resulting from the addition of solutes to solvents, but boiling point elevation specifically focuses on the increase in boiling point.

7. What is the role of electrons in electrical conductivity?

A. They repel each other to stop the flow of electricity

B. They become immobile in a conductor

C. Free-moving electrons allow electrical current to flow

D. Electrons do not participate in electrical current

The role of electrons in electrical conductivity is crucial and is primarily associated with their ability to move freely within conductive materials, such as metals. In conductors, atoms have electrons that are loosely bound to their nuclei, which allows these electrons to move easily throughout the material. This characteristic of free-moving electrons is what facilitates the flow of electrical current when a potential difference (voltage) is applied. When a voltage is applied across a conductor, the free electrons drift towards the positive terminal, creating an electric current. In contrast, the other statements do not accurately describe the behavior of electrons in conductors. For instance, arguing that electrons repel each other to stop the flow of electricity ignores their ability to move together in a coordinated manner under an applied electric field. The suggestion that electrons become immobile in a conductor contradicts the fundamental principle of conductivity—if they were immobile, no current would flow. Lastly, stating that electrons do not participate in electrical current again misrepresents their essential role; without the movement of electrons, there would be no electrical current at all. Thus, the correct understanding of electrical conductivity hinges on the presence and mobility of free-moving electrons, which is accurately captured in the chosen answer.

SAMPLE

8. What do we call an electron or positron that is emitted during beta decay?

A. Gamma particle

B. Beta particle

C. Alpha particle

D. Neutron particle

During beta decay, a nucleus transforms and emits a beta particle, which can either be an electron or a positron. This process occurs when a neutron in the nucleus converts into a proton while releasing an electron (in the case of beta-minus decay) or when a proton converts into a neutron and emits a positron (in the case of beta-plus decay). The key feature of a beta particle is its charged nature, with electrons carrying a negative charge and positrons carrying a positive charge. In nuclear reactions, these particles play a critical role in balancing the atomic number while maintaining the overall nucleon count, allowing the atom to transition into a different element or isotope. The other options refer to different types of particle emissions. Gamma particles are high-energy photons emitted during nuclear transitions but do not involve the emission of charged particles. Alpha particles consist of two protons and two neutrons (a helium nucleus) and are significantly heavier than beta particles. Neutron particles are neutral and do not relate to the beta decay process, which specifically involves changes in charge associated with electrons or positrons. Thus, the term 'beta particle' accurately describes the emitted electron or positron in the context of beta decay.

9. According to the Brønsted-Lowry theory, how are acids and bases defined?

A. Acids are electron donors, bases are electron acceptors

B. Acids are proton donors, bases are proton acceptors

C. Acids have higher pH than bases

D. Acids and bases are defined solely by their state of matter

The Brønsted-Lowry theory defines acids and bases in terms of proton transfer. According to this theory, acids are substances that donate protons (H ions), while bases are those that accept protons. This definition expands the understanding of acids and bases beyond just their chemical composition or physical properties, focusing instead on their role in chemical reactions, particularly in aqueous solutions. For example, when hydrochloric acid (HCl) is dissolved in water, it donates a proton to water, forming hydronium ions (H O) and chloride ions (Cl). In this case, HCl is acting as a Brønsted-Lowry acid. Conversely, when ammonia (NH) is mixed with water, it accepts a proton from water, producing ammonium ions (NH) and hydroxide ions (OH). Here, ammonia functions as a Brønsted-Lowry base. The other options either define acids and bases based on different criteria or concepts outside of the Brønsted-Lowry framework. Therefore, the focus on proton transfer in option B is fundamental and accurately reflects the essence of the Brønsted-Lowry

SAMPLE

10. Which property distinguishes metals from nonmetals in reference to electron behavior?

A. Tendency to gain electrons

B. Tendency to lose electrons

C. Ability to form ionic bonds

D. Hybridization characteristics

The distinguishing characteristic that separates metals from nonmetals in terms of electron behavior is the tendency of metals to lose electrons. Metals have relatively low electronegativities and ionization energies, making it easier for them to lose electrons and form positive ions (cations) when they undergo chemical reactions. This behavior is a fundamental aspect of metallic bonding and is integral to the formation of metallic compounds. Nonmetals, on the other hand, tend to gain electrons due to their higher electronegativities, which makes them more likely to form negative ions (anions). The ability to form ionic bonds is, therefore, more indicative of nonmetals but does not specifically capture the electron-losing behavior of metals. Hybridization characteristics relate to the shapes and bonding capabilities of atoms rather than their fundamental properties concerning electron behavior, which do not capture the distinction between metals and nonmetals in terms of electron loss or gain. In summary, the tendency of metals to lose electrons is a central property that distinguishes them from nonmetals, reflecting their underlying atomic structure and reactivity.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://diveicpquarterly2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE