
DIVE MASTER PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://divemaster.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How does changing your breath control impact buoyancy?

A. By altering your weight

B. By increasing underwater resistance

C. By changing lung volume and displacing water

D. By adjusting your dive equipment

2. True or False: A minimum surface interval of at least one hour is required for a fourth dive after three dives.

A. True

B. False

C. Only if the previous dives were deep

D. Depends on the pressure groups

3. Which factors should divers avoid to reduce the risk of decompression sickness?

A. Diving soon after an illness or injury

B. Strenuous exercise right after a dive

C. Dehydration

D. All of the above

4. As a wave approaches shore, it becomes unstable due to the bottom causing the wave height to rise and spill its energy. True or False?

A. True

B. False

5. What is the most efficient way to provide oxygen to a breathing, injured diver?

A. With a non-resuscitator demand valve system

B. Using a continuous flow with a nonrebreather mask

C. With a positive pressure resuscitator system

D. Through a pocket mask with free flow oxygen system

SAMPLE

6. What precaution is necessary to prevent the regulator from freezing during cold water dives?

A. Use a warm water rinse before the dive

B. Ensure an environmental seal is present

C. Limit the duration of dives

D. Limit the depth of dives

7. As pressure increases, how does nitrogen behave in the body?

A. Eliminates from the bloodstream

B. Forms bubbles

C. Dissolves into the blood stream

D. Metabolizes faster

8. Why is it important to avoid diving with head congestion?

A. To avoid heat stroke

B. To prevent ear injuries

C. To ensure buoyancy

D. To maintain oxygen levels

9. If an object is neutrally buoyant in seawater, what will happen in fresh water?

A. Sink

B. Float

C. Remain neutral

D. Alternate sinking and floating

10. In breath hold diving, what level of carbon dioxide in the body is essential?

A. High levels to promote oxygen use

B. Standard levels to maintain consciousness

C. Low levels to enhance lung expansion

D. Excessively low levels to delay need for air

SAMPLE

Answers

SAMPLE

1. C
2. A
3. D
4. A
5. B
6. B
7. C
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. How does changing your breath control impact buoyancy?

A. By altering your weight

B. By increasing underwater resistance

C. By changing lung volume and displacing water

D. By adjusting your dive equipment

Changing your breath control impacts buoyancy primarily by altering lung volume and displacing water. When you take a deep breath and fill your lungs with air, your lung volume increases, which reduces your overall density. In a buoyancy context, this essentially allows you to float more easily, as you become less dense than the surrounding water. Conversely, exhaling decreases your lung volume, thus increasing your density and causing you to sink since you're now heavier relative to the water. This principle of changing lung volume directly affects your buoyancy control while diving. A diver can use breath control to ascend or descend in the water column by managing their breath. When a diver wants to ascend, taking a deep breath can help them rise, while exhaling can assist in descending. The other options touch on related factors, but they do not specifically address how breath control influences buoyancy. While adjusting dive equipment can affect buoyancy, it is not directly related to breath control; similarly, underwater resistance may relate to movement but does not have a direct impact on buoyancy in the same way lung volume does.

2. True or False: A minimum surface interval of at least one hour is required for a fourth dive after three dives.

A. True

B. False

C. Only if the previous dives were deep

D. Depends on the pressure groups

The requirement for a minimum surface interval of at least one hour after three dives before conducting a fourth dive is based on the principles of dive safety and the need to allow the body sufficient time to off-gas excess nitrogen accumulated during successive dives. This off-gassing process helps to mitigate the risk of decompression sickness, commonly known as "the bends." When divers engage in multiple dives in one day, nitrogen from the breathing gas is absorbed into the body and tissues, particularly if those dives were at deeper depths or involved substantial bottom time. By implementing a minimum surface interval, divers enhance their safety margin and reduce the likelihood of nitrogen buildup leading to potential dive-related injuries. It is important to note that surface interval requirements can vary based on dive profiles, but a general guideline is that divers should not immediately dive again without allowing time for sufficient off-gassing, which is why a minimum of one hour after three dives is considered prudent. Configuration of dives (such as depth and duration) and diver-specific factors may affect exact recommendations, but the primary principle is to ensure safety through adequate surface intervals.

SAMPLE

3. Which factors should divers avoid to reduce the risk of decompression sickness?

A. Diving soon after an illness or injury

B. Strenuous exercise right after a dive

C. Dehydration

D. All of the above

Divers should aim to minimize the risk of decompression sickness (DCS) by avoiding various factors that can compromise their safety. Each of the options—diving soon after an illness or injury, strenuous exercise immediately after a dive, and dehydration—contributes to a higher risk of developing DCS. When a diver has recently experienced an illness or injury, their body may not be in optimal condition for the physical stresses of diving. This lack of preparedness can affect circulation and the body's ability to handle the changes in pressure underwater, increasing the likelihood of nitrogen bubbles forming and leading to DCS. Engaging in strenuous exercise right after a dive can also elevate the risk. After diving, the body needs time to off-gas nitrogen safely. Strenuous activities increase blood flow and can accelerate the extraction of nitrogen from tissues, potentially leading to bubble formation and DCS. Dehydration further exacerbates the risk. Adequate hydration is essential for maintaining proper circulation and allowing the body to off-gas nitrogen effectively. When dehydrated, blood viscosity increases, which may hinder circulation and complicate the off-gassing process. Thus, avoiding all three identified factors—recent illness or injury, strenuous post-dive exercise, and dehydration—creates a safer diving experience

4. As a wave approaches shore, it becomes unstable due to the bottom causing the wave height to rise and spill its energy. True or False?

A. True

B. False

As a wave approaches the shore, it interacts with the bottom topography, causing changes in its stability. This phenomenon occurs as the wave enters shallower water. The energy of the wave begins to compress, resulting in an increase in wave height. As the wave height increases to a point where it can no longer be sustained due to gravity, it spills over, creating what is known as a breaking wave. This process demonstrates how the wave transforms as it moves toward the shore, confirming the statement's accuracy. Therefore, the assertion that waves become unstable and spill their energy as they approach the shore is true.

SAMPLE

5. What is the most efficient way to provide oxygen to a breathing, injured diver?

A. With a non-resuscitator demand valve system

B. Using a continuous flow with a nonrebreather mask

C. With a positive pressure resuscitator system

D. Through a pocket mask with free flow oxygen system

Using a continuous flow with a nonrebreather mask is considered the most efficient way to provide oxygen to a breathing, injured diver because it allows for the delivery of high concentrations of oxygen directly to the patient. The nonrebreather mask is designed with a one-way valve that prevents the inhalation of exhaled gases, ensuring that the injured diver receives fresh oxygen from the tank without dilution from room air. This method is particularly effective in emergency situations where the diver may be hypoxic or experiencing difficulties with their airway or respiratory function. The design of the nonrebreather mask maximizes oxygen supply while minimizing the risk of carbon dioxide retention, which is crucial for maintaining the diver's conscious state and overall stability. In contrast, other methods listed may not provide the same level of oxygen concentration or may be more suitable for different circumstances. For instance, a demand valve system and a positive pressure resuscitator are generally used for non-breathing patients or in scenarios where controlled ventilation is required, which does not apply to a diver who is still breathing. A pocket mask is also less efficient in providing concentrated oxygen compared to the nonrebreather mask, as it primarily focuses on ventilating the patient rather than supplying pure oxygen.

6. What precaution is necessary to prevent the regulator from freezing during cold water dives?

A. Use a warm water rinse before the dive

B. Ensure an environmental seal is present

C. Limit the duration of dives

D. Limit the depth of dives

To prevent the regulator from freezing during cold water dives, ensuring an environmental seal is present is crucial. An environmental seal provides additional protection against cold water ingress into the regulator, which can lead to freezing and malfunction. This design feature is particularly important in cold water temperatures, as it helps maintain the internal components at a temperature less likely to form ice buildup. The other options, while they may appear beneficial, do not address the root cause of freezing as effectively. Using a warm water rinse before the dive may provide temporary warmth to the equipment but does not prevent cold water from entering the regulator during the dive itself. Limiting the duration or depth of dives can reduce exposure to extreme cold, but these strategies don't provide an adequate solution to safeguard the regulator from freezing conditions. In contrast, the environmental seal directly enhances the regulator's ability to function properly in cold water environments.

SAMPLE

7. As pressure increases, how does nitrogen behave in the body?

A. Eliminates from the bloodstream

B. Forms bubbles

C. Dissolves into the blood stream

D. Metabolizes faster

As pressure increases, nitrogen behaves by dissolving more readily into the bloodstream. This phenomenon is explained by Henry's Law, which states that the amount of gas that dissolves in a liquid is proportional to the pressure of that gas above the liquid. In diving, as a diver descends and experiences increased pressure, nitrogen from the air they breathe becomes more soluble in the blood and tissues. This is a crucial aspect of dive physiology, as it relates directly to decompression sickness, also known as "the bends." When divers ascend, the pressure decreases, and the nitrogen that had previously dissolved can form bubbles if not properly managed through slow ascent and safety stops. Therefore, understanding nitrogen's behavior under pressure is essential for safe diving practices.

8. Why is it important to avoid diving with head congestion?

A. To avoid heat stroke

B. To prevent ear injuries

C. To ensure buoyancy

D. To maintain oxygen levels

Diving with head congestion poses significant risks, primarily due to the potential for ear injuries. When a diver experiences congestion, the Eustachian tubes, which help equalize pressure in the middle ear, can become blocked. This blockage prevents the equalization of pressure during descent and ascent, which may lead to painful barotrauma, a condition where pressure causes injury to the ear structures. The congestion can also inhibit proper ventilation of the ear, increasing the likelihood of suffering from conditions such as middle ear barotrauma or even ruptured eardrums. Maintaining the ability to equalize ear pressure is critical for safe diving, thus emphasizing the necessity of avoiding diving when experiencing head congestion. While other factors such as managing buoyancy and oxygen levels are important for a safe diving experience, the immediate concern with head congestion is the risk of injury to the ears due to pressure changes. This makes awareness and precaution regarding ear health particularly vital for divers.

9. If an object is neutrally buoyant in seawater, what will happen in fresh water?

A. Sink

B. Float

C. Remain neutral

D. Alternate sinking and floating

When an object is neutrally buoyant in seawater, it means that the object displaces a volume of water equal to its own weight, allowing it to neither sink nor float but rather to remain suspended within the water. Seawater is denser than fresh water due to its salt content. When the same object is placed in fresh water, which has a lower density than seawater, the buoyant force acting on it will decrease because the amount of water displaced will not be sufficient to support the weight of the object. This will cause the object to sink in fresh water since it will now weigh more than the buoyant force it experiences. In context, options suggesting that the object would float or remain neutral are incorrect because the reduced density of fresh water alters the buoyant forces acting on the object. Since the object displaces less water in fresh water than it does in seawater, it cannot maintain neutral buoyancy and will ultimately sink.

SAMPLE

10. In breath hold diving, what level of carbon dioxide in the body is essential?

A. High levels to promote oxygen use

B. Standard levels to maintain consciousness

C. Low levels to enhance lung expansion

D. Excessively low levels to delay need for air

In breath hold diving, maintaining standard levels of carbon dioxide in the body is crucial for several reasons. Carbon dioxide (CO_2) plays a vital role in the body's respiratory drive; it is the accumulation of CO_2 in the bloodstream that triggers the urge to breathe. If CO_2 levels become too low, the body may not recognize the need to breathe, which can potentially lead to shallow water blackout, unconsciousness, or other dangerous situations. Standard levels of CO_2 also help maintain consciousness by ensuring that the body's physiological responses remain balanced. When CO_2 builds up during a breath hold, it not only stimulates the desire to breathe but also contributes to maintaining adequate blood circulation and oxygen delivery to vital organs, including the brain. Other levels of carbon dioxide, whether excessively high or low, can lead to physiological consequences that impair performance and safety during breath hold diving. High levels can cause discomfort and even hypercapnia, while low levels may result in hypoxia before the diver realizes the need for air. Thus, maintaining standard levels of CO_2 is essential for safe and effective breath hold diving.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://divemaster.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE