
DIVINE INTERVENTION IM SHELF PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://divineinterventionimshelf.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the most likely causative organism in a young female with septic arthritis and purpuric skin lesions?

A. Streptococcus

B. Staphylococcus

C. Gonorrhea

D. Chlamydia

2. What can occur due to correcting hypernatremia too quickly?

A. Hypokalemia

B. Brain swelling

C. Diabetes insipidus

D. Cardiac arrhythmia

3. Which tetracycline can cause nephrogenic diabetes insipidus?

A. Minocycline

B. Demeclocycline

C. Oxytetracycline

D. Tigecycline

4. What is the classic pathogen associated with cold agglutinin disease?

A. Streptococcus pneumoniae

B. Mycoplasma pneumoniae

C. Escherichia coli

D. Legionella pneumophila

5. What condition is indicated by respiratory distress and erythema nodosum?

A. Chronic obstructive pulmonary disease

B. Asthma

C. Sarcoidosis

D. Interstitial lung disease

6. Which pathogen is associated with diarrhea from pork consumption?

A. Salmonella

B. Yersinia enterocolitica

C. Shigella

D. C. difficile

SAMPLE

7. What condition is likely indicated by subconjunctival hemorrhage in a patient with severe coughing episodes?

A. Pneumonia

B. Bronchitis

C. Pertussis

D. Asthma

8. What condition is indicated by reduced ejection fraction in a patient with coarse facial features and enlarged fingers?

A. Acromegaly

B. Cushing's syndrome

C. Hypothyroidism

D. Paget's disease

9. What is a notable symptom during an insulinoma episode?

A. Weight gain

B. Nausea and vomiting

C. Severe headache

D. Hypoglycemic symptoms

10. In which condition should balloon valvuloplasty never be performed?

A. Mitral Stenosis

B. Aortic Stenosis

C. Tricuspid Stenosis

D. Pulmonary Stenosis

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. C
6. B
7. C
8. A
9. D
10. B

SAMPLE

Explanations

SAMPLE

1. What is the most likely causative organism in a young female with septic arthritis and purpuric skin lesions?

A. Streptococcus

B. Staphylococcus

C. Gonorrhea

D. Chlamydia

In a young female presenting with septic arthritis accompanied by purpuric skin lesions, the most likely causative organism is Neisseria gonorrhoeae. This is particularly relevant in sexually active young women, as gonococcal infection can lead to disseminated gonococcal infection (DGI), which not only manifests as septic arthritis but also presents with a characteristic skin rash that can appear purpuric. DGI typically causes joint pain and swelling due to the infection spreading from the urogenital tract through the bloodstream. The purpuric skin lesions are indicative of vasculitis or other systemic effects of infection, which further supports the association with gonorrhea. While other bacteria can cause septic arthritis, the specific combination of a young female patient and these clinical findings is strongly suggestive of gonococcal infection. Other organisms like Streptococcus and Staphylococcus, although they can also cause septic arthritis, do not typically present with the purpuric skin lesions seen in this scenario. Chlamydia, while also a sexually transmitted infection that can cause reactive arthritis, usually does not lead to the acute purpuric skin lesions nor is it as commonly associated with septic arthritis as gonorrhea. Therefore, gonorrhea is

2. What can occur due to correcting hypernatremia too quickly?

A. Hypokalemia

B. Brain swelling

C. Diabetes insipidus

D. Cardiac arrhythmia

When hypernatremia, which is characterized by elevated sodium levels in the blood, is corrected too rapidly, one of the significant risks is brain swelling, also known as cerebral edema. This occurs because sodium levels in the blood are not just important for fluid balance; they also influence the osmotic balance across cell membranes. If hypernatremia is treated too quickly, particularly with hypotonic solutions, water rushes into the brain cells rapidly, causing them to swell. The brain is particularly sensitive to changes in osmolarity and sodium concentration; it relies on a careful balance to maintain cell function and fluid distribution. Rapid shifts can disrupt this balance, leading to potential neurological complications, including headaches, seizures, or even coma. The other options, while potentially relevant in various contexts, do not have the same direct and dangerous relationship with the rapid correction of hypernatremia. Hypokalemia, for instance, is typically associated with potassium levels and would not occur directly from sodium correction. Diabetes insipidus involves a deficiency in vasopressin (ADH) and is not a direct consequence of correcting hypernatremia. Cardiac arrhythmias can arise from various electrolyte imbalances, but they are not a primary concern linked specifically

SAMPLE

3. Which tetracycline can cause nephrogenic diabetes insipidus?

A. Minocycline

B. Demeclocycline

C. Oxytetracycline

D. Tigecycline

Demeclocycline is known to cause nephrogenic diabetes insipidus due to its interference with the action of antidiuretic hormone (ADH) in the kidneys. It acts as a partial antagonist at the vasopressin receptor, which is critical for the reabsorption of water in the renal system. As a result, the kidneys become less responsive to ADH, leading to increased urination and the symptoms associated with diabetes insipidus. This condition highlights a specific side effect that is more prominently associated with demeclocycline, making it distinct among the tetracyclines. Other tetracyclines, such as minocycline, oxytetracycline, and tigecycline, do not share this particular adverse effect to the same degree, primarily focusing their therapeutic use on antibacterial activity rather than impacting renal handling of water in the same manner.

4. What is the classic pathogen associated with cold agglutinin disease?

A. Streptococcus pneumoniae

B. Mycoplasma pneumoniae

C. Escherichia coli

D. Legionella pneumophila

Cold agglutinin disease is primarily associated with Mycoplasma pneumoniae, which is known to be a common cause of atypical pneumonia. This condition is characterized by the production of cold agglutinins, which are antibodies that agglutinate red blood cells at lower temperatures. In the case of Mycoplasma pneumoniae infection, the body responds to the pathogen by producing these antibodies, leading to a hemolytic anemia in some patients. Mycoplasma pneumoniae is a unique bacterium without a cell wall and is often implicated in respiratory infections, particularly in younger individuals. The hemolytic anemia occurs due to the mimicry between antigens on the surface of red blood cells and components of Mycoplasma pneumoniae, leading to the formation of these cold agglutinins. This makes Mycoplasma pneumoniae the classic pathogen associated with cold agglutinin disease, and its role in such cases is well-documented in medical literature.

5. What condition is indicated by respiratory distress and erythema nodosum?

A. Chronic obstructive pulmonary disease

B. Asthma

C. Sarcoidosis

D. Interstitial lung disease

The combination of respiratory distress and erythema nodosum is indicative of sarcoidosis, which is a multisystem inflammatory disease characterized by the formation of non-caseating granulomas in various organs. Erythema nodosum, which presents as painful, red bumps on the shins, is often associated with sarcoidosis and reflects the underlying systemic inflammatory process. In the context of sarcoidosis, respiratory distress can arise due to pulmonary involvement, which often manifests as shortness of breath or a dry cough. The presence of erythema nodosum alongside respiratory symptoms helps clinicians narrow down the differential diagnosis, supporting the diagnosis of sarcoidosis rather than other conditions like chronic obstructive pulmonary disease, asthma, or interstitial lung disease, which do not typically present with erythema nodosum as a feature. Thus, when a patient presents with both respiratory distress and erythema nodosum, sarcoidosis should be strongly considered as it connects these clinical findings in a coherent manner.

SAMPLE

6. Which pathogen is associated with diarrhea from pork consumption?

A. Salmonella

B. Yersinia enterocolitica

C. Shigella

D. C. difficile

Yersinia enterocolitica is a pathogen historically linked to pork consumption, particularly undercooked or contaminated pork products. This bacterium can cause Yersiniosis, a gastrointestinal infection characterized by symptoms such as fever, abdominal pain, and diarrhea, which often resembles appendicitis. The infection is typically acquired through ingestion of contaminated food or water, with pork being a commonly implicated source. Yersinia can be present in the intestines of animals, and improper handling or cooking of pork can lead to transmission to humans. The other pathogens listed also cause gastrointestinal issues, but they are associated with different sources or mechanisms. For instance, Salmonella is often linked to poultry and eggs, Shigella is primarily associated with person-to-person transmission and contaminated water, whereas C. difficile is often related to antibiotic use and healthcare settings, rather than specific food sources like pork. Thus, Yersinia enterocolitica stands out as the correct association with diarrhea stemming from pork consumption.

7. What condition is likely indicated by subconjunctival hemorrhage in a patient with severe coughing episodes?

A. Pneumonia

B. Bronchitis

C. Pertussis

D. Asthma

Subconjunctival hemorrhage occurs when small blood vessels in the conjunctiva break, leading to bleeding under the clear membrane covering the white part of the eye. This condition can be triggered by activities that increase pressure in the chest or head, such as severe coughing. Pertussis, commonly known as whooping cough, is characterized by intense and prolonged coughing spells. These severe coughing fits can lead to increased intrathoracic pressure, which in turn may cause subconjunctival hemorrhage. The likelihood of this symptom appearing in conjunction with whooping cough is higher than it is with other respiratory conditions, where coughing spells may not be as extreme. In contrast, while pneumonia, bronchitis, and asthma can all present with coughing, they typically do not result in the level of severe coughing that can lead to subconjunctival hemorrhage. Therefore, the association of intense coughing episodes with pertussis makes it the most likely condition to reveal this particular manifestation.

SAMPLE

8. What condition is indicated by reduced ejection fraction in a patient with coarse facial features and enlarged fingers?

A. Acromegaly

B. Cushing's syndrome

C. Hypothyroidism

D. Paget's disease

The condition indicated by reduced ejection fraction in a patient with coarse facial features and enlarged fingers is acromegaly. Acromegaly is caused by excess growth hormone, typically due to a benign tumor of the pituitary gland. This hormonal imbalance leads to characteristic changes in physical appearance, including coarse facial features, enlargement of hands and feet, and other systemic complications. In patients with acromegaly, the chronic excess of growth hormone can also lead to cardiovascular issues, one of which is a reduced ejection fraction. This can occur as a result of growth hormone's effects on cardiac muscle, potentially leading to cardiomyopathy. The other conditions present different clinical profiles. Cushing's syndrome is associated with features such as obesity, hypertension, and glucose intolerance rather than specifically coarse facial features or enlarged hands. Hypothyroidism can lead to myxedema and slow heart rates but would not typically present with enlarged fingers and a coarse facial appearance as seen in acromegaly. Paget's disease of bone primarily affects the skeletal system, causing deformities and can lead to a variety of complications, but does not manifest with the same facial features or hand size changes associated with growth hormone excess.

9. What is a notable symptom during an insulinoma episode?

A. Weight gain

B. Nausea and vomiting

C. Severe headache

D. Hypoglycemic symptoms

During an insulinoma episode, the release of insulin from the tumor leads to a notable drop in blood glucose levels, resulting in hypoglycemic symptoms. Patients typically experience signs such as shakiness, sweating, palpitations, confusion, irritability, and, in severe cases, loss of consciousness or seizures. These symptoms arise because the body's glucose levels fall below normal, which is critical for brain function and overall metabolic processes. Weight gain typically does not align with the symptoms of an insulinoma, as the condition is characterized by the opposite effect: hypoglycemia may lead to repeated cycles of poor dietary intake and potentially weight loss. Nausea and vomiting can be seen in various other gastrointestinal or metabolic disorders but are not the hallmark symptoms of insulinoma. Similarly, while severe headaches can occur due to multiple reasons, they are not specifically associated with hypoglycemic episodes resulting from insulinoma. Thus, the presence of hypoglycemic symptoms is the definitive feature during an insulinoma episode, making it the correct choice.

SAMPLE

10. In which condition should balloon valvuloplasty never be performed?

A. Mitral Stenosis

B. Aortic Stenosis

C. Tricuspid Stenosis

D. Pulmonary Stenosis

Balloon valvuloplasty is a minimally invasive procedure that can be effective in treating certain types of valvular stenosis. However, it is contraindicated in specific situations due to the nature of the condition and the characteristics of the valve involved. In the case of aortic stenosis, particularly in adults, balloon valvuloplasty is not typically performed because it often leads to a poor long-term outcome. The aortic valve is usually calcified in older patients, and balloon dilation does not effectively address the calcifications. Instead, it can result in complications such as aortic regurgitation and may not provide significant symptomatic relief. Surgical intervention, such as aortic valve replacement, is generally the preferred treatment for aortic stenosis in these patients. In contrast, procedures like balloon valvuloplasty can be beneficial for mitral, tricuspid, and pulmonary stenosis, especially in cases where the stenosis is due to rheumatic fever or in younger patients with less calcified valves. Therefore, understanding the structural characteristics of the valve involved and the population being treated is crucial in determining the appropriateness of balloon valvuloplasty as a treatment option.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://divineinterventionimshelf.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE