
# DOD HEARING TECHNICIAN TRI□SERVICE CERTIFICATION COURSE PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://dodhearingtechtriservice.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1
Table of Contents ..... 2
Introduction ..... 3
How to Use This Guide ..... 4
Questions ..... 5
Answers ..... 8
Explanations ..... 10
Next Steps ..... 15


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

1. **What is a key responsibility of a CAOHC certified Certified Occupational Hearing Conservationist?**

   A. Conduct social events

   B. Ensure uniform standards of practice

   C. Manage workplace counseling

   D. Oversee financial records

2. **When do thresholds appear to be approximately the same across the test frequencies in one ear?**

   A. In conductive hearing loss

   B. In asymmetric, flat hearing loss

   C. In high-frequency hearing loss

   D. In middle ear infections

3. **What is the minimum noise-free period required before conducting a baseline audiogram using DD Form 2215?**

   A. 10 hours

   B. 12 hours

   C. 14 hours

   D. 16 hours

4. **What structure is NOT found in the inner ear?**

   A. Cochlea

   B. Eustachian tube

   C. Auditory nerve

   D. Balance structures

5. **Which is a critical factor to check for the accuracy of a hearing test?**

   A. Room temperature

   B. Calibration of equipment

   C. Patient's mood

   D. Duration of the test

SAMPLE

**6. What describes an abnormal sensitivity to loud sounds?**

A. Conductive hearing loss

B. Presbycusis

C. Ototoxins

D. Hyperacusis

**7. What test frequencies are required according to ANSI S3.21?**

A. 500, 1000, 2000 Hz

B. 3000, 4000, 6000 Hz

C. 500, 1000, 2000, 3000, 4000, 6000 Hz

D. All frequencies under 6000 Hz

**8. In hearing conservation, what action is performed by the CCA-200 software within DOEHRS-HC?**

A. Record hearing tests

B. Monitor hearing aid performance

C. Manage audiometric calibration

D. Schedule audiometric evaluations

**9. How much should the volume be increased if the patient does NOT respond?**

A. 2 dB

B. 5 dB

C. 10 dB

D. 15 dB

**10. What is the maximum dB(A) an employee should be exposed to regardless of the 8-hr average?**

A. 100 dB(A)

B. 120 dB(A)

C. 140 dB(A)

D. 130 dB(A)

SAMPLE

# Answers

SAMPLE

1. B
2. B
3. C
4. B
5. B
6. D
7. C
8. A
9. B
10. C

SAMPLE

# Explanations

SAMPLE

## 1. What is a key responsibility of a CAOHC certified Certified Occupational Hearing Conservationist?

A. Conduct social events

B. Ensure uniform standards of practice

C. Manage workplace counseling

D. Oversee financial records

*A key responsibility of a Certified Occupational Hearing Conservationist (COHC), certified by the Council for Accreditation in Occupational Hearing Conservation (CAOHC), is to ensure uniform standards of practice. This function involves implementing and maintaining hearing conservation programs that align with established guidelines and regulations to protect workers from noise-induced hearing loss. The COHC is responsible for promoting best practices in hearing conservation, ensuring that testing is conducted properly, and that all facets of the program adhere to safety standards. This includes proper training, regular monitoring, and compliance with regulatory requirements, which contribute significantly to the health and safety of employees in workplaces where noise exposure is a concern. By upholding these standards, the COHC plays a critical role in preventing hearing loss and promoting overall well-being in the occupational setting.*

## 2. When do thresholds appear to be approximately the same across the test frequencies in one ear?

A. In conductive hearing loss

B. In asymmetric, flat hearing loss

C. In high-frequency hearing loss

D. In middle ear infections

*When thresholds appear to be approximately the same across test frequencies in one ear, this typically indicates a flat hearing loss profile. A flat hearing loss means that a person's ability to hear is relatively consistent across various frequencies, suggesting that the auditory system is affected uniformly rather than exhibiting significant variances from low to high frequencies. This can often be observed in a variety of conditions, but specifically in cases of asymmetric, flat hearing loss, both ears may present with consistent threshold levels. In contrast, conductive hearing loss might show differences in thresholds depending on frequency, typically indicating greater difficulty in hearing at specific frequencies. High-frequency hearing loss typically leads to poorer thresholds at the higher frequencies and better thresholds at the lower frequencies, resulting in a sloping profile. Middle ear infections may also lead to fluctuating thresholds due to the variable effectiveness of sound transmission, particularly depending on fluid levels or other factors affecting the middle ear. Thus, the flat configuration of thresholds across frequencies is most characteristic of asymmetric, flat hearing loss.*

SAMPLE

## 3. What is the minimum noise-free period required before conducting a baseline audiogram using DD Form 2215?

A. 10 hours

B. 12 hours

C. 14 hours

D. 16 hours

*The minimum noise-free period required before conducting a baseline audiogram using DD Form 2215 is 14 hours. This requirement is in place to ensure that any temporary threshold shifts in hearing caused by noise exposure are minimized. Noise exposure, even at lower levels, can affect the accuracy of audiometric testing. By allowing this duration of quiet, the technician can better establish a true baseline for an individual's hearing capabilities, which is critical for detecting any changes over time that could be indicative of noise-induced hearing loss. Establishing an accurate baseline is essential for monitoring and protecting hearing health, particularly for individuals exposed to hazardous noise environments.*

## 4. What structure is NOT found in the inner ear?

A. Cochlea

B. Eustachian tube

C. Auditory nerve

D. Balance structures

*The Eustachian tube is not a structure found in the inner ear; instead, it connects the middle ear to the nasopharynx and helps equalize pressure in the middle ear. In contrast, the inner ear contains the cochlea, which is crucial for hearing, as it converts sound vibrations into electrical signals sent to the brain. It also houses balance structures such as the vestibule and semicircular canals, which are essential for maintaining equilibrium. The auditory nerve carries the signals from the cochlea to the brain for interpretation. Understanding the distinct functions of these structures clarifies their locations within the ear's anatomy.*

## 5. Which is a critical factor to check for the accuracy of a hearing test?

A. Room temperature

B. Calibration of equipment

C. Patient's mood

D. Duration of the test

*Calibration of equipment is essential for ensuring the accuracy of a hearing test. Proper calibration confirms that the audiometer and other testing devices are functioning correctly and providing precise measurements of hearing thresholds. If the equipment is not calibrated to the standards set by professional guidelines, it can result in invalid test results, leading to incorrect diagnoses or inappropriate treatment plans. Calibration involves checking and adjusting the equipment to ensure that it accurately represents sound levels and frequencies as they are intended to be presented. This is crucial, as even minor discrepancies in calibration can significantly impact the test outcomes, affecting a patient's hearing assessment. Regular calibration, as per the manufacturer's specifications and industry standards, is necessary to maintain equipment integrity over time. While factors like room temperature, a patient's mood, and the duration of the test may influence the testing environment or overall patient experience, they do not directly impact the fundamental accuracy of the hearing test the way that equipment calibration does.*

SAMPLE

## 6. What describes an abnormal sensitivity to loud sounds?

A. Conductive hearing loss

B. Presbycusis

C. Ototoxins

D. Hyperacusis

*Hyperacusis is characterized by an abnormal sensitivity to loud sounds, where sounds that are typically considered normal or tolerable can be perceived as painfully loud or uncomfortable. This condition can significantly affect an individual's quality of life, making it challenging to engage in everyday activities, as common sounds can become overwhelming. In contrast, conductive hearing loss refers to a problem in the outer or middle ear that prevents sound from being conducted to the inner ear, which affects the ability to hear quieter sounds rather than amplifying sensitivity to loud noises. Presbycusis is age-related hearing loss that typically leads to a gradual decline in hearing ability, particularly in the higher frequencies, and does not inherently include heightened sensitivity to sound intensity. Ototoxins are substances that can cause damage to the auditory system, potentially resulting in hearing loss or balance issues, but they do not describe sensitivity to sound directly. Understanding hyperacusis is important for differentiating it from other hearing impairments, as it requires specific management techniques to help individuals cope with their heightened sensitivity.*

## 7. What test frequencies are required according to ANSI S3.21?

A. 500, 1000, 2000 Hz

B. 3000, 4000, 6000 Hz

C. 500, 1000, 2000, 3000, 4000, 6000 Hz

D. All frequencies under 6000 Hz

*The correct response indicates that the required test frequencies according to ANSI S3.21 include 500, 1000, 2000, 3000, 4000, and 6000 Hz. This standard specifies these frequencies as essential for effective hearing assessment, as they encompass the critical range of human hearing. Testing at these specific frequencies allows for a comprehensive evaluation of a person's hearing ability across a broad spectrum of pitch, which is particularly important for detecting hearing loss and determining the need for further intervention or amplification. Including the full range of frequencies up to 6000 Hz ensures that the evaluation considers both the lower and higher pitches that individuals may encounter in everyday communication. It is important for hearing technicians to adhere to this standard when performing audiometric testing, as it provides a reliable frame of reference for assessing an individual's auditory capabilities.*

## 8. In hearing conservation, what action is performed by the CCA-200 software within DOEHRS-HC?

A. Record hearing tests

B. Monitor hearing aid performance

C. Manage audiometric calibration

D. Schedule audiometric evaluations

*The CCA-200 software within DOEHRS-HC is primarily designed to record hearing tests. This software plays a crucial role in the hearing conservation program by ensuring that audiometric data is accurately captured and stored. It helps in maintaining comprehensive records of individual hearing tests, which can be essential for tracking changes in hearing ability over time and ensuring compliance with hearing conservation standards. This function is integral to the hearing conservation process, as regular monitoring of hearing thresholds can identify trends that may indicate hearing loss, thus allowing for timely interventions and continued surveillance of auditory health in environments where noise exposure is a concern. The effective recording of hearing tests aids in the overall assessment and management of audiometric data for personnel, ensuring that hearing conservation measures are effectively implemented and evaluated.*

SAMPLE

## 9. How much should the volume be increased if the patient does NOT respond?

A. 2 dB

B. 5 dB

C. 10 dB

D. 15 dB

*When a patient does not respond during a hearing test, it's crucial to adjust the volume to ensure that the sound is within a perceivable range for the patient. Increasing the volume by 5 dB is a standard practice in audiometry, as it allows for a reasonable step up in intensity while minimizing potential discomfort and avoiding overwhelming the patient with a drastic increase. A 5 dB increase strikes a balance between ensuring the sound is loud enough to elicit a response while also maintaining patient comfort and sensitivity. Using larger increments, such as 10 dB or 15 dB, might lead to abrupt changes that could exceed the patient's comfort threshold or cause unnecessary stress. On the other hand, a smaller increase, such as 2 dB, may not be sufficient to cross the threshold of hearing for many patients, particularly if they are already having difficulty hearing the sounds at the current level. Thus, the 5 dB increase is both effective and patient-friendly for gradually determining the patient's hearing capabilities.*

## 10. What is the maximum dB(A) an employee should be exposed to regardless of the 8-hr average?

A. 100 dB(A)

B. 120 dB(A)

C. 140 dB(A)

D. 130 dB(A)

*The correct answer is based on established occupational safety guidelines and regulations concerning permissible noise exposure levels in the workplace. The maximum decibel level that an employee should be exposed to, regardless of the 8-hour time-weighted average, is 140 dB(A). This threshold is set to ensure that noise-induced hearing loss is effectively prevented. At 140 dB(A), the risk of immediate hearing damage is significant, and protective measures become critical to safeguard employees' auditory health. Regulations typically stipulate exposure limits that not only consider average exposure over the workday but also the risk of short-term, high-intensity noise, where instantaneous levels can pose acute risks. Understanding these limits is essential for compliance with occupational health standards and for implementing effective hearing conservation programs. The other options represent levels that might still be dangerous but do not encompass the absolute maximum threshold established for short bursts or instantaneous exposure without considering average levels over the workday. Thus, 140 dB(A) is recognized as the critical cutoff point for immediate concern regarding safe exposure.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://dodhearingtechtriservice.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE