DRUGS & HUMAN BEHAVIOR 1 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://drugsandhumanbehavior1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which neurotransmitter is the primary inhibitory transmitter in the CNS and a major target for anti-anxiety drugs?

A. Dopamine

B. GABA

C. Glutamate

D. Endorphins

2. Which term best describes an interaction where two drugs together produce an effect greater than the sum of their individual effects?

A. Antagonistic

B. Additive

C. Synergistic

D. Neutral

3. What is Extinction?

A. The process of generalization from one stimulus to another

B. Strengthening of a conditioned response with reinforcement

C. A stimulus that triggers a natural response

D. Weakening of a conditioned response in the absence of the unconditioned stimulus

4. When a drug is suspended in an oil vehicle, the combination is called the bolus.

A. Solution

B. Bolus

C. Suspension

D. Vehicle

5. What is the typical onset delay for an orally ingested drug?

A. 5-10 min

B. 1-2 hours

C. 2-3 hours

D. 15-30 min

SAMPLE

6. Which theory attributes drug dependence primarily to withdrawal pain?

A. Incentive-Sensitization Theory
B. Hormesis Theory
C. Physical Dependence Theory
D. Opioid Reward Theory

7. Opiates are commonly used in medicine primarily for which purpose?

A. Stimulant effects
B. Anti-inflammatory properties
C. Pain relief
D. Antibiotic action

8. What is the LD50 on the Dose-Response Curve?

A. The median lethal dose
B. The dose that yields 50% death
C. The lethal dose for all subjects
D. The dose that produces no effect

9. Which of the following is true about Schedule I drugs?

A. They are safe for over-the-counter sale.
B. They have low abuse potential.
C. They have medical use in some contexts.
D. They have no currently accepted medical use and a high potential for abuse.

10. Where do the two dopaminergic neuron pathways in the midbrain project to?

A. Telencephalon
B. Mesencephalon
C. Cerebellum
D. Spinal cord

SAMPLE

Answers

SAMPLE

1. B
2. C
3. D
4. B
5. D
6. C
7. C
8. A
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. Which neurotransmitter is the primary inhibitory transmitter in the CNS and a major target for anti-anxiety drugs?

A. Dopamine

B. GABA

C. Glutamate

D. Endorphins

GABA is the brain's main brake on neural activity. It reduces excitability by binding to GABA-A receptors, which opens chloride channels and hyperpolarizes neurons, making them less likely to fire. This widespread inhibition helps calm neural circuits involved in anxiety and arousal. Anti-anxiety drugs, especially benzodiazepines, work by enhancing GABA's effect at the GABA-A receptor, increasing the likelihood that the chloride channel opens and boosting inhibition in anxiety-related pathways. Dopamine is more about reward and motivation; glutamate is the primary excitatory transmitter; endorphins are endogenous opioids that modulate pain and mood, not the main inhibitory transmitter.

2. Which term best describes an interaction where two drugs together produce an effect greater than the sum of their individual effects?

A. Antagonistic

B. Additive

C. Synergistic

D. Neutral

This describes a synergistic interaction, where combining two drugs produces a total effect greater than the sum of their separate effects. In other words, the drugs amplify each other's impact rather than just adding up their individual responses. To see why, think of each drug's effect as a number. If one drug gives a certain amount of response and the other adds its own amount, an additive interaction would equal the simple sum. But when the combined effect exceeds that sum, that extra boost is synergy. Mechanisms behind this can be pharmacodynamic, where the drugs boost each other's action at the same target or pathway, or pharmacokinetic, where one drug increases the exposure or activity of the other. This is different from antagonistic interactions, where one drug diminishes the effect of the other; and from a purely additive interaction, where the combined effect equals the sum. Neutral would imply no interaction at all. So, the term that fits is synergy, because it specifically describes an effect bigger than the sum of the parts.

3. What is Extinction?

A. The process of generalization from one stimulus to another

B. Strengthening of a conditioned response with reinforcement

C. A stimulus that triggers a natural response

D. Weakening of a conditioned response in the absence of the unconditioned stimulus

Extinction is the process of weakening a conditioned response when the conditioned stimulus is no longer paired with the unconditioned stimulus. In classical conditioning, this happens when you repeatedly present the conditioned stimulus without the unconditioned stimulus (for example, ringing a bell but never giving food). Over time, the learned response diminishes and may eventually disappear. This reflects new learning—the organism learns that the cue no longer predicts the outcome—rather than erasing the original association entirely (recovery can occur later under certain conditions). In operant conditioning, extinction similarly means a previously reinforced behavior declines when reinforcement stops.

SAMPLE

4. When a drug is suspended in an oil vehicle, the combination is called the bolus.

A. Solution

B. Bolus

C. Suspension

D. Vehicle

The term bolus refers to a single-dose dosage form that is typically an oil-based mass in which the drug is not dissolved but suspended. When the drug particles are dispersed in an oil vehicle rather than dissolved, you're forming a bolus—a one-shot, viscous preparation designed for administration as a single dose. This is different from a solution, where the drug is dissolved in the solvent; or a suspension, where solid particles are simply dispersed in a liquid but not in oil specifically; and it's not just the vehicle itself, which is the oil base used to deliver the drug.

5. What is the typical onset delay for an orally ingested drug?

A. 5-10 min

B. 1-2 hours

C. 2-3 hours

D. 15-30 min

The time to first feel the effects of an orally ingested drug depends on how quickly the drug dissolves in the stomach and small intestine, is absorbed into the bloodstream, and reaches its site of action. For common oral formulations, this process typically begins within about 15 to 30 minutes after ingestion, which is why the onset window around 15–30 minutes is considered the best general estimate. Of course, peak effects may take longer and can vary with factors like the drug's formulation, presence of food, gastric emptying, and individual differences. Shorter times (5–10 minutes) would usually involve routes that bypass the GI tract (like inhalation or injection), while longer times (1–2 hours or more) can occur with slower absorption or extended-release products.

6. Which theory attributes drug dependence primarily to withdrawal pain?

A. Incentive-Sensitization Theory

B. Hormesis Theory

C. Physical Dependence Theory

D. Opioid Reward Theory

Withdrawal relief is the key driver described by Physical Dependence Theory. In this view, the body adapts to regular drug use, and when the drug isn't present, withdrawal symptoms—often uncomfortable or painful—arise. The act of taking the drug again relieves that distress, creating negative reinforcement that makes continued use more likely and establishes dependence over time. This emphasis on avoiding withdrawal pain as the primary motive sets it apart from other theories. Incentive-Sensitization Theory, for example, focuses on how repeated drug exposure sensitizes brain reward circuits and makes drug-related cues highly attractive, driving craving and seeking even when withdrawal isn't the main issue. Hormesis Theory discusses adaptive responses to stressors but doesn't specifically center on withdrawal as the primary cause of dependence. Opioid Reward Theory highlights the rewarding, pleasurable effects that reinforce use, which explains initial or positive reinforcement but not the central role of withdrawal relief in maintaining dependence.

SAMPLE

7. Opiates are commonly used in medicine primarily for which purpose?

A. Stimulant effects

B. Anti-inflammatory properties

C. Pain relief

D. Antibiotic action

Pain relief is the primary medical use of opiates. They work by binding to mu-opioid receptors in the brain and spinal cord, which dampens the transmission of pain signals and changes the emotional experience of pain. This makes them especially effective for moderate to severe pain, such as after surgery or in certain chronic conditions when other treatments aren't enough. While some opiates can also suppress coughing or slow gut movement, these are secondary effects and not their main purpose. Opiates are not stimulants, they don't have anti-inflammatory properties, and they're not antibiotics, so those options don't fit as their main use.

8. What is the LD50 on the Dose-Response Curve?

A. The median lethal dose

B. The dose that yields 50% death

C. The lethal dose for all subjects

D. The dose that produces no effect

LD50 is the dose that would be lethal to 50% of the tested population. On a dose–response curve, this is the point where mortality reaches 50%, marking the median lethal dose. This measure helps compare how toxic a substance is: a lower LD50 means a more potent toxin because a smaller amount causes half the subjects to die. The idea of a dose that yields 50% death describes the same threshold, but the standard label used on the curve is the median lethal dose. A dose lethal to all subjects would be the LD100, and a dose that produces no effect is below the lethal threshold.

9. Which of the following is true about Schedule I drugs?

A. They are safe for over-the-counter sale.

B. They have low abuse potential.

C. They have medical use in some contexts.

D. They have no currently accepted medical use and a high potential for abuse.

Schedule I drugs are defined by having no currently accepted medical use in the United States and a high potential for abuse. This combination makes them the most restricted class: they are not legally prescribed, not sold over the counter, and they carry the greatest concerns about dependence and harm. Examples include heroin and LSD. Because there's no approved medical use under current law, these substances face strict regulatory barriers for research and cannot be used medically in practice. The other statements contradict this definition: they are not safe for OTC sale, they do not have low abuse potential, and they do not have medical use in any context.

SAMPLE

10. Where do the two dopaminergic neuron pathways in the midbrain project to?

A. Telencephalon

B. Mesencephalon

C. Cerebellum

D. Spinal cord

Dopaminergic neurons in the midbrain send their axons to the forebrain regions, specifically the telencephalon. The two main pathways—the nigrostriatal pathway from the substantia nigra to the dorsal striatum (caudate-putamen) and the mesolimbic/mesocortical pathways from the ventral tegmental area to limbic regions like the nucleus accumbens and to the prefrontal cortex—termina in structures that are all part of the telencephalon. So, although these neurons originate in the midbrain, their targets are forebrain regions within the telencephalon. The cerebellum and spinal cord are not the primary destinations for these dopaminergic projections, and the midbrain itself is the source, not the destination.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://drugsandhumanbehavior1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE