
ELI NURSING SAFETY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://elinursingsafety.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is an example of a nursing intervention to enhance patient safety?

A. Ordering diagnostic tests

B. Implementing hand hygiene protocols

C. Conducting physical therapy sessions

D. Administering sedatives to calm patients

2. At what stage should fall risk assessments be conducted for patients?

A. Before discharge

B. Upon admission and regularly thereafter

C. Only after a fall has occurred

D. During routine vital sign checks

3. When there is an Active Shooter Alert, which of the following is advised?

A. Engage the shooter if possible

B. Seek shelter in a locked office

C. Immediately evacuate all patients

D. Look for the nearest exits

4. What tools or methods can be utilized for effective handoff communication?

A. Documenting everything on paper

B. Use of standardized communication tools like 'SBAR'

C. Discussion during informal meetings

D. Relying on verbal cues only

5. What should a nurse assess when caring for a patient with respiratory distress?

A. Airway patency, respiratory rate, and oxygen saturation levels

B. Patient's pain levels and comfort

C. Skin integrity and appetite

D. Mobility and emotional state

SAMPLE

6. Which action is appropriate during a mass casualty incident?

A. Administer medications to all patients immediately

B. Prioritize patients based on personal relationships

C. Triage patients according to the severity of their injuries

D. Follow the first patient to arrive regardless of their condition

7. What does "least restrictive restraint" typically allow for?

A. Maximum control of the patient

B. Minimum safety for the patient

C. Greatest freedom of movement while ensuring safety

D. Strict adherence to safety protocols without exceptions

8. What role does personal protective equipment (PPE) play in infection control?

A. It enhances the appearance of healthcare workers

B. It helps prevent the spread of infections

C. It limits patient mobility

D. It is only used in surgical settings

9. What is indicated by a Rapid Response call in a clinical setting?

A. A need for immediate resuscitation

B. A call for immediate clinical assistance

C. A routine check of patient safety

D. A notification of upcoming drills

10. What are the key components of a fall prevention program in healthcare?

A. Assessing fall risk, implementing preventive measures, and education

B. Regular staff training and signage updates

C. Increased safety equipment and more nursing staff

D. Medication management and nutrition assessments

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. A
6. C
7. C
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What is an example of a nursing intervention to enhance patient safety?

A. Ordering diagnostic tests

B. Implementing hand hygiene protocols

C. Conducting physical therapy sessions

D. Administering sedatives to calm patients

Implementing hand hygiene protocols is a critical nursing intervention to enhance patient safety because it directly reduces the risk of healthcare-associated infections (HAIs). These infections can occur when pathogens are transmitted between healthcare providers, patients, and the environment. Hand hygiene practices, such as proper handwashing or the use of hand sanitizers, significantly lower the likelihood of contaminating surfaces or directly transmitting infections from one person to another. By ensuring that both healthcare professionals and visitors adhere to these protocols, nurses help to create a safer environment for patients, ultimately leading to better health outcomes and reduced morbidity and mortality from preventable infections. In contrast, while ordering diagnostic tests may be necessary for patient care, it does not directly address immediate safety concerns. Conducting physical therapy sessions is vital for rehabilitation but also does not inherently enhance safety on its own. Administering sedatives may be appropriate in some contexts to manage anxiety or agitation, but it can also introduce risks if not carefully monitored, such as respiratory depression or altered consciousness, thereby potentially compromising patient safety.

2. At what stage should fall risk assessments be conducted for patients?

A. Before discharge

B. Upon admission and regularly thereafter

C. Only after a fall has occurred

D. During routine vital sign checks

Conducting fall risk assessments upon admission and regularly thereafter is essential to ensure that patients are evaluated for their vulnerability to falls at critical points during their care. This proactive approach allows healthcare providers to identify specific risk factors associated with each patient, including age, medical history, mobility issues, and medication effects, right from the beginning of their stay. By performing assessments upon admission, the care team can implement preventative measures immediately, tailoring interventions to the individual needs of the patient. Regular reassessments allow for adjustments to the care plan based on any changes in the patient's condition or care environment, ensuring ongoing safety management. This continuous process not only helps in reducing the likelihood of falls but also promotes a culture of safety within healthcare settings, helping staff to be vigilant and responsive to the risks associated with patient mobility and overall health. It's important to address fall risks proactively rather than reactively, as falls can have severe consequences for patients, including injuries and longer recovery times.

SAMPLE

3. When there is an Active Shooter Alert, which of the following is advised?

A. Engage the shooter if possible

B. Seek shelter in a locked office

C. Immediately evacuate all patients

D. Look for the nearest exits

In the event of an active shooter alert, seeking shelter in a locked office is a recommended response. This action prioritizes personal safety and minimizes exposure to danger. Securing yourself in a locked room creates a barrier between you and the potential threat, while also allowing for better assessment of the situation. Staying quiet and out of sight can further prevent engagement with the assailant, increasing the chances of survival. The other options, while they may seem viable, can present significant risks. Engaging the shooter can escalate the situation and endanger your life and the lives of others. Immediately evacuating all patients may not be feasible or safe, depending on the situation, as it could expose individuals to the shooter while attempting to leave. Although looking for the nearest exits is important in an emergency, without knowing the shooter's location, it can be more dangerous than seeking a secure shelter. Therefore, the focused recommendation to hole up in a locked office stands out as the safest initial course of action in an active shooter scenario.

4. What tools or methods can be utilized for effective handoff communication?

A. Documenting everything on paper

B. Use of standardized communication tools like 'SBAR'

C. Discussion during informal meetings

D. Relying on verbal cues only

Utilizing standardized communication tools like 'SBAR' (Situation, Background, Assessment, Recommendation) is essential for effective handoff communication in healthcare settings. These tools provide a structured format that ensures all critical information is conveyed clearly and concisely. This method minimizes the risk of misunderstandings and omissions, which can lead to patient safety hazards. Standardized tools, such as SBAR, allow healthcare professionals to quickly convey the relevant details about a patient's condition, facilitating better continuity of care. By following this structured approach, caregivers can enhance collaboration and create a shared understanding among team members, ensuring everyone is informed and on the same page regarding patient care. In contrast, documenting everything on paper may be time-consuming and prone to errors if not organized correctly. Discussion during informal meetings can lead to important information being overlooked, as these conversations may not follow a consistent format. Relying solely on verbal cues can lead to misinterpretations or miscommunications, as not all details may be verbally emphasized or understood by every team member. Thus, the use of standardized communication tools greatly enhances the safety and effectiveness of handoff processes within healthcare environments.

SAMPLE

5. What should a nurse assess when caring for a patient with respiratory distress?

A. Airway patency, respiratory rate, and oxygen saturation levels

B. Patient's pain levels and comfort

C. Skin integrity and appetite

D. Mobility and emotional state

When assessing a patient with respiratory distress, the primary focus is on the respiratory system and its functionality. Evaluating airway patency is crucial because any obstruction can significantly impact the patient's ability to breathe effectively. The respiratory rate provides insight into how well the patient is oxygenating and compensating for potential hypoxemia; changes in this rate can indicate worsening respiratory distress or the effectiveness of treatments. Monitoring oxygen saturation levels is vital to determine whether the patient is receiving adequate oxygen supply, as low saturation can prompt immediate interventions to enhance oxygen delivery. The other options focus on aspects that, while important in holistic patient care, are not the primary concerns in immediate respiratory assessments. Assessing pain levels and comfort is essential but secondary to ensuring that the patient can breathe adequately. Skin integrity and appetite are also important, yet they are not immediate priorities when a patient is in respiratory distress. Similarly, evaluating mobility and emotional state, while relevant to overall well-being, does not directly address the acute needs presented by respiratory distress.

6. Which action is appropriate during a mass casualty incident?

A. Administer medications to all patients immediately

B. Prioritize patients based on personal relationships

C. Triage patients according to the severity of their injuries

D. Follow the first patient to arrive regardless of their condition

During a mass casualty incident, triaging patients according to the severity of their injuries is essential for effective patient care and resource management. This practice allows healthcare providers to quickly assess and categorize patients based on the urgency of their medical needs, ensuring that those who require immediate attention receive it in a timely manner. In a situation where resources are limited and health responders are faced with numerous injured individuals, not all can be treated simultaneously. Therefore, prioritization is key; the most critically injured patients who are most likely to benefit from interventions will be treated first. This systematic approach not only improves survival rates but also optimizes the use of available medical personnel and equipment. The other choices reflect actions that would be inappropriate or ineffective in a mass casualty scenario. For instance, administering medications to all patients right away could lead to unsafe interactions and misuse of limited resources. Similarly, prioritizing based on personal relationships or following the first patient, regardless of condition, undermines the crucial nature of triage, which is designed solely around medical necessity.

SAMPLE

7. What does "least restrictive restraint" typically allow for?

A. Maximum control of the patient

B. Minimum safety for the patient

C. Greatest freedom of movement while ensuring safety

D. Strict adherence to safety protocols without exceptions

The concept of "least restrictive restraint" focuses on maintaining the patient's safety while allowing for the greatest possible level of freedom and autonomy. This principle emphasizes that any restraints used should be the minimal amount necessary to ensure the safety of the patient and others. It operates under the philosophy that patients should have the least amount of restriction placed upon them in order to promote their dignity, independence, and comfort. In practice, this means implementing strategies that prioritize the patient's ability to move freely while still providing a safe environment. Such approaches could include using verbal de-escalation techniques, offering alternative coping mechanisms, or employing less invasive methods of restraint when absolutely needed. While other options may reflect different priorities—such as maximum control or strict adherence to safety protocols—the focus on least restrictive restraint is about balancing safety with freedom. Thus, the correct answer encapsulates this approach by emphasizing the importance of providing the greatest freedom of movement while ensuring the safety of the patient.

8. What role does personal protective equipment (PPE) play in infection control?

A. It enhances the appearance of healthcare workers

B. It helps prevent the spread of infections

C. It limits patient mobility

D. It is only used in surgical settings

Personal protective equipment (PPE) plays a crucial role in infection control by serving as a barrier between healthcare workers and potential infectious agents. Its primary purpose is to protect both the staff and patients by reducing the risk of transmission of pathogens. By wearing PPE such as gloves, masks, gowns, and eye protection, healthcare workers can minimize exposure to blood, bodily fluids, respiratory droplets, and other sources of infection, thereby playing a significant role in controlling outbreaks and maintaining a safe healthcare environment. While it is true that PPE is critical for maintaining hygiene and safety standards, options that suggest it enhances appearance or limits patient mobility do not capture its primary function. Additionally, the misconception that PPE is only necessary in surgical settings ignores its vital application across various healthcare environments, such as during patient contact, in emergency situations, and in areas where there is potential exposure to infectious materials. This highlights the flexibility and necessity of using PPE universally in healthcare practices to safeguard everyone involved.

SAMPLE

9. What is indicated by a Rapid Response call in a clinical setting?

A. A need for immediate resuscitation

B. A call for immediate clinical assistance

C. A routine check of patient safety

D. A notification of upcoming drills

A Rapid Response call is initiated when there is a concern about a patient's condition that requires immediate clinical assistance but does not necessarily indicate a full-scale emergency like resuscitation. This call is designed to mobilize a team of healthcare professionals quickly to assess and intervene for patients who may be experiencing a decline in their status, such as abnormal vital signs or sudden changes in behavior. The importance of a Rapid Response team lies in its ability to provide timely assessment and support, potentially preventing a patient from deteriorating further. This type of response is crucial in a clinical setting where early intervention can significantly influence patient outcomes. It emphasizes the importance of proactive patient monitoring and support rather than relying solely on emergency protocols for severe cases like cardiac arrest or requiring resuscitation. In contrast, a need for immediate resuscitation typically indicates a more critical situation requiring emergency measures, which goes beyond the scope of what a Rapid Response call addresses. Routine checks and notifications of upcoming drills do not align with the urgent nature of a Rapid Response call, which focuses specifically on direct patient care needs.

10. What are the key components of a fall prevention program in healthcare?

A. Assessing fall risk, implementing preventive measures, and education

B. Regular staff training and signage updates

C. Increased safety equipment and more nursing staff

D. Medication management and nutrition assessments

The key components of a fall prevention program in healthcare focus on assessing fall risk, implementing preventive measures, and education. This approach is critical because it encompasses a comprehensive strategy to identify patients who are at higher risk for falls before they occur. Assessing fall risk allows healthcare professionals to evaluate individuals based on various factors, such as mobility, medical history, and environmental hazards. Once those at risk are identified, implementing preventive measures can involve various interventions such as ensuring adequate lighting, removing clutter, providing handrails, and using assistive devices when necessary. Education is equally important, as it informs both staff and patients about fall risks and prevention strategies. Staff training ensures that all healthcare providers are aware of best practices and up-to-date strategies for fall prevention, and educating patients empowers them to take responsibility for their own safety. While the other choices may contribute to safety in different ways, they do not encapsulate the core elements of a systemic fall prevention program as thoroughly as the correct answer does. Regular staff training and signage updates, although relevant, are more secondary elements that support the overarching framework of assessing risks and implementing preventative interventions. Increased safety equipment and more nursing staff primarily address immediate safety conditions rather than a structured fall prevention strategy. Similarly, medication management and nutrition assessments

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://elinursingsafety.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE