ERAU COMMERCIAL CHECKRIDE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://eraucommercialcheckride.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which of the following describes the performance changes during a climb at higher altitudes?**

   A. More power is required but less is available

   B. Less power is required due to thinner air

   C. Index increases due to decreased drag

   D. Performance remains the same as at sea level

2. **How often are Convective SIGMETs issued?**

   A. Every hour at the start of the hour

   B. Hourly at 45 minutes

   C. Hourly at 55 minutes

   D. Every four hours

3. **Which operational factor refers to the overall effect of structural strength and flight characteristics on an aircraft?**

   A. Performance issues

   B. Substantial damage

   C. Flight safety

   D. Aircraft handling

4. **What is a possible characteristic of a special issuance medical?**

   A. Immediate issuance without review

   B. Long-term validity without conditions

   C. Expiration and conditions based on the applicant's health

   D. Uniquely issued based on cognitive skills

5. **What is the main purpose of cones in the human eye?**

   A. Detect temperature changes

   B. Provide color vision in daylight

   C. Enable night vision

   D. Support peripheral vision

SAMPLE

6. What types of components are ADs issued for?

A. Airframe, powersport, and navigation systems

B. Airframe, powerplant, prop, and appliances

C. Propeller and avionics only

D. Airframe and electrical systems

7. What indicates that the aircraft's electrical generator is functioning?

A. It maintains 24 volts

B. It successfully provides emergency lighting

C. It is indicated by a correctly functioning alternator

D. It should create noise when operational

8. What is the total usable fuel capacity in a Cessna 172?

A. 56 gallons

B. 53 gallons

C. 50 gallons

D. 58 gallons

9. What defines a multi-engine service ceiling with one inoperative engine?

A. A climb rate of 100 fpm

B. A climb rate of 50 fpm

C. A climb rate of 200 fpm

D. A climb rate of 400 fpm

10. Which of the following statements is true about VFR cruising altitude?

A. Based on True Course only

B. Calculated using True Course minus magnetic variation

C. Determined using TC plus magnetic variation

D. Always favors odd altitudes for westbound flights

SAMPLE

Answers

SAMPLE

1. A
2. C
3. B
4. C
5. B
6. B
7. C
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following describes the performance changes during a climb at higher altitudes?

A. More power is required but less is available

B. Less power is required due to thinner air

C. Index increases due to decreased drag

D. Performance remains the same as at sea level

During a climb at higher altitudes, the atmosphere becomes less dense, which significantly impacts an aircraft's engine performance and overall lift capabilities. As altitude increases, engines—especially piston engines—typically produce less power because they rely on a certain density of air to function efficiently. In simple terms, the thinner air results in reduced oxygen levels, which in turn leads to decreased engine performance. In this scenario, more power is needed to maintain a specific climb rate or to overcome the effects of weight and drag, but the aircraft can only generate less power due to the environmental conditions at higher altitudes. Consequently, pilots must manage their expectations and operate their aircraft within these performance limitations as they ascend. This can lead to a situation where an aircraft may struggle to climb effectively, making it crucial for pilots to understand how altitude affects performance metrics. The other options do not accurately reflect the realities of flight performance at altitude—power requirements do not decrease due to thinner air, drag does not decrease sufficiently to improve index significantly, and performance certainly differs compared to sea level, making option A the only accurate choice.

2. How often are Convective SIGMETs issued?

A. Every hour at the start of the hour

B. Hourly at 45 minutes

C. Hourly at 55 minutes

D. Every four hours

Convective SIGMETs are issued on an hourly basis, specifically at 55 minutes past the hour. This timing ensures that the information presented is as up-to-date as possible, reflecting the rapidly changing nature of convective weather phenomena, such as thunderstorms and severe turbulence. The frequency of these advisories is crucial for pilots who need timely updates for safety and flight planning, especially in areas where convection may develop unpredictably. The choice of issuing them at 55 minutes also allows meteorologists time to analyze recent data and make informed updates about significant convective activity shortly before the hour. This regular interval supports effective communication of potentially hazardous weather to flight crews, enhancing operational safety in the airspace.

SAMPLE

3. Which operational factor refers to the overall effect of structural strength and flight characteristics on an aircraft?

A. Performance issues

B. Substantial damage

C. Flight safety

D. Aircraft handling

The operational factor that refers to the overall effect of structural strength and flight characteristics on an aircraft is best captured by the concept of flight safety. This encompasses both the integrity of the aircraft's structure and how the aircraft behaves in various flight conditions. Flight safety is intrinsically linked to structural strength, as an aircraft's ability to withstand loads and stresses directly impacts its operational reliability and safety. Additionally, the flight characteristics—including control responsiveness, stability, and maneuverability—are essential for safe operation. A well-designed aircraft with robust structural integrity and favorable flight characteristics enhances the pilot's ability to manage the aircraft effectively, increasing safety margins and reducing the risk of accidents. In contrast, performance issues generally relate to how well an aircraft can execute its intended maneuvers and missions, rather than the structural and safety aspects. Substantial damage refers more specifically to physical damage that can impact safety but does not encompass the overall operational effect of design characteristics. Aircraft handling focuses on the pilot's experience with managing the aircraft during flight, which is influenced by structural and flight characteristics, but it is not the overarching factor that ties everything together in terms of safety.

4. What is a possible characteristic of a special issuance medical?

A. Immediate issuance without review

B. Long-term validity without conditions

C. Expiration and conditions based on the applicant's health

D. Uniquely issued based on cognitive skills

A special issuance medical certificate is granted to pilots who may not meet the standard medical requirements due to specific health conditions. The correct characteristic of a special issuance medical is that it typically includes expiration and conditions based on the applicant's health. This means that the issuance is dependent on ongoing evaluations of the applicant's medical condition, and the certificate may have stipulations that require them to meet certain health criteria or undergo regular check-ups. In many cases, pilots must provide documentation from their healthcare providers indicating that their condition is stable and does not pose a risk to aviation safety. The validity of a special issuance certificate may vary and generally does not extend indefinitely, often expiring in line with medical assessments. The other options do not accurately reflect the nature of a special issuance medical. For instance, immediate issuance without review is not applicable since special issuance requires thorough assessment and documentation. Similarly, long-term validity without conditions doesn't characterize special issuance, as it is specifically designed to address particular health concerns with ongoing evaluations. Lastly, the idea that such certificates are uniquely issued based on cognitive skills does not capture the broader range of medical factors that can affect a pilot's fitness to fly, which may include physical conditions, vision, and other health issues beyond cognitive abilities.

SAMPLE

5. What is the main purpose of cones in the human eye?

A. Detect temperature changes

B. Provide color vision in daylight

C. Enable night vision

D. Support peripheral vision

The primary function of cones in the human eye is to provide color vision, particularly in daylight conditions. Cones are one of the two types of photoreceptor cells found in the retina, with the other type being rods. While rods are highly sensitive to light and allow for vision in low-light conditions, cones are responsible for detecting and processing color. There are three types of cones, each sensitive to different wavelengths of light corresponding to the three primary colors: red, green, and blue. This trichromatic vision enables humans to perceive a wide range of colors by mixing the signals received from these cones. The presence of cones is crucial in well-lit environments where fine detail and color discrimination are necessary for day-to-day activities, such as reading or recognizing faces. Rods, on the other hand, excel in darkness and are responsible for night vision but do not contribute to color perception. Similarly, while peripheral vision is primarily associated with rods due to their distribution in the retina, the cones are concentrated in the fovea, the central region of the retina, where visual acuity and color vision are most pronounced. Therefore, the main role of cones distinctly aligns with providing color vision in daylight.

6. What types of components are ADs issued for?

A. Airframe, powersport, and navigation systems

B. Airframe, powerplant, prop, and appliances

C. Propeller and avionics only

D. Airframe and electrical systems

The correct answer indicates that Airworthiness Directives (ADs) are specifically issued for components related to the airframe, powerplant, propeller, and appliances. Airworthiness Directives are legally enforceable rules issued by the FAA when there is a safety issue with an aircraft or its components. Airframes encompass the structure of the aircraft itself, and powerplants refer to the aircraft engines. This includes not just the engines but also relevant systems that connect and support the engines, such as the fuel system. Propellers are critical mechanical components that require stringent oversight to ensure their safety and functionality, particularly as they are directly involved in the flight operation of the aircraft. Appliances can include various equipment onboard that are not classified as part of the airframe or engine but still have a significant impact on safety and performance, such as autopilot systems or de-icing equipment. In contrast, the other options may contain components that can be relevant to aircraft operation, but they do not comprehensively cover the range of systems ADs apply to. For instance, some choices may mention avionics or electrical systems, which, while crucial, do not encapsulate the full spectrum of components affected by ADs as comprehensively as the correct answer does.

SAMPLE

7. What indicates that the aircraft's electrical generator is functioning?

A. It maintains 24 volts

B. It successfully provides emergency lighting

C. It is indicated by a correctly functioning alternator

D. It should create noise when operational

The correct answer is that the functionality of the aircraft's electrical generator is indicated by a correctly functioning alternator. The alternator is a critical component of the aircraft's electrical system, as it converts mechanical energy into electrical energy, which is then used to power various systems in the aircraft and recharge the batteries. A properly functioning alternator signifies that it is generating sufficient electrical power, which directly means the electrical generator is operating as intended. The other options, while they may reflect some aspects of electrical operation, do not directly indicate the generator's functionality. For instance, simply maintaining 24 volts does not guarantee that the generator is functioning properly; it may also occur if the system is being powered solely by the battery without the generator's assistance. Emergency lighting capability is more related to the backup systems in case of a power failure rather than a direct indicator of the generator's status. Lastly, creating noise when operational is not a reliable indicator of functionality, as a silent generator may still be operational, and noise does not necessarily correlate with performance or reliability.

8. What is the total usable fuel capacity in a Cessna 172?

A. 56 gallons

B. 53 gallons

C. 50 gallons

D. 58 gallons

In a Cessna 172, the total usable fuel capacity is indeed 53 gallons. This figure represents the amount of fuel that can be utilized for flight after accounting for fuel that may be left in the tank due to usability limitations, such as fuel unavailability during certain maneuvers or levels of fuel in the tanks. It's essential for pilots to understand the usable fuel capacity as it directly affects flight planning and performance, including weight and balance calculations and determining the aircraft's range. The Cessna 172 typically has two fuel tanks, each holding 28 gallons, giving a total capacity of 56 gallons; however, the end number that pilots work with for flight planning is 53 gallons, which ensures a safety margin. This understanding is crucial for pilots to maximize safety and efficiency during operations.

SAMPLE

9. What defines a multi-engine service ceiling with one inoperative engine?

A. A climb rate of 100 fpm

B. A climb rate of 50 fpm

C. A climb rate of 200 fpm

D. A climb rate of 400 fpm

The service ceiling of a multi-engine aircraft with one inoperative engine is defined as the altitude where the aircraft can maintain a specific climb rate, which typically indicates a limited ability to gain altitude due to the loss of power from one engine. In this case, a climb rate of 50 feet per minute is the standard criterion used to define the service ceiling under these conditions. This low climb rate reflects the significant impact on performance that occurs when one engine fails. The performance capabilities of a multi-engine aircraft are considerably diminished when one engine is inoperative, necessitating a minimum climb rate for the aircraft to be considered capable of maintaining altitude. It effectively highlights the impairment on the aircraft's ability to climb, ensuring that pilots are aware of these limitations in their operational procedures. Higher climb rates, such as 100, 200, or 400 feet per minute, are not used to define the service ceiling with one inoperative engine, as they would signify much better performance than is typically achievable under those circumstances. Understanding this concept is critical for pilots to ensure safety and proper handling of multi-engine aircraft during engine failure scenarios.

10. Which of the following statements is true about VFR cruising altitude?

A. Based on True Course only

B. Calculated using True Course minus magnetic variation

C. Determined using TC plus magnetic variation

D. Always favors odd altitudes for westbound flights

VFR cruising altitudes are determined using the true course plus magnetic variation. This principle is essential for ensuring that pilots maintain proper vertical separation during flights under Visual Flight Rules (VFR). When cruising at altitudes, pilots refer to the magnetic variation in order to establish the correct altitude based on the true course. This methodology aligns with the standard altitude assignments outlined by the FAA, which dictate that aircraft flying in VFR conditions should use a specific set of altitudes depending on their magnetic course. For aircraft on a magnetic course between 0° and 179°, odd altitudes (like 3,000; 5,000; or 7,000 feet) are utilized, while even altitudes (like 4,000; 6,000; or 8,000 feet) are for those flying from 180° to 359°. This system aids in avoiding potential conflicts between VFR traffic traveling in opposite directions. Understanding how the true course and magnetic variation interact with altitude selection is vital for effective navigation and safety in airspace management. Therefore, the statement that VFR cruising altitude is determined using true course plus magnetic variation reflects the established practices for determining appropriate flight levels based on navigation calculations.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://eraucommercialcheckride.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE