ETS MAJOR FIELD TEST CHEMISTRY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://etsmajfieldtestchem.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the major product of the hydration of alkynes?

A. Alkenes

B. Halides

C. Ketones

D. Aldehydes

2. Which gas law states that the pressure of a given mass of gas is directly proportional to its temperature?

A. Boyle's Law

B. Charles's Law

C. Gay-Lussac's Law

D. Avogadro's Law

3. According to the second law of thermodynamics, what is the tendency of entropy in an isolated system?

A. Entropy tends to decrease

B. Entropy remains constant

C. Entropy tends to increase

D. Entropy can either increase or decrease

4. What is the predominant type of intermolecular force in water?

A. Ionic bonding

B. Dipole-dipole interactions

C. Hydrogen bonding

D. Van der Waals forces

5. What effect does hydrogen bonding have on water solubility?

A. It decreases water solubility

B. It has no effect on water solubility

C. It increases water solubility

D. It forms insoluble compounds

SAMPLE

6. What is the name of the process by which a solid changes directly into a gas?

A. Melting

B. Sublimation

C. Condensation

D. Evaporation

7. What is the shape of the p orbital?

A. Spherical

B. Dumbbell-shaped

C. Linear

D. Cylindrical

8. What is the characteristic structure of benzene?

A. Two carbon atoms connected by a single bond

B. A straight chain of carbon atoms

C. A hexagonal ring with alternating double bonds

D. A tetrahedral structure

9. What is the key difference between alkanes and alkenes?

A. Alkenes contain a carbon-carbon triple bond

B. Alkenes contain at least one carbon-carbon double bond

C. Alkanes are unsaturated hydrocarbons

D. Alkanes have a higher boiling point than alkenes

10. What characterizes a redox reaction?

A. Involves synthesis of new compounds

B. Involves the transfer of electrons between species

C. Involves a change in temperature

D. Involves phase changes of substances

SAMPLE

Answers

SAMPLE

1. C
2. C
3. C
4. C
5. C
6. B
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the major product of the hydration of alkynes?

A. Alkenes

B. Halides

C. Ketones

D. Aldehydes

The hydration of alkynes typically leads to the formation of ketones as the major product, particularly when proceeding through a mechanism that involves the addition of water across the triple bond. This reaction is often facilitated by the presence of an acid, which protonates the alkyne to generate a more reactive intermediate. The initial addition of water results in an enol, which then rapidly rearranges through tautomerization to yield a ketone. In the case of terminal alkynes, the hydration can lead to aldehydes; however, for internal alkynes, the process predominantly yields ketones. The positioning of the carbonyl group in the final product is a direct result of the regioselectivity of the reaction, favoring the more stable carbocation intermediate. This understanding of the mechanism is vital, as it highlights the preference for ketone formation under typical hydration conditions in the presence of catalyzing acids.

2. Which gas law states that the pressure of a given mass of gas is directly proportional to its temperature?

A. Boyle's Law

B. Charles's Law

C. Gay-Lussac's Law

D. Avogadro's Law

The gas law that states the pressure of a given mass of gas is directly proportional to its absolute temperature is Gay-Lussac's Law. This relationship can be expressed mathematically as \(P \propto T \) when the volume of the gas is kept constant. This means that if the temperature of the gas increases, the pressure increases, provided that the amount of gas and the volume do not change. This principle applies under several conditions and is fundamental in understanding how gases behave in response to temperature changes. For instance, if a gas is heated, the increase in kinetic energy of the gas molecules leads to more frequent and forceful collisions with the walls of the container, thus increasing the pressure. In contrast, Boyle's Law relates pressure and volume at a constant temperature, Charles's Law connects volume and temperature at a constant pressure, and Avogadro's Law relates volume and amount of gas at a constant temperature and pressure. Each of these laws deals with different relationships among pressure, volume, temperature, and the amount of gas, defining their specific applicability in various scenarios.

SAMPLE

3. According to the second law of thermodynamics, what is the tendency of entropy in an isolated system?

A. Entropy tends to decrease

B. Entropy remains constant

C. Entropy tends to increase

D. Entropy can either increase or decrease

The second law of thermodynamics states that in an isolated system, the total entropy, which is a measure of the disorder or randomness of a system, tends to increase over time. This principle reflects the natural tendency of systems to evolve toward a state of maximum disorder. In practical terms, this means that energy transformations and processes will result in a greater distribution of energy states among the system's particles, leading to an increase in overall entropy. For example, when heat is transferred from a hot object to a cold object, the total entropy of the system increases as the energy becomes more evenly distributed among the particles involved, moving toward thermal equilibrium. This law is pivotal in understanding not only physical and chemical processes but also the directionality of those processes. Systems naturally evolve toward configurations that are more statistically probable, which typically corresponds to higher entropy. Hence, the correct answer reflects the inherent tendency of entropy in isolated systems.

4. What is the predominant type of intermolecular force in water?

A. Ionic bonding

B. Dipole-dipole interactions

C. Hydrogen bonding

D. Van der Waals forces

In water (H O), the predominant type of intermolecular force is hydrogen bonding. This is due to the highly polar nature of the water molecule, which has a significant difference in electronegativity between the oxygen atom and the hydrogen atoms. The oxygen atom attracts the shared electrons more than the hydrogen atoms, creating a partial negative charge on the oxygen and a partial positive charge on the hydrogens. This polarity leads to the formation of hydrogen bonds between water molecules. A hydrogen bond occurs when the hydrogen atom covalently bonded to a highly electronegative atom (like oxygen) is attracted to another electronegative atom. In water, the hydrogen atoms of one molecule are attracted to the oxygen atoms of neighboring molecules, creating a network of strong intermolecular interactions. Hydrogen bonding is responsible for several unique properties of water, including its high boiling and melting points relative to similar-sized molecules, and its high specific heat. These characteristics are essential for life, impacting everything from the climate to biological processes. In contrast, ionic bonding involves the complete transfer of electrons from one atom to another and is not present in water as it is a covalent compound. Dipole-dipole interactions are significant in polar molecules but are not as strong or

SAMPLE

5. What effect does hydrogen bonding have on water solubility?

A. It decreases water solubility

B. It has no effect on water solubility

C. It increases water solubility

D. It forms insoluble compounds

Hydrogen bonding plays a critical role in increasing the water solubility of various substances. Water is a polar molecule, and its ability to form hydrogen bonds arises from the interaction between the slightly positive hydrogen atoms and the slightly negative oxygen atoms in adjacent water molecules. This characteristic allows water to interact favorably with other polar or ionic substances. When a solute is introduced into water, the formation of hydrogen bonds between water molecules and solute molecules can lead to an energetic stabilization of the solute in solution. For example, when ionic compounds dissolve in water, the ions are surrounded by water molecules that form hydration shells, driven by hydrogen bonding with the water. Similarly, polar molecules can interact with water via hydrogen bonds, enhancing their solubility. This solubilizing effect is particularly significant for substances that can either donate or accept hydrogen bonds, such as alcohols, sugars, and acids. These interactions promote the dissolution process, making the correct conclusion that hydrogen bonding increases water solubility.

6. What is the name of the process by which a solid changes directly into a gas?

A. Melting

B. Sublimation

C. Condensation

D. Evaporation

Sublimation is the name of the process in which a solid changes directly into a gas without passing through the liquid state. This phenomenon occurs under certain conditions of temperature and pressure and is most commonly observed with substances like dry ice (solid carbon dioxide) and iodine. During sublimation, the molecules in the solid gain enough energy to break free from the solid structure and disperse as gas, showcasing the transition through only solid and gas phases. This process is utilized in various applications, including freeze-drying, where water is removed from a solid state directly into vapor, preserving the structure and nutrients of food.

7. What is the shape of the p orbital?

A. Spherical

B. Dumbbell-shaped

C. Linear

D. Cylindrical

The shape of the p orbital is indeed described as dumbbell-shaped. This shape arises from the way that the electron density is distributed in these orbitals. In quantum mechanics, p orbitals are characterized by their angular momentum and are associated with the quantum number $l = 1$. Each p orbital has two lobes that extend in opposite directions from the nucleus, resembling a dumbbell. This configuration allows for the regions of high electron probability to be located along the axes, which is typical of the three types of p orbitals: px, py, and pz, each oriented along a different Cartesian axis. The angular nature of the p orbitals enables them to participate in covalent bonding, where they may overlap with other atomic orbitals, thus contributing to the formation of molecules in specific geometries. Understanding the shape of p orbitals is crucial because it influences how atoms interact and bond with each other in various chemical reactions.

SAMPLE

8. What is the characteristic structure of benzene?

A. Two carbon atoms connected by a single bond

B. A straight chain of carbon atoms

C. A hexagonal ring with alternating double bonds

D. A tetrahedral structure

Benzene is recognized for its unique and stable structure, which consists of a hexagonal ring made up of six carbon atoms. Each carbon atom in benzene is bonded to one hydrogen atom, resulting in a molecular formula of C6H6. The defining feature of benzene is the alternating double bonds that create a system of resonance. This resonance stabilizes the molecule, leading to a situation where the bond lengths between carbon atoms are equal and intermediate between single and double bond lengths. This characteristic hexagonal arrangement contributes to benzene's aromatic properties, allowing it to participate in substitution reactions rather than addition reactions that typical alkenes undergo. This stability due to resonance is a fundamental aspect of benzene, distinguishing it from other structures. Other options depict incorrect forms: connections through single bonds or tetrahedral geometry do not accurately represent the benzene structure, while a straight chain (as in aliphatic hydrocarbons) lacks the ring formation that is essential to benzene's identity. Understanding the unique hexagonal ring structure of benzene, with its resonance stability, is crucial for recognizing its properties and reactivity in organic chemistry.

9. What is the key difference between alkanes and alkenes?

A. Alkenes contain a carbon-carbon triple bond

B. Alkenes contain at least one carbon-carbon double bond

C. Alkanes are unsaturated hydrocarbons

D. Alkanes have a higher boiling point than alkenes

The key difference between alkanes and alkenes lies in their bonding and saturation levels. Alkenes are characterized by the presence of at least one carbon-carbon double bond (C=C) within their structure. This double bond results in a degree of unsaturation, which differentiates alkenes from alkanes, the latter of which consist only of single carbon-carbon bonds (C-C) and are thus classified as saturated hydrocarbons. The presence of this double bond in alkenes allows them to engage in additional types of chemical reactions, such as additions, that alkanes cannot. This fundamental distinction is crucial for understanding their chemical behavior, reactivity, and properties. In contrast, alkanes are more stable and less reactive due to their saturated nature, making the identification of this double bond in alkenes the defining factor that separates them from alkanes.

SAMPLE

10. What characterizes a redox reaction?

A. Involves synthesis of new compounds

B. Involves the transfer of electrons between species

C. Involves a change in temperature

D. Involves phase changes of substances

A redox reaction is characterized primarily by the transfer of electrons between species. In these reactions, one substance gets oxidized (loses electrons) while another gets reduced (gains electrons). This transfer of electrons is what facilitates the changes in oxidation states of the reacting species, effectively causing one to become more positive and the other more negative. For instance, in a simple redox reaction like the reaction between zinc and copper ions, zinc loses electrons and is oxidized, while copper ions gain electrons and are reduced. This electron transfer is fundamental to the reaction mechanism and to the identification of a process as a redox reaction. The other options describe phenomena that may occur in chemistry but do not specifically characterize redox reactions. The synthesis of new compounds can happen in a variety of reaction types, including but not limited to redox reactions. Similarly, changes in temperature and phase changes of substances are often coincidental or secondary to the primary electron transfer process that defines redox reactions. Thus, the essence of redox reactions is tightly linked to the underlying electron transfer mechanism.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://etsmajfieldtestchem.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE