EVOLVE INFECTIOUS DISEASES PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://evolveinfectiousdiseases.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which patients are at risk of developing health care-associated infections (HAIs)? Select all that apply.

A. A patient with asthma

B. A patient with diabetes mellitus

C. A patient with laryngeal cancer

D. A nurse working in a health center

2. What is the best prevention method a client can practice to avoid gonorrhea reinfection?

A. Limit sexual partners

B. Insist that my partner use a condom

C. Use birth control pills

D. Get regular STD screenings

3. What is the main mode of transmission for HIV?

A. Food and water

B. Airborne droplets

C. Blood, sexual contact, and from mother to child

D. Surface contact

4. What is the goal of herd immunity?

A. To eliminate all infectious diseases

B. To protect the population by reducing the spread of disease through vaccination

C. To ensure individual immunity

D. To promote antibiotic use

5. What is necessary to protect the nurse when restarting an IV for a client with AIDS? Select all that apply.

A. Wearing gloves

B. Using hand hygiene

C. Donning a face shield

D. Wearing a gown

SAMPLE

6. How often is the flu vaccine recommended?

A. Biannually

B. Every five years

C. Annually

D. Every two years

7. What criterion indicates that a client has progressed from HIV to acquired immunodeficiency syndrome (AIDS)?

A. Presence of opportunistic infections

B. CD4+ T lymphocyte level of less than 200 cells/μL

C. Positive HIV test for more than five years

D. Body weight loss greater than 10%

8. What vaccination is recommended for travelers to areas with endemic yellow fever?

A. Meningococcal vaccination

B. Hepatitis A vaccination

C. Yellow fever vaccination

D. Typhoid vaccination

9. What symptom is the hallmark of viral meningitis?

A. Fever

B. Nausea and vomiting

C. Severe headache

D. Stiff neck

10. Before advocating for a homosexual client with AIDS, what should the nurse first do?

A. Consult with a supervisor

B. Identify personal attitudes about homosexuality

C. Review current treatment guidelines

D. Speak with other healthcare providers

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. B
5. A
6. C
7. B
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which patients are at risk of developing health care-associated infections (HAIs)? Select all that apply.

A. A patient with asthma

B. A patient with diabetes mellitus

C. A patient with laryngeal cancer

D. A nurse working in a health center

Patients with laryngeal cancer are at a heightened risk of developing healthcare-associated infections (HAIs) due to several factors associated with their condition and treatment. Individuals with cancer often undergo various medical procedures, including surgeries, chemotherapy, or radiation therapy, which can compromise their immune system and create openings or vulnerabilities that make them more susceptible to infections. Additionally, the presence of tumors, treatments that affect the mucosal barriers, and potential use of invasive devices like tracheostomies further increase the risk of HAIs in patients with laryngeal cancer. The other groups mentioned may have health concerns, but their conditions do not inherently predispose them to HAIs in the same manner. For example, while patients with asthma or diabetes have specific health challenges, these do not directly link to an increased risk for HAIs unless they are under particular medical situations or treatments that might complicate their health. A nurse working in a health center, although part of the healthcare environment, does not indicate a patient-like vulnerability but rather represents a potential source of infection if necessary precautions are not taken, which is a different context than patient risk.

2. What is the best prevention method a client can practice to avoid gonorrhea reinfection?

A. Limit sexual partners

B. Insist that my partner use a condom

C. Use birth control pills

D. Get regular STD screenings

Insisting that a partner use a condom is the best prevention method to avoid reinfection with gonorrhea. Condoms are highly effective in reducing the risk of sexually transmitted infections (STIs) by creating a barrier that prevents the exchange of bodily fluids during sexual activity. This protective measure is crucial, especially in relationships where one partner may have been treated for gonorrhea or other STIs, as it significantly lowers the risk of transmitting the infection back and forth. While limiting sexual partners can reduce the risk of exposure to STIs, it does not provide a direct protective measure during sexual encounters. Similarly, using birth control pills primarily serves to prevent pregnancy and does not offer protection against STIs. Regular STD screenings are highly beneficial for early detection and treatment of infections, but they do not prevent the transmission between partners. Therefore, the proactive use of condoms not only serves as a preventive barrier but also promotes responsible sexual health practices.

SAMPLE

3. What is the main mode of transmission for HIV?

A. Food and water

B. Airborne droplets

C. Blood, sexual contact, and from mother to child

D. Surface contact

The main mode of transmission for HIV is through blood, sexual contact, and mother-to-child transmission. Understanding these routes is crucial for prevention and education efforts regarding AIDS and HIV. Blood transmission occurs through sharing needles among drug users, transfusions with contaminated blood, or any exposure to infected blood. Sexual contact is a particularly significant route, with the virus being present in bodily fluids such as semen, vaginal fluids, and rectal secretions, making unprotected sexual activity a high-risk behavior. Mother-to-child transmission can happen during childbirth or breastfeeding, highlighting the importance of testing and preventive measures for pregnant individuals living with HIV. Other options, while relevant to different diseases, do not pertain to HIV transmission. Food and water typically carry pathogens like bacteria and viruses, airborne droplets are associated more with respiratory infections, and surface contact is relevant in spreading certain viruses but not HIV. Therefore, option C accurately encompasses the primary modes of HIV transmission, reinforcing the necessity of safe practices to prevent the spread of the virus.

4. What is the goal of herd immunity?

A. To eliminate all infectious diseases

B. To protect the population by reducing the spread of disease through vaccination

C. To ensure individual immunity

D. To promote antibiotic use

The goal of herd immunity is to protect the population by reducing the spread of disease through vaccination. When a significant proportion of a community is vaccinated, it creates a barrier that limits the transmission of infectious diseases. This is especially important for those who cannot be vaccinated, such as infants, the elderly, or individuals with certain health conditions, as they rely on the immunity of the surrounding population to decrease their risk of exposure. Achieving herd immunity is crucial for controlling outbreaks and preventing diseases from spreading within the community, contributing to overall public health. It helps to lower the likelihood of outbreaks, indirectly safeguarding individuals who are vulnerable or cannot receive vaccines for medical reasons.

SAMPLE

5. What is necessary to protect the nurse when restarting an IV for a client with AIDS? Select all that apply.

A. Wearing gloves

B. Using hand hygiene

C. Donning a face shield

D. Wearing a gown

To effectively protect the nurse while restarting an IV for a client with AIDS, wearing gloves is essential. Gloves act as a barrier, preventing direct contact with blood and bodily fluids, which is crucial in the context of HIV transmission. This is particularly vital because HIV can be present in the bloodstream, and the use of gloves reduces the risk of exposure. In addition to gloves, using appropriate hand hygiene before and after the procedure is also critical. Proper hand washing or the use of hand sanitizer minimizes the risk of transferring pathogens to other patients or oneself. While face shields and gowns can be useful in specific situations, they are not typically necessary for procedures like restarting an IV unless there is a significant risk of splashing or exposure to large amounts of blood. The focus should primarily be on the use of gloves and maintaining hand hygiene for adequate protection against infection.

6. How often is the flu vaccine recommended?

A. Biannually

B. Every five years

C. Annually

D. Every two years

The flu vaccine is recommended annually because the influenza virus undergoes frequent changes, leading to the emergence of new strains. Each year, public health organizations analyze data on circulating flu viruses to determine the most effective formulations for the upcoming flu season. This annual vaccination is crucial for providing optimal protection against the strains that are most likely to be prevalent. Additionally, immunity from the vaccine diminishes over time, so receiving the vaccine each year helps ensure that individuals maintain sufficient protection as flu season approaches. Regular yearly vaccination is a key component of public health efforts to reduce the incidence and severity of influenza, making it essential for anyone eligible to be vaccinated annually.

SAMPLE

7. What criterion indicates that a client has progressed from HIV to acquired immunodeficiency syndrome (AIDS)?

A. Presence of opportunistic infections

B. CD4+ T lymphocyte level of less than 200 cells/µL

C. Positive HIV test for more than five years

D. Body weight loss greater than 10%

The indication that a client has progressed from HIV to acquired immunodeficiency syndrome (AIDS) is primarily based on the CD4+ T lymphocyte level, specifically when it drops below 200 cells/µL. This critical threshold reflects a significant deterioration of the immune system, which is a defining characteristic of AIDS. In individuals infected with HIV, the virus attacks and depletes CD4+ T cells, which are crucial for an effective immune response. When the CD4+ count falls below this level, the individual is at a much higher risk for opportunistic infections and other illnesses that can complicate and advance their health condition. This immunological impairment substantiates the progression from HIV infection to a diagnosis of AIDS, marking a crucial transition in the disease's severity and management. Other criteria, such as the presence of opportunistic infections or significant body weight loss, can accompany a diagnosis of AIDS, but the definitive laboratory criterion remains the low CD4+ T lymphocyte count. In contrast, a positive HIV test for more than five years does not, by itself, confirm progression to AIDS since many individuals can live for years with HIV without progressing to AIDS.

8. What vaccination is recommended for travelers to areas with endemic yellow fever?

A. Meningococcal vaccination

B. Hepatitis A vaccination

C. Yellow fever vaccination

D. Typhoid vaccination

Travelers headed to areas where yellow fever is endemic are strongly encouraged to receive the yellow fever vaccination. This vaccine is specifically designed to protect against the yellow fever virus, which is transmitted through the bite of infected mosquitoes. The vaccination not only provides personal protection to travelers but is also important for public health efforts to control the spread of the disease in areas where it is prevalent. In some regions, proof of yellow fever vaccination is required for entry, especially if travelers are coming from a country where the disease is present. The vaccine is highly effective, producing immunity within about 10 days in most recipients, making it essential for those planning to visit affected areas. The other vaccinations listed are important for travelers as well but serve to protect against different diseases. Meningococcal vaccination protects against bacterial meningitis, hepatitis A vaccination guards against a virus that affects the liver and is often contracted through contaminated food and water, and typhoid vaccination helps prevent typhoid fever caused by another bacterial infection that spreads through contaminated water or food. While these vaccines are relevant for certain travel situations, none are specifically aimed at preventing yellow fever, underscoring the critical importance of the yellow fever vaccination for those traveling to endemic regions.

SAMPLE

9. What symptom is the hallmark of viral meningitis?

A. Fever

B. Nausea and vomiting

C. Severe headache

D. Stiff neck

Severe headache is a hallmark symptom of viral meningitis and is often one of the most prominent clinical features observed in affected individuals. In viral meningitis, this headache can be intense and may be accompanied by other symptoms, but the severity distinguishes it from headaches due to other less serious illnesses. Headache occurs due to inflammation of the protective membranes covering the brain and spinal cord, known as the meninges. This inflammation can irritate the surrounding tissues and contribute to the sensation of pain. Patients commonly describe this headache as different from their usual headaches, sometimes noting that it feels more severe or persistent. While fever, nausea and vomiting, and a stiff neck are also associated symptoms and can be present in cases of viral meningitis, they do not represent the singular hallmark symptom. Fever is a common response to infection; nausea and vomiting can occur with many different illnesses, and a stiff neck is more specific to meningitis in general. Hence, while these symptoms may appear in a patient with viral meningitis, the severe headache stands out as the most distinguishing feature.

10. Before advocating for a homosexual client with AIDS, what should the nurse first do?

A. Consult with a supervisor

B. Identify personal attitudes about homosexuality

C. Review current treatment guidelines

D. Speak with other healthcare providers

Identifying personal attitudes about homosexuality is crucial because it lays the groundwork for providing unbiased and empathetic care. Understanding one's own beliefs and feelings enables the nurse to engage with clients in a nonjudgmental and supportive manner. This self-reflection is essential in the nursing profession, especially in the context of providing care to marginalized populations, such as individuals in the LGBTQ+ community living with AIDS. This awareness allows the nurse to recognize any potential biases that could affect the therapeutic relationship and the quality of care provided. It promotes an environment where the client feels safe and respected, which is vital for effective advocacy and support. Once the nurse has addressed their personal biases, they can more effectively navigate conversations about treatment and support, ensuring that the client's needs and rights are prioritized. While consulting with a supervisor, reviewing treatment guidelines, and speaking with other healthcare providers are important steps in the process of advocating for clients, they are secondary to the fundamental need for self-awareness. Without this reflection on personal attitudes, the nurse may unintentionally compromise the quality of care or advocacy provided to the client.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://evolveinfectiousdiseases.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE