
FAA AIRFRAME PREPWARE SHEET METAL STRUCTURES PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://
faaairframeprepwaresheetmetalstructures.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. In sheet metal work, what is the term for the distance from the edge of a piece to the center of a rivet hole?

A. Rivet spacing

B. Edge distance

C. Joint clearance

D. Setback

2. When bending a piece of aluminum alloy, what should the layout ensure?

A. The bend is parallel to the grain

B. The bend is at a 90° angle to the grain

C. The bend remains within the material thickness

D. The bend is free of stress

3. Which tool is commonly used for cutting sheet metal?

A. Metal shears

B. Saw

C. Chisel

D. Tin snips

4. When bending metal, what happens to the material on the outside of the curve?

A. It compresses

B. It does not change

C. It stretches

D. It becomes brittle

5. Which document must a new safety belt conform to in terms of strength requirements when installed in an aircraft?

A. FAA Regulation 26

B. TSO C22

C. FAR Part 23

D. AC 43.13-1B

SAMPLE

6. Threaded rivets, also known as Rivnuts, are commonly used to:

A. Attach parts with welds

B. Secure components with screws to sheet metal

C. Prevent corrosion between metals

D. Improve aerodynamic efficiency

7. Why should hole filling fasteners, like MS20470 rivets, not be used in composite structures?

A. They are too heavy for composites

B. They can cause delamination

C. They are difficult to install

D. They are too expensive

8. Which type of rivet is specifically used for riveting magnesium alloy structures?

A. 2024 aluminum

B. 6061 aluminum

C. 5056 aluminum

D. 7075 aluminum

9. What is the first step in the bumping operation when forming a streamline cover plate?

A. Start at the center and work outward

B. Tap the edges lightly

C. Use a hammer for rapid shaping

D. Apply heat to the aluminum

10. What type of loads are known to cause the most rivet failures?

A. Tensile

B. Bending

C. Shear

D. Compression

SAMPLE

Answers

SAMPLE

1. B
2. B
3. D
4. C
5. B
6. B
7. B
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. In sheet metal work, what is the term for the distance from the edge of a piece to the center of a rivet hole?

A. Rivet spacing

B. Edge distance

C. Joint clearance

D. Setback

The correct term for the distance from the edge of a piece to the center of a rivet hole is "edge distance." This measurement is crucial in sheet metal work because it ensures structural integrity and prevents issues such as tearing or excessive stress concentration around the rivet. Proper edge distance is necessary to ensure that the rivet has enough material around it to hold securely without compromising the strength of the sheet metal, as well as to allow for any tolerances in manufacturing or assembly. Rivet spacing refers to the distance between the centers of adjacent rivet holes along the joint line, which is a different consideration in the layout of rivets. Joint clearance pertains to the space required between parts that are to be fastened together, which is also distinct from the measurement of edge distance. Setback, on the other hand, is related to the distance that rivet holes are set back from the edge of the joint, but it does not specifically refer to the distance from the edge to the center of the rivet hole. Understanding these terms helps in effective design and execution in sheet metal fabrication.

2. When bending a piece of aluminum alloy, what should the layout ensure?

A. The bend is parallel to the grain

B. The bend is at a 90° angle to the grain

C. The bend remains within the material thickness

D. The bend is free of stress

When bending a piece of aluminum alloy, the layout should ensure that the bend is at a 90° angle to the grain. This is important because aluminum has distinct mechanical properties depending on the direction of its grain structure. When the bend is oriented at a 90° angle to the grain, it helps to minimize the risk of cracking or failure during the bending process. In aluminum alloys, the grain structure is influenced by the manufacturing process, and bending along the grain can result in reduced strength and increased chance of fracturing due to the material's tendency to fracture more easily along grain lines. This orientation allows the bend to utilize the inherent ductility of the metal in a more effective manner, leading to a stronger and more reliable bend. An alternative perspective emphasizes the significance of positioning and stress distribution during forming processes, which correlates directly with the structural integrity post-bending. Understanding the mechanics of materials like aluminum alloy is crucial for ensuring successful bending operations in sheet metal fabrication.

SAMPLE

3. Which tool is commonly used for cutting sheet metal?

A. Metal shears

B. Saw

C. Chisel

D. Tin snips

The tool that is commonly used for cutting sheet metal is tin snips. Tin snips are specifically designed for cutting metal sheets, making them ideal for tasks involving thin materials like aluminum or sheet steel. Their design typically features sharp blades that allow for clean cuts along straight lines and curves. Tin snips come in various shapes, including straight-cut, left-cut, and right-cut, allowing for versatility depending on the cutting needs. While metal shears can also be effective for cutting sheet metal, they are generally more appropriate for larger material thicknesses and may not provide the same precision as tin snips in smaller tasks. A saw, particularly a jigsaw or circular saw, is typically used for thicker materials and provides a different cutting mechanism than what is often required for sheet metal. A chisel is not suited for cutting sheet metal; instead, it is more appropriate for shaping or carving harder materials, like wood or metal. Thus, in the context of thin sheet metal, tin snips are recognized as the most commonly used tool.

4. When bending metal, what happens to the material on the outside of the curve?

A. It compresses

B. It does not change

C. It stretches

D. It becomes brittle

When bending metal, the material on the outside of the curve stretches. This occurs because, as the metal is bent, the fibers on the outer edge of the bend are elongated to accommodate the new shape. This stretching is a crucial factor in metalworking since it affects the metal's overall properties and behavior during and after the bending process. Understanding this concept is essential for ensuring that the final shape of the metal will not suffer from cracking or failure, especially if the bend is severe. In contrast, the inside of the bend experiences compression, leading to different mechanical stresses across the material. Knowing how metals respond to bending allows for better design and fabrication practices in sheet metal structures.

5. Which document must a new safety belt conform to in terms of strength requirements when installed in an aircraft?

A. FAA Regulation 26

B. TSO C22

C. FAR Part 23

D. AC 43.13-1B

The new safety belt installed in an aircraft must conform to TSO C22, which is a technical standard order issued by the FAA. This document specifies the minimum performance standards for safety belts used in aviation, including strength and durability requirements. Compliance with TSO C22 ensures that the safety belt can effectively protect occupants in the event of an emergency or crash. Though FAA Regulation 26, FAR Part 23, and AC 43.13-1B may relate to aircraft safety and standards, TSO C22 is specifically focused on the requirements for safety belts, making it the most relevant document in this context. Therefore, adherence to TSO C22 is essential for maintaining aircraft safety and ensuring that safety belts meet the rigorous standards necessary for aviation use.

SAMPLE

6. Threaded rivets, also known as Rivnuts, are commonly used to:

A. Attach parts with welds

B. Secure components with screws to sheet metal

C. Prevent corrosion between metals

D. Improve aerodynamic efficiency

Threaded rivets, commonly referred to as Rivnuts, are designed specifically to provide a strong, threaded connection for securing components to sheet metal. They create a threaded insert that allows screws or bolts to be fastened securely into materials that may not have sufficient thickness for a traditional threaded hole. This capability makes them ideal for applications where the base material is too thin or soft to hold threads on its own. Using Rivnuts enables quick and repeatable assembly processes, particularly in applications that require disassembly or maintenance, as they allow components to be fastened without compromising the integrity of the sheet metal. This is crucial in aviation and automotive contexts, where maintaining structural integrity and weight efficiency is paramount. The other choices do not accurately describe the purpose of Rivnuts. While welding is a common method of joining parts, it differs from the removable fastening that Rivnuts provide. Preventing corrosion and improving aerodynamic efficiency relate to factors other than how components are attached, which is the primary concern of Rivnuts.

7. Why should hole filling fasteners, like MS20470 rivets, not be used in composite structures?

A. They are too heavy for composites

B. They can cause delamination

C. They are difficult to install

D. They are too expensive

Using hole filling fasteners, such as MS20470 rivets, in composite structures can lead to delamination, which is the separation of the layers of composite material. Composite structures are typically made of layers of resin and reinforcing fibers. When a hole filling fastener is installed, it can create a stress concentration around the hole, which may exceed the adhesive bond strength of the composite layers. This increased localized stress can cause the layers to separate, compromising the structural integrity of the component. Delamination is particularly detrimental in composite materials because they rely on their layered structure for strength and stiffness. Unlike metals, composites cannot be easily reworked or repaired when delamination occurs, and this results in a potential failure of the entire structure. Therefore, it is essential to use fasteners and joining techniques that are specifically designed for composite materials to minimize the risk of such damage. Other factors, such as weight, installation difficulty, and cost, may be considerations in different contexts but are secondary to the crucial issue of delamination when it comes to using inappropriate fasteners in composite applications.

SAMPLE

8. Which type of rivet is specifically used for riveting magnesium alloy structures?

A. 2024 aluminum

B. 6061 aluminum

C. 5056 aluminum

D. 7075 aluminum

The choice of rivet for riveting magnesium alloy structures is crucial due to the specific properties and compatibility of materials involved. The correct answer, 5056 aluminum, is known for its excellent corrosion resistance and good mechanical properties, which make it particularly suitable for applications involving magnesium alloys. This alloy contains a higher percentage of magnesium, which helps mitigate the potential galvanic corrosion that could arise when dissimilar metals are joined. In applications where magnesium is involved, it is beneficial to use rivets that contain similar metallurgical properties to avoid issues that can stem from the combination of different metals. The 5056 aluminum rivet's composition allows it to function well with magnesium, supporting the integrity and longevity of the structure. The other rivet choices, such as those based on 2024, 6061, and 7075 aluminum, are less suitable in this specific application. While each has its own advantages in different contexts, they do not provide the same level of compatibility and corrosion resistance when used with magnesium alloys, which is vital in ensuring the durability and functionality of the riveted structure.

9. What is the first step in the bumping operation when forming a streamline cover plate?

A. Start at the center and work outward

B. Tap the edges lightly

C. Use a hammer for rapid shaping

D. Apply heat to the aluminum

In the bumping operation for forming a streamline cover plate, the first step involves tapping the edges lightly. This technique is essential because it gradually shapes and stretches the metal, allowing for a more controlled and smooth transition into the desired form. Tapping the edges helps to avoid overstressing the material, which can cause unwanted warping or cracking. This method also ensures that the metal is evenly worked and reduces the risk of creating localized stress points that could compromise the integrity of the plate. By starting at the edges, the operator can effectively manage how the metal flows and forms around the contours, leading to a better overall finish. The process of bumping is delicate and requires a careful approach to ensure the aluminum retains its properties and structure throughout the forming process. Thus, beginning with light taps at the edges sets a foundation for successful shaping.

SAMPLE

10. What type of loads are known to cause the most rivet failures?

A. Tensile

B. Bending

C. Shear

D. Compression

Rivet failures are most commonly associated with shear loads. Shear refers to the force that acts parallel to the surface of a material, causing layers or parts to slide past one another. In the context of riveted joints in sheet metal structures, the rivets are primarily designed to hold the materials together under shear stress. When subjected to shear loads, rivets experience a tendency to deform and potentially fail. This is especially critical in applications where dynamic loads, such as vibrations or fluctuating forces, are present. In such cases, the shear force can lead to a higher incidence of fatigue failures, ultimately compromising the integrity of the joint. While tensile, bending, and compression forces can also impact riveted structures, they are generally not the primary cause of rivet failures. Tensile loads apply pulling forces that can cause rivets to pull out rather than shear off, while bending loads typically distribute stress across the entire structure and may lead to deformation rather than a direct shear failure in the rivets. Compression loads affect the whole assembly in a way that is less likely to specifically fail the rivets in shear compared to shear loads themselves. Therefore, understanding the nature of the loads acting on riveted joints is crucial for determining the most likely causes of rivet

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://faaairframeprepwaresheetmetalstructures.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE