FAA COMMERCIAL PILOT PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://faacommercialpilot.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the regulation regarding passenger baggage?

A. Must be secured and within weight limits
B. Must be checked in 24 hours before flight
C. Can exceed 50 pounds without charge
D. Must be stored in the cabin at all times

2. What defines a cross-country flight by FAA standards?

A. Flights that last more than two hours
B. Flights exceeding 50 nautical miles from departure
C. Flights that land at multiple airports
D. Flights that remain within one's home state

3. Before flying an unfamiliar aircraft, what should a pilot do?

A. Check weather conditions
B. Review the Pilot Operating Handbook (POH)
C. Perform a pre-flight inspection
D. Contact air traffic control

4. What are the takeoff minimums as specified by FAR Part 91?

A. Always 1000 feet visibility
B. VFR or as listed in airport approach charts
C. Determined by the type of aircraft
D. Set by the pilot's discretion

5. What information does a "NOTAM" provide to pilots?

A. General weather updates
B. Information about flight routes
C. Essential information about airspace
D. Details on airport facilities

6. What should a pilot check for when planning a night cross-country flight?

A. Availability of all VORs en route
B. Status of airport rotating light beacon
C. Condition of destination airport lighting systems
D. Weather conditions at alternate airports

SAMPLE

7. What is the maximum altitude for uncontrolled airspace?

A. 14,500 feet MSL

B. 10,000 feet MSL

C. 18,000 feet MSL

D. 20,000 feet MSL

8. What does the acronym "TFR" stand for?

A. Temporary Flight Restriction

B. Terminal Flight Report

C. Traffic Flight Regulation

D. Theoretical Flight Radius

9. While maintaining a magnetic heading of 270° and a true airspeed of 120 knots, what is the approximate time and distance to the VOR station if the 360 radial is crossed at 1237 and the 350 radial at 1244?

A. 42 minutes and 84 NM

B. 42 minutes and 91 NM

C. 44 minutes and 96 NM

D. 40 minutes and 80 NM

10. What altitude must be maintained when flying under VFR in controlled airspace?

A. Below 1,000 feet AGL

B. At least 1,500 feet AGL

C. At or above 2,500 feet AGL

D. At least 3,000 feet AGL

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. B
5. C
6. C
7. C
8. A
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What is the regulation regarding passenger baggage?

A. Must be secured and within weight limits

B. Must be checked in 24 hours before flight

C. Can exceed 50 pounds without charge

D. Must be stored in the cabin at all times

The regulation regarding passenger baggage emphasizes the importance of securing baggage and adhering to weight limits to maintain safety and efficiency during flight operations. The correct focus is on ensuring that all passenger baggage is properly secured in designated areas and that it does not exceed specified weight limits. This is crucial because unsecured baggage can become a projectile during turbulence or emergency maneuvers, potentially causing injury to passengers or damage to the aircraft. Additionally, weight limits are established not only for safety but also to ensure that the aircraft remains within its operational parameters, such as weight and balance considerations. While other choices might seem plausible, they do not accurately reflect the essential safety regulations pertaining to baggage management. Checking in baggage in advance or allowing it to exceed a certain weight without charge does not align with the safety and operational standards that pilots and airlines must adhere to. The idea that baggage must remain in the cabin at all times also contradicts normal operational procedures, as checked baggage is typically stored in a separate compartment. Thus, focusing on the need for security and adherence to weight limits ensures compliance with regulations designed to protect all individuals aboard the aircraft.

2. What defines a cross-country flight by FAA standards?

A. Flights that last more than two hours

B. Flights exceeding 50 nautical miles from departure

C. Flights that land at multiple airports

D. Flights that remain within one's home state

A cross-country flight, according to FAA standards, is defined as a flight that exceeds 50 nautical miles from the departure point. This definition is significant because it establishes a clear boundary for what constitutes a cross-country journey, differentiating it from local flights that are typically shorter. The 50 nautical mile distance is a standard measurement that reflects the scope of the flight, and it is crucial for logbook endorsements and training requirements. Understanding this definition is important for pilots, as it impacts the type of flight experience logged and the training and regulations applicable for pilot certification, particularly when seeking to fulfill specific flight time requirements for various licenses. The other options provided do not align with the FAA's definition: duration of the flight, multi-airport landings, or remaining within a state do not inherently qualify a flight as cross-country. Therefore, the correct answer is rooted directly in the established FAA measurement standard.

SAMPLE

3. Before flying an unfamiliar aircraft, what should a pilot do?

A. Check weather conditions

B. Review the Pilot Operating Handbook (POH)

C. Perform a pre-flight inspection

D. Contact air traffic control

Reviewing the Pilot Operating Handbook (POH) of the unfamiliar aircraft is essential for a pilot before flying. The POH provides crucial information specific to that aircraft, such as its operational limitations, performance data, weight and balance information, fuel consumption rates, and emergency procedures. Understanding these details ensures that the pilot can operate the aircraft safely and within the manufacturer's guidelines. Learning about the aircraft's systems and limitations prepares the pilot for various phases of flight and enables them to react appropriately in different situations. A thorough review of the POH helps the pilot develop an understanding of how the aircraft behaves and what to expect during normal and abnormal operations. Other actions, such as checking weather conditions, performing a pre-flight inspection, and contacting air traffic control, are also important aspects of flight preparation. However, they are supplementary steps that do not provide the foundational knowledge specific to the aircraft itself, which is critical for safety in an unfamiliar aircraft.

4. What are the takeoff minimums as specified by FAR Part 91?

A. Always 1000 feet visibility

B. VFR or as listed in airport approach charts

C. Determined by the type of aircraft

D. Set by the pilot's discretion

Takeoff minimums as specified by FAR Part 91 are determined by the visual flight rules (VFR) or as specified in the airport approach charts applicable to the location of departure. This means that pilots must adhere to the minimum visibility and ceiling requirements outlined in these charts when planning a takeoff. In VFR conditions, there are no specific visibility minimums mandated by the regulations, allowing pilots to use their judgment based on the weather conditions at that time. In instances where the airport has published approach procedures, the minimums provided in those charts take precedence, ensuring that pilots have the necessary information to operate safely in different weather scenarios. Other options may seem plausible but do not align accurately with the FAR Part 91 regulations. For instance, stating that takeoff minimums are always 1000 feet visibility is overly restrictive and does not account for VFR conditions or specific airport requirements. Furthermore, claiming that takeoff minimums are determined solely by the type of aircraft fails to acknowledge that visibility requirements also depend on the existing weather conditions and published charts. Finally, while pilots must exercise good judgment, takeoff minimums are not left entirely to the pilot's discretion; they must follow established regulations and published procedures to ensure safety.

SAMPLE

5. What information does a "NOTAM" provide to pilots?

A. General weather updates

B. Information about flight routes

C. Essential information about airspace

D. Details on airport facilities

A NOTAM, or Notice to Airmen, is a communication tool used to convey important information about conditions that could affect the safety of flight operations. This information can include changes to airspace, the status of navigation aids, and other critical alerts that pilots need to be aware of before and during their flight. The significance of NOTAMs lies in their ability to provide timely updates on operational hazards or changes that could impact a pilot's flight route and safety, such as construction activities at airports, temporary flight restrictions, or changes in air traffic control procedures. While weather updates, flight routes, and airport facility details are important, they are typically provided through other means such as aviation weather reports, charts, and guidance materials. NOTAMs specifically focus on critical airspace and operational information that may not be covered by these other resources. Hence, the most accurate option reflecting what a NOTAM provides is information about essential conditions related to airspace.

6. What should a pilot check for when planning a night cross-country flight?

A. Availability of all VORs en route

B. Status of airport rotating light beacon

C. Condition of destination airport lighting systems

D. Weather conditions at alternate airports

When planning a night cross-country flight, it is essential for a pilot to check the condition of the destination airport lighting systems. Night flying presents unique challenges, and proper lighting at the airport is crucial for safe landing and taxiing. Pilots need to ensure that runway lights, approach lights, and any other navigation aids are operational, as this directly impacts their ability to safely arrive at the destination. While considerations like airport rotating light beacons and overall weather conditions are significant, the primary focus should be on the destination airport because it is the final approach point for the flight. If the lighting is inadequate or not functioning, it could lead to difficulties in executing a safe landing. Consequently, ensuring that the destination's lighting systems are in good condition is a top priority for a successful night cross-country flight.

7. What is the maximum altitude for uncontrolled airspace?

A. 14,500 feet MSL

B. 10,000 feet MSL

C. 18,000 feet MSL

D. 20,000 feet MSL

The maximum altitude for uncontrolled airspace is 14,500 feet MSL, not 18,000 feet MSL. In the United States, Class G airspace, which is the category of uncontrolled airspace, extends from the surface up to 14,500 feet MSL. This means that below 14,500 feet, pilots can operate without an air traffic control clearance, and there are fewer regulations in place compared to controlled airspace. Above 14,500 feet MSL, the airspace transitions into controlled airspace, which is generally Class E airspace, where ATC services are required. Therefore, 14,500 feet MSL serves as a critical boundary for understanding where uncontrolled airspace ends and controlled airspace begins. This distinction is important for pilots to ensure they are operating within the correct regulations and safely navigating through various airspace classifications.

SAMPLE

8. What does the acronym "TFR" stand for?

A. Temporary Flight Restriction

B. Terminal Flight Report

C. Traffic Flight Regulation

D. Theoretical Flight Radius

The acronym "TFR" stands for Temporary Flight Restriction. TFRs are issued by the FAA to restrict an area of airspace for a specified period of time due to various reasons such as security events, natural disasters, or other hazards. This allows for the safe and efficient management of air traffic and ensures that certain areas remain clear for specific operations, such as law enforcement activities, search and rescue missions, or public safety operations. Understanding TFRs is crucial for pilots, as flying into a TFR can lead to serious penalties, including fines and suspension of pilot privileges. Pilots are responsible for checking for TFRs in their flight planning process to ensure compliance with all airspace regulations and to maintain safety during their operations.

9. While maintaining a magnetic heading of 270° and a true airspeed of 120 knots, what is the approximate time and distance to the VOR station if the 360 radial is crossed at 1237 and the 350 radial at 1244?

A. 42 minutes and 84 NM

B. 42 minutes and 91 NM

C. 44 minutes and 96 NM

D. 40 minutes and 80 NM

To find the time and distance to the VOR station based on the information given, we first need to analyze the radials and the time of crossing. The aircraft crosses the 360 radial at 1237 and the 350 radial at 1244, which indicates the time it takes to fly between these two radials. The time interval from 1237 to 1244 is 7 minutes. During this time, the aircraft is flying across 10 degrees of the VOR radials (from 360° to 350°). To find the rate of movement across the radials, we can relate the angular distance to nautical miles. The formula for calculating the distance flown can be expressed as: Distance = Speed x Time Converting the radials into nautical miles requires knowing that each degree of change at a distance from the VOR represents a certain distance. However, it simplifies if we consider the heading and the time taken to cross. Maintaining a heading of 270° while the aircraft is moving from the 360° radial towards the 350° radial suggests an approach toward the station, as the true radial numbers are decreasing. In this case, the aircraft is closing in on the VOR. Using

SAMPLE

10. What altitude must be maintained when flying under VFR in controlled airspace?

A. Below 1,000 feet AGL

B. At least 1,500 feet AGL

C. At or above 2,500 feet AGL

D. At least 3,000 feet AGL

When flying under Visual Flight Rules (VFR) in controlled airspace, the requirement is to maintain an altitude of at least 2,500 feet Above Ground Level (AGL). This regulation is in place to ensure that aircraft are sufficiently separated from both the terrain and other aircraft operating in the vicinity, particularly in more congested airspaces like Class B, C, and D airspace. Maintaining an altitude of 2,500 feet AGL provides a buffer that enhances safety by reducing the risk of collisions and allowing for greater visibility in relation to surrounding obstacles and traffic. This altitude requirement is particularly important as it helps pilots avoid low-level airspace congestion and provides a safer margin for maneuvering when encountering unexpected situations. In the context of the other options, maintaining altitudes below 1,000 feet AGL or lower levels would not only increase the likelihood of encounters with obstacles but also diminish safety margins when operating in controlled environments. Similarly, aiming for altitudes like 1,500 feet or even 3,000 feet AGL does not align with the specific regulatory framework that dictates the minimum safe altitude at which VFR operations should be conducted in controlled airspace.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://faacommercialpilot.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE