FAA EN□ROUTE RADAR CONTROLLER CERTIFICATION (CKT-2) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://faaenrouteradarckt2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. When is the verbal briefing initiated during the position relief process?

A. At the start of the shift

B. After the briefing checklist is completed

C. When the relieving specialist indicates the preview has been completed

D. Once all controllers are present

2. What information does a fully operational radar system provide regarding altitude?

A. Only the highest altitude reached

B. Current altitude and deviations

C. Planned altitude exclusively

D. Altitude in relation to the ground only

3. What is the four-digit code used for an aircraft involved in a Search and Rescue (SAR) mission?

A. 1155

B. 1212

C. 1277

D. 1333

4. What is the purpose of a SIA?

A. To display navigation instructions

B. To provide information on air traffic control procedures

C. To show the status of position-related equipment and operational conditions

D. To indicate restricted airspace

5. What should be solicited when moderate turbulence or greater, or LLWS exists in your area of jurisdiction?

A. PIREPs

B. Weather Briefings

C. Flight Plans

D. ATC Requests

SAMPLE

6. What action should a controller take if radar identification is questionable?

A. Take no action until confirmed

B. Take immediate action to re-identify the aircraft

C. Notify the pilot of loss of identification

D. Change communication frequency

7. Turbojets operating at and below what altitude require individual coordination as per ZAE/JAN LOA?

A. 8,000 feet

B. 10,000 feet

C. 12,000 feet

D. 14,000 feet

8. Which of the following is a condition for automatic track initiation for a flight?

A. MUST have a stored flight plan

B. MUST be flying at an altitude above 10,000 feet

C. Must be within 5 nautical miles of the airport

D. Must have a pilot on board

9. What visual representation indicates light precipitation on NEXRAD?

A. Green

B. Blue

C. Yellow

D. Pale gray

10. What should a controller do upon determining that an aircraft is out of lateral tolerance?

A. Change its radar code

B. Notify the pilot immediately

C. Switch it to free track status

D. Contact air traffic management

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. C
5. A
6. B
7. B
8. A
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. When is the verbal briefing initiated during the position relief process?

A. At the start of the shift

B. After the briefing checklist is completed

C. When the relieving specialist indicates the preview has been completed

D. Once all controllers are present

The verbal briefing is initiated when the relieving specialist indicates that the preview has been completed. This timing is critical because it allows for a comprehensive exchange of information regarding the current operational status, traffic situation, and any special issues that the relieving controller needs to be aware of. By starting the briefing at this point, the relieving controller is better prepared to take over responsibilities seamlessly and ensure continuity of operations. This process emphasizes the importance of clear communication and situational awareness, which are vital in maintaining safety and efficiency in air traffic control. Starting the briefing after the relieving specialist has completed their preview ensures that the information shared is current and relevant, reflecting the latest updates from the position being handed over.

2. What information does a fully operational radar system provide regarding altitude?

A. Only the highest altitude reached

B. Current altitude and deviations

C. Planned altitude exclusively

D. Altitude in relation to the ground only

A fully operational radar system provides current altitude and deviations. This is crucial for air traffic controllers as it allows them to monitor not only the altitude at which an aircraft is flying at any given moment but also any deviations from the planned flight levels. This information enables controllers to maintain safe vertical separation between aircraft, especially in congested airspace and during altitude changes. Monitoring current altitude is essential for ensuring that aircraft comply with altitude assignments, and the ability to see deviations helps controllers intervene when necessary, enhancing safety and efficiency in air traffic operations. The radar system also tracks these changes in real time, providing a dynamic view of air traffic, which is vital for effective air traffic management. The other answer choices miss critical aspects of altitude tracking. For instance, only the highest altitude reached does not provide valuable ongoing data about the aircraft's current status or any necessary adjustments. Planned altitude exclusively would not reflect real-time changes or compliance, which are crucial for safety. Lastly, altitude in relation to the ground alone does not account for established air traffic control altitudes and could lead to dangerous situations if not contextualized within controlled airspace.

SAMPLE

3. What is the four-digit code used for an aircraft involved in a Search and Rescue (SAR) mission?

A. 1155

B. 1212

C. 1277

D. 1333

The correct four-digit code used for an aircraft involved in a Search and Rescue (SAR) mission is 1277. This code is specifically designated within the aviation system to help air traffic controllers and other relevant agencies identify aircraft that are engaged in SAR operations. Using this unique code allows for efficient communication and coordination among various agencies, ensuring that search and rescue efforts are prioritized and effectively managed. Understanding the significance of this code highlights how vital it is for clarity and quick response in emergency situations. Each code in the air traffic management system has its own specific function, and recognizing the correct code for SAR missions is crucial for controllers who must keep track of operations that could save lives.

4. What is the purpose of a SIA?

A. To display navigation instructions

B. To provide information on air traffic control procedures

C. To show the status of position-related equipment and operational conditions

D. To indicate restricted airspace

The purpose of a Situation Information Awareness (SIA) display is to show the status of position-related equipment and operational conditions. It is a crucial tool for controllers as it provides real-time data concerning both the aircraft's status and the surrounding environment. This information allows controllers to make informed decisions regarding traffic management and safety, ensuring that they have a complete picture of operational conditions. By being aware of the status of equipment related to navigation and air traffic management, controllers can enhance their situational awareness, leading to more effective and safer air traffic control operations. While navigation instructions, air traffic control procedures, and information about restricted airspace are also important elements of air traffic management, they do not encapsulate the specific purpose of an SIA display, which is primarily focused on providing immediate situational updates regarding equipment and operational status.

SAMPLE

5. What should be solicited when moderate turbulence or greater, or LLWS exists in your area of jurisdiction?

A. PIREPs

B. Weather Briefings

C. Flight Plans

D. ATC Requests

When moderate turbulence or greater, or low-level wind shear (LLWS) is present in your area of jurisdiction, it is essential to solicit PIREPs, or Pilot Reports. These reports provide valuable real-time information from pilots regarding the current weather conditions they are experiencing during their flight. PIREPs are crucial in enhancing the safety and operational efficiency of air traffic management. They help other pilots and air traffic controllers understand the extent and severity of turbulence or wind shear, allowing for better decision-making regarding flight paths and altitudes. This information can aid in warning pilots of potential hazards and can even contribute to shaping future weather forecasts. In contrast, while weather briefings provide comprehensive forecasts and historical data, they do not capture the real-time experiences of pilots airborne during turbulence or LLWS. Flight plans focus more on the intended route of the aircraft rather than the existing weather conditions. Lastly, ATC requests pertain to various interactions between pilots and air traffic control, but soliciting reports from pilots about current conditions (PIREPs) is specifically relevant to safety during adverse weather situations.

6. What action should a controller take if radar identification is questionable?

A. Take no action until confirmed

B. Take immediate action to re-identify the aircraft

C. Notify the pilot of loss of identification

D. Change communication frequency

When a controller questions radar identification, it is crucial to take immediate action to ensure that the aircraft being tracked is correctly identified. Proper identification is fundamental for safe and efficient air traffic control, as it allows the controller to maintain situational awareness, provide accurate instructions to pilots, and manage separation between aircraft. Taking immediate action to re-identify the aircraft may involve asking the pilot to switch to a different transponder code, requesting position reports, or using visual confirmation methods. This proactive approach minimizes the risk of confusion or miscommunication that could lead to safety issues. By prioritizing the re-identification process, controllers can maintain safety standards and ensure that all aircraft are accurately tracked. This is essential in the highly dynamic environment of air traffic control, where decisions must be made swiftly and with confidence.

SAMPLE

7. Turbojets operating at and below what altitude require individual coordination as per ZAE/JAN LOA?

A. 8,000 feet

B. 10,000 feet

C. 12,000 feet

D. 14,000 feet

Turbojets operating at and below 10,000 feet require individual coordination according to the ZAE/JAN Letter of Agreement (LOA). This altitude threshold is significant because it represents the transition between different airspace management protocols for high-performance aircraft like turbojets. At this altitude and below, the potential for increased traffic density and the performance characteristics of turbojets necessitate a more stringent level of coordination among air traffic controllers to ensure safe and efficient operations. By requiring coordinated communication for turbojets in these lower altitudes, it allows controllers to closely monitor their flight paths and manage interactions with other aircraft, considering factors such as wake turbulence, airspeed, and the climb-out/descent profile of the turbojet. This unique requirement helps to mitigate risks associated with high-speed jet operations in more congested airspace. Moreover, the designation of 10,000 feet as a critical altitude aligns with established practices in air traffic control, where different procedural rules often kick in around this level, enhancing safety measures.

8. Which of the following is a condition for automatic track initiation for a flight?

A. MUST have a stored flight plan

B. MUST be flying at an altitude above 10,000 feet

C. Must be within 5 nautical miles of the airport

D. Must have a pilot on board

Automatic track initiation is a process in radar systems where the system automatically begins to track an aircraft once certain conditions are met. A stored flight plan is essential for this process because it allows the radar system to recognize and anticipate the aircraft's intended route and behavior. When a flight plan is stored, the radar can compare the real-time data it receives with the flight path, facilitating more accurate tracking and communication. Without a stored flight plan, the radar system lacks vital information about the aircraft's intended course, making it challenging to initiate accurate tracking automatically. The other factors, such as altitude, proximity to an airport, or the presence of a pilot, may influence tracking capabilities but do not serve as primary conditions for automatic track initiation. A stored flight plan is crucial because it integrates operational data necessary for seamless tracking and ensures that air traffic controllers can maintain situational awareness effectively.

SAMPLE

9. What visual representation indicates light precipitation on NEXRAD?

A. Green

B. Blue

C. Yellow

D. Pale gray

The visual representation of light precipitation on NEXRAD (Next Generation Radar) is indicated by the color green. NEXRAD uses a color scale that corresponds to different levels of precipitation intensity, and green specifically represents light rain. This is a crucial aspect for controllers and meteorologists to understand, as it helps them assess weather conditions that may impact flight operations. To provide context, other colors in the NEXRAD scale indicate varying intensities of precipitation. For instance, darker shades and other hues represent greater levels of precipitation, such as moderate to heavy rain, while pale gray is typically used for areas where there is no significant precipitation detected. Understanding the color coding system is essential for making informed decisions based on weather data.

10. What should a controller do upon determining that an aircraft is out of lateral tolerance?

A. Change its radar code

B. Notify the pilot immediately

C. Switch it to free track status

D. Contact air traffic management

When an aircraft is determined to be out of lateral tolerance, the appropriate action is to switch it to free track status. This step allows the radar controller to monitor the aircraft without further automated lateral guidance from the radar system, essentially enabling the controller to maintain visual radar contact while the pilot handles any necessary navigation maneuvers. This approach is significant because it provides the controller with greater flexibility in assessing the aircraft's position and maintaining safe separation with other traffic. Free track status removes the imposed lateral constraints that may contribute to complications in navigation, allowing for a more hands-on, coordinated approach to addressing the situation as it develops. The other options, while they relate to different controller actions, do not directly address the issue of lateral tolerance. For instance, changing the radar code might serve to refresh or transfer data but would not necessarily assist in correcting the lateral deviation. Notifying the pilot immediately might be essential, but it is generally performed in conjunction with adjusting the aircraft's status and managing the situation. Contacting air traffic management could be warranted but is typically a step taken after immediate remedial actions like changing the status of the tracking.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://faaenrouteradarckt2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE