
FAA JEPPESEN INSTRUMENT RATING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://faajeppeseninstrating.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the primary pitch instrument during a stabilized climbing left turn at cruise climb airspeed?

A. Vertical speed indicator

B. Airspeed indicator

C. Attitude indicator

D. Altimeter

2. What does the notation "NoPT" indicate on an approach plate?

A. No procedure turn is necessary, and it may not be performed without ATC clearance

B. Procedure turn is necessary without ATC clearance

C. No procedure turn is allowed under any conditions

D. Procedure turn is optional

3. What are the visibility requirements in Class C and D airspace?

A. 1 statute mile, clear of clouds

B. 3 statute miles visibility

C. 1,000 feet above clouds

D. 5 statute miles visibility

4. What is the purpose of a suction gauge in an aircraft?

A. Measure altitude

B. Measure excess speed

C. Indicate vacuum power status

D. Measure external temperature

5. During summer months, how does the strength of the jet stream typically behave?

A. Stronger and farther north

B. Weaker and farther south

C. Weaker and farther north

D. Stronger and centered over the continent

SAMPLE

6. Which instrument should become erect and stable within 5 minutes after engine start?

A. Heading indicator

B. Attitude indicator

C. Vertical Speed Indicator

D. Airspeed indicator

7. What does A4 indicate for approach lighting systems?

A. MALS/MALSF or SSALS/SSALF

B. Visual Guidance System

C. Standard Approach Lighting System

D. Automated Approach System

8. What is the speed range for approach category B?

A. Up to 90 knots

B. From 91 to 120 knots

C. From 121 to 140 knots

D. From 141 to 165 knots

9. What does "RCLS" stand for?

A. Runway Centerline Light System

B. Runway Clearance Light System

C. Runway Control Light System

D. Runway Communication Light System

10. What is the function of a VOR navaid?

A. To provide azimuth information to pilots

B. To send weather updates

C. To replace local ATC communication

D. To assist in visual flights only

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. C
5. C
6. B
7. A
8. B
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. What is the primary pitch instrument during a stabilized climbing left turn at cruise climb airspeed?

A. Vertical speed indicator

B. Airspeed indicator

C. Attitude indicator

D. Altimeter

In a stabilized climbing left turn at cruise climb airspeed, the primary pitch instrument is the attitude indicator. The attitude indicator provides crucial information on the aircraft's orientation relative to the horizon, which is essential for maintaining a proper climb while also executing a turn. During a climbing turn, maintaining an optimal pitch attitude is vital for ensuring that the aircraft not only gains altitude but does so without compromising airspeed or performance. The attitude indicator helps the pilot confirm that the aircraft is climbing at the correct angle relative to the horizon, ensuring safe and effective control throughout the maneuver. While the airspeed indicator, vertical speed indicator, and altimeter provide important information, they do not serve as primary instruments for pitch control. The airspeed indicator is important for maintaining the appropriate airspeed during the climb, but it does not directly indicate the pitch attitude. Therefore, the attitude indicator is the most relevant instrument for managing the pitch during this specific flight scenario.

2. What does the notation "NoPT" indicate on an approach plate?

A. No procedure turn is necessary, and it may not be performed without ATC clearance

B. Procedure turn is necessary without ATC clearance

C. No procedure turn is allowed under any conditions

D. Procedure turn is optional

The notation "NoPT" on an approach plate signifies that a procedure turn is not required for the approach. This means that pilots can proceed directly from the intermediate segment of the approach to the final approach segment without needing to execute a turn to re-intercept the final approach course. However, it's important to note that even though a procedure turn is not necessary, pilots must still adhere to Air Traffic Control (ATC) instructions, and performing a procedure turn without prior clearance from ATC is not permitted. This understanding is crucial for ensuring safe and efficient operation in controlled airspace, as it allows for quicker descents and approach sequences when conditions allow for it.

3. What are the visibility requirements in Class C and D airspace?

A. 1 statute mile, clear of clouds

B. 3 statute miles visibility

C. 1,000 feet above clouds

D. 5 statute miles visibility

In Class C and D airspace, the visibility requirement is established at 3 statute miles. This regulation ensures that pilots can maintain visual separation from other aircraft while also complying with the rules and procedures set forth for operating within these airspace classes. Maintaining 3 statute miles of visibility allows pilots to adequately see and avoid other traffic, which is particularly important in busier airspace where communication and coordination with air traffic control play a critical role. Understanding these visibility requirements is essential for pilots as it dictates the minimum conditions under which they can operate, thus enhancing safety during flight operations in these types of airspace. Additionally, it's important for pilots to be aware that in Class C and D airspace, especially where there may be higher traffic density, having an adequate visibility range supports better situational awareness and decision-making.

SAMPLE

4. What is the purpose of a suction gauge in an aircraft?

A. Measure altitude

B. Measure excess speed

C. Indicate vacuum power status

D. Measure external temperature

The purpose of a suction gauge in an aircraft is to indicate vacuum power status. This gauge is crucial for monitoring the operation of the vacuum system, which powers various instruments such as the artificial horizon and directional gyro. A proper vacuum level ensures that these instruments function accurately and reliably. When the suction level is within the normal range, it confirms that the vacuum system is functioning correctly, allowing pilots to rely on the information provided by their flight instruments. If the gauge shows low suction, it may indicate that there is a malfunction or blockage within the vacuum system, which could lead to instrument failure and reduced situational awareness. This makes the suction gauge an essential tool for ensuring flight safety and effective instrument operation.

5. During summer months, how does the strength of the jet stream typically behave?

A. Stronger and farther north

B. Weaker and farther south

C. Weaker and farther north

D. Stronger and centered over the continent

During the summer months, the jet stream typically weakens and shifts to a position farther north. This behavior is a result of the differential heating of the Earth's surface, where the warmer temperatures in the summer months create a more stable atmosphere over much of the continental U.S. As the polar regions warm relative to past seasons, the temperature gradient that drives the jet stream diminishes, leading to a weaker jet stream overall. Additionally, the jet stream being farther north aligns with the seasonal shifts in weather patterns, where tropical air masses dominate, and the influence of polar air masses is reduced. This results in summer weather characterized by more stable conditions and fewer disturbances associated with a strong jet stream.

6. Which instrument should become erect and stable within 5 minutes after engine start?

A. Heading indicator

B. Attitude indicator

C. Vertical Speed Indicator

D. Airspeed indicator

The attitude indicator is designed to show the aircraft's orientation relative to the horizon, and it relies on gyroscopic principles to function accurately. After engine start, the attitude indicator typically requires a short period of time to stabilize as its internal gyroscope spins up to the necessary speed. This stabilization usually occurs within approximately five minutes. During this time, the gyroscope must reach a proper rotational speed to provide reliable readings. Once stabilized, the attitude indicator can accurately display whether the aircraft is climbing, descending, or in level flight, which is essential for instrument flight operations. In contrast, the heading indicator, vertical speed indicator, and airspeed indicator either do not rely on stabilization or have different stabilization time frames, making them less relevant to this specific question regarding the five-minute timeframe after engine start.

SAMPLE

7. What does A4 indicate for approach lighting systems?

A. MALS/MALSF or SSALS/SSALF

B. Visual Guidance System

C. Standard Approach Lighting System

D. Automated Approach System

A4 is a specific code used to classify certain types of approach lighting systems, which are critical for helping pilots identify runways and guiding them during the final approach phase of a flight, especially in low visibility conditions. The code A4 specifically designates systems such as MALS/MALSF (Medium Intensity Approach Lighting System with or without Flashing Lights) or SSALS/SSALF (Simplified Short Approach Lighting System with or without Flashing Lights). These systems are designed to provide precise visual cues to pilots as they approach a runway, enhancing safety by improving visibility and orientation during descent and landing. Standardization of these systems through such codes helps pilots and air traffic controllers communicate effectively and ensures consistency across different locations and aircraft. The other options represent different systems or functionalities that do not directly align with the specific designation of A4. Therefore, recognizing A4 accurately identifies key approach lighting systems ensures that pilots are informed about the type of visual aids available when landing.

8. What is the speed range for approach category B?

A. Up to 90 knots

B. From 91 to 120 knots

C. From 121 to 140 knots

D. From 141 to 165 knots

The speed range for approach category B is defined as 91 to 120 knots. This categorization helps to provide standardized criteria for aircraft operating speeds during approach and landing phases, which is essential for ensuring safety and efficiency in various operational environments, particularly when it comes to spacing and separation from other aircraft. Understanding approach categories is crucial for pilots because they determine the minimum safe distances between aircraft, affect the minimum required runway lengths, and influence the decision-making process during landings and approaches. Aircraft categorized into approach category B typically include small twin-engine aircraft. The other choices reflect speeds that do not correspond to the guidelines set by the FAA for category B. Each category has specific speed thresholds to maintain optimal operations and safety in aviation, which makes it important for pilots to correctly understand and apply these classifications during flight planning and execution.

9. What does "RCLS" stand for?

A. Runway Centerline Light System

B. Runway Clearance Light System

C. Runway Control Light System

D. Runway Communication Light System

The correct interpretation of "RCLS" is "Runway Centerline Light System." This system is designed to enhance the safety of landing and takeoff operations by providing visual guidance to pilots. The centerline lights are typically installed along the center of the runway and illuminate with white lights to help maintain a proper alignment during low visibility conditions, such as rain, fog, or darkness. Understanding the meaning and function of the RCLS is crucial for pilots, as it plays a significant role in runway management and enhances situational awareness. The other options, while they may sound plausible, do not accurately describe the standard terminology used in aviation regarding runway lighting systems.

SAMPLE

10. What is the function of a VOR navaid?

A. To provide azimuth information to pilots

B. To send weather updates

C. To replace local ATC communication

D. To assist in visual flights only

A VOR, or VHF Omnidirectional Range, is designed to provide azimuth information to pilots, allowing them to navigate accurately. The VOR emits signals in all directions, which can be interpreted by receiving aircraft to determine their bearing from the station. This capability enables pilots to fly established airways and perform precise navigation during instrument flight. By following the directional information provided by a VOR, pilots can ensure they are on the correct route or heading, enhancing situational awareness and safety in the air. The other options do not reflect the primary purpose of a VOR. Weather updates are typically provided by different types of navaids or communication systems. VORs do not replace local ATC communication, as they serve a navigational role rather than a communication role. Additionally, VORs are essential for instrument flights and are not limited to visual conditions; they can be utilized in a variety of flight scenarios, including those that require precise navigational guidance in poor visibility.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://faajeppeseninstrating.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE