FAMILY HEATH SERVICES OF THE DEPARTMENT OF HEALTH PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://famhealthservicesdoh.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does the Mandatory Infants and Children Health Immunization Act of 2011 require?

A. Regulation of early childhood education

B. Basic immunization for children under 5

C. Mandatory health screening for school entry

D. Parental consent for all medical procedures

2. Why is patient-centered care important in Family Health Services?

A. It focuses solely on reducing costs

B. It enhances patient engagement and focuses on individual needs

C. It standardizes care across all patients

D. It limits patient involvement in decision making

3. What is the visible characteristic of Grade 2 iodine deficiency?

A. Gland is not enlarged

B. Goiter visible only with neck extended

C. Goiter visible with head in normal position

D. Goiter visible from a distance

4. Which statement is correct regarding the protection after TT2?

A. 1 year of protection

B. 3 years of protection

C. 5 years of protection

D. 10 years of protection

5. To which age range is iodine supplementation during pregnancy typically given?

A. 10-20 years old

B. 15-45 years old

C. 20-35 years old

D. 30-50 years old

SAMPLE

6. How do Family Health Services support chronic disease management?

A. By promoting inpatient care

B. By offering education and support for lifestyle changes

C. By enforcing mandatory medication prescriptions

D. By increasing the number of hospital visits

7. What is the ideal dosage for iron supplementation during pregnancy?

A. 60 mg of elemental iron

B. 100 mg of elemental iron

C. 150 mg of elemental iron

D. 30 mg of elemental iron

8. What is the recommended dose of folic acid for daily intake?

A. 200 micrograms

B. 400 micrograms

C. 600 micrograms

D. 800 micrograms

9. Which of the following signs indicates a client with severe disease in the Integrated Management of Childhood Illness?

A. Mild symptoms

B. Moderate fever

C. Urgent need for referral

D. Home care advice

10. What is the main purpose of the Reproductive Health Law?

A. To ensure universal access to education about sexual health

B. To guarantee universal access to methods of contraception and maternal care

C. To promote large families as a national objective

D. To limit access to fertility control methods

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. C
5. B
6. B
7. A
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What does the Mandatory Infants and Children Health Immunization Act of 2011 require?

A. Regulation of early childhood education

B. Basic immunization for children under 5

C. Mandatory health screening for school entry

D. Parental consent for all medical procedures

The Mandatory Infants and Children Health Immunization Act of 2011 specifically mandates that children receive basic immunizations to protect them from various preventable diseases before they reach the age of five. This legislation emphasizes the importance of immunization as a public health measure to reduce incidence of diseases that can be harmful to infants and young children. By ensuring that children are vaccinated, it aims to create herd immunity within the community, protecting those who may be unable to be vaccinated due to medical conditions or other reasons. The focus on immunization as a primary requirement aligns with public health goals to enhance child health and prevent outbreaks of vaccine-preventable diseases. Therefore, this option directly reflects the aim and requirements of the Act, emphasizing the crucial role that early childhood immunization plays in safeguarding health in a vulnerable population.

2. Why is patient-centered care important in Family Health Services?

A. It focuses solely on reducing costs

B. It enhances patient engagement and focuses on individual needs

C. It standardizes care across all patients

D. It limits patient involvement in decision making

Patient-centered care is crucial in Family Health Services because it emphasizes enhancing patient engagement and addressing the unique needs of each individual. This approach not only prioritizes the preferences and values of patients but also actively involves them in the decision-making process regarding their health care. When care is tailored to the specific circumstances of each patient, it leads to better health outcomes, greater satisfaction, and a sense of empowerment among patients as they feel more in control of their health journey. By focusing on individual needs, patient-centered care fosters a collaborative relationship between healthcare providers and patients. This relationship is essential in understanding the social, cultural, and emotional factors that can impact a patient's health, making it a holistic approach to healthcare delivery. The positive effects of this model include improved adherence to treatment plans, enhanced communication, and overall better health management.

3. What is the visible characteristic of Grade 2 iodine deficiency?

A. Gland is not enlarged

B. Goiter visible only with neck extended

C. Goiter visible with head in normal position

D. Goiter visible from a distance

In the context of iodine deficiency, particularly when assessing the severity of goiter, a Grade 2 classification indicates that the thyroid gland has become noticeably enlarged due to insufficient iodine levels in the diet. When a goiter is classified as Grade 2, it means that the swelling of the thyroid is significant enough to be visible when the person's head is held in a normal position, without any need for extension of the neck. This characteristic is important for public health assessments and in the screening of iodine deficiency disorders. Health practitioners often look for the visible signs of goiter as a primary means of identifying and evaluating the adequacy of iodine intake in a population. If there were no visible goiter even when the head is held normally, it would typically indicate lesser severity, often categorized as Grade 1 or even normal. Thus, the correct answer highlights a key clinical observation used in the diagnosis and assessment of iodine deficiency and its consequences on thyroid health.

SAMPLE

4. Which statement is correct regarding the protection after TT2?

A. 1 year of protection

B. 3 years of protection

C. 5 years of protection

D. 10 years of protection

The statement indicating 5 years of protection after the administration of the TT2 (Tetanus Toxoid booster at the second dose) is accurate and reflects the general guidelines for tetanus vaccination protocol. Following the primary series of tetanus vaccinations, the TT2 booster helps provide long-term immunity. It is important to understand that the body's immune response, particularly to tetanus, offers extended protection following the booster dose. This timeframe is guided by the recommendations about the frequency of tetanus vaccinations to ensure adequate immunity against the disease. After receiving TT2, individuals are typically advised to get another booster every 10 years in adulthood, which implies that the 5-year mark is part of the broader immunity strategy intended for continuous protection. Therefore, acknowledging the significance of boosters in maintaining immunity is essential in the context of family health services and public health guidelines.

5. To which age range is iodine supplementation during pregnancy typically given?

A. 10-20 years old

B. 15-45 years old

C. 20-35 years old

D. 30-50 years old

Iodine supplementation during pregnancy is typically recommended for women of childbearing age, particularly those in the 15-45 years old range. This age group encompasses the majority of women who are likely to conceive and carry a pregnancy. Adequate iodine is essential for the development of the fetal brain and overall growth, making it crucial to ensure that pregnant women receive sufficient iodine for both their health and that of their developing child. Iodine deficiency during pregnancy can lead to serious health complications, including intellectual disabilities and developmental disorders in children. Public health guidelines emphasize the importance of ensuring that women in this age bracket receive appropriate iodine to support both their health and the health of their future offspring. In addition, women who are planning to become pregnant or who are pregnant should be particularly vigilant about their iodine intake. This is why guidelines focus on this specific age range, as it represents women most likely to be affected by iodine deficiency and who would benefit from supplementation.

SAMPLE

6. How do Family Health Services support chronic disease management?

A. By promoting inpatient care

B. By offering education and support for lifestyle changes

C. By enforcing mandatory medication prescriptions

D. By increasing the number of hospital visits

Family Health Services support chronic disease management primarily by offering education and support for lifestyle changes. This approach is essential for individuals managing chronic conditions, as effective management often requires alterations in lifestyle, such as improved diet, increased physical activity, smoking cessation, and stress management. Education initiatives can empower patients, helping them understand their conditions and the importance of their treatment regimens. Support services can include counseling, workshops, and access to resources that facilitate these lifestyle changes. This proactive, preventive approach aims to enhance the quality of life for individuals with chronic diseases while potentially reducing the need for more intensive medical interventions, such as frequent hospital visits or inpatient care. Other options reflect less effective or inappropriate strategies for managing chronic diseases. Promoting inpatient care may not align with the goal of managing chronic conditions effectively, as outpatient care and community-based management are generally more beneficial. Enforcing medication prescriptions does not support patient autonomy or the informed partnership that is vital in chronic disease management. Lastly, increasing the number of hospital visits can indicate poor management of chronic diseases rather than effective, ongoing support.

7. What is the ideal dosage for iron supplementation during pregnancy?

A. 60 mg of elemental iron

B. 100 mg of elemental iron

C. 150 mg of elemental iron

D. 30 mg of elemental iron

The ideal dosage for iron supplementation during pregnancy is 60 mg of elemental iron. This dosage is recommended because it is sufficient to meet the increased iron needs of pregnant individuals, which arise due to expansion of blood volume and the demands of the developing fetus. Adequate iron intake is crucial to prevent iron deficiency anemia, which can lead to complications such as low birth weight and premature birth. While higher doses of iron are sometimes used, such as 100 mg or 150 mg, they are typically not necessary for most pregnant individuals and can lead to increased side effects, such as gastrointestinal discomfort. Lower dosages like 30 mg may not fulfill the increased iron requirement during pregnancy, potentially leaving the individual at risk for anemia if dietary intake is inadequate. Thus, the recommended daily allowance of 60 mg balances the need for iron supplementation and minimizes the risk of side effects while ensuring maternal and fetal health.

SAMPLE

8. What is the recommended dose of folic acid for daily intake?

A. 200 micrograms

B. 400 micrograms

C. 600 micrograms

D. 800 micrograms

The recommended daily dose of folic acid for most individuals, especially women of childbearing age, is 400 micrograms. This dosage is significant for the prevention of neural tube defects during early pregnancy. Folic acid plays a vital role in DNA synthesis, cell division, and proper growth and development, making it essential for women who are planning to become pregnant or are already pregnant. While different situations may require varying dosages, such as higher amounts during pregnancy or for individuals with certain health conditions, the baseline recommendation for daily intake remains at 400 micrograms. Providing this amount helps ensure sufficient levels of folate in the body to support both maternal health and fetal development, which is crucial during the early stages of pregnancy.

9. Which of the following signs indicates a client with severe disease in the Integrated Management of Childhood Illness?

A. Mild symptoms

B. Moderate fever

C. Urgent need for referral

D. Home care advice

A client with severe disease in the Integrated Management of Childhood Illness (IMCI) framework typically presents with critical signs that necessitate immediate medical attention. The need for an urgent referral indicates that the child is experiencing severe symptoms that cannot be managed at the primary care level. This includes specific situations such as persistent vomiting, dehydration, difficulty breathing, or any other significant indicators of severe illness that require specialized interventions. In contrast, mild symptoms suggest that the condition may be manageable at home or through basic care, and moderate fever could still fall within a range that allows for outpatient care without urgent intervention. Home care advice implies that the condition is stable enough for management without needing advanced treatment or hospitalization. Therefore, the urgent need for referral distinctly signals the presence of severe illness, affirming why this answer is the most appropriate in the context of IMCI.

SAMPLE

10. What is the main purpose of the Reproductive Health Law?

A. To ensure universal access to education about sexual health

B. To guarantee universal access to methods of contraception and maternal care

C. To promote large families as a national objective

D. To limit access to fertility control methods

The primary objective of the Reproductive Health Law is to ensure that all individuals have universal access to methods of contraception and comprehensive maternal care. This law aims to empower people with the necessary resources and information to make informed decisions regarding their reproductive health. By providing access to contraception, the law plays a crucial role in family planning, allowing individuals and couples to determine the spacing and number of children they desire. Additionally, the emphasis on maternal care ensures that expectant mothers receive the healthcare services they need throughout their pregnancy, childbirth, and postpartum period, which is vital for the health of both the mother and the infant. This holistic approach contributes to improved reproductive health outcomes, a reduction in unintended pregnancies, and supports the overall well-being of families and communities. The other options are not aligned with the law's core intent: while access to sexual health education is important, it is not the law's main focus. Promoting large families does not represent the objectives of the Reproductive Health Law, which is about personal choice and responsibility. Limiting access to fertility control methods directly contradicts the law's purpose, as it seeks to broaden access to contraceptive options rather than restrict them.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://famhealthservicesdoh.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE