
FAMILY NURSE PRACTITIONER (FNP) PREDICTOR PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://fnppredictor.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a common sign of dehydration in an elderly patient?

A. Swollen ankles

B. Dry mucous membranes

C. Increased urine output

D. Confusion

2. A 58-year-old female is found to be euthyroid. What is the next step of care?

A. Repeat TSH in 4-6 weeks

B. Increase levothyroxine until therapeutic

C. Monitor TSH annually unless symptoms develop

D. Decrease levothyroxine until therapeutic

3. Which medication is commonly prescribed for allergic rhinitis?

A. Antibiotics

B. Antihistamines

C. Antivirals

D. Beta-blockers

4. In a patient with chest pain and a diastolic murmur, which heart condition might be indicated?

A. Aortic Stenosis

B. Atrial Regurgitation

C. Mitral Valve Prolapse

D. Mitral Stenosis

5. What is a recommended action before measuring a patient's blood pressure?

A. Have the patient drink water

B. Instruct the patient to exercise

C. Allow the patient to relax for 5 minutes

D. Measure blood pressure while standing

SAMPLE

6. What mental health condition is characterized by excessive worry and anxiety?

A. Panic Disorder

B. Generalized Anxiety Disorder (GAD)

C. Major Depressive Disorder

D. Obsessive-Compulsive Disorder

7. Which medication class is commonly used to treat nasal symptoms of allergies?

A. Intranasal corticosteroids

B. Beta agonists

C. Calcium channel blockers

D. Antidepressants

8. A 68-year-old male with lab values WBC = 10, ALT = 348, AST = 148 states he feels well. What should be done next?

A. Repeat enzymes in 2 weeks

B. Order alkaline phosphatase

C. Order a hepatitis panel

D. Repeat the labs now

9. What is the first-line treatment used for asthma exacerbation?

A. Corticosteroids

B. Long-acting beta-agonists

C. Short-acting beta-agonists (e.g., albuterol)

D. Anticholinergics

10. What is a hallmark symptom of hyperthyroidism?

A. Weight gain despite decreased appetite

B. Weight loss despite increased appetite

C. Fatigue and lethargy

D. Excessive sleeping

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. C
6. B
7. A
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is a common sign of dehydration in an elderly patient?

A. Swollen ankles

B. Dry mucous membranes

C. Increased urine output

D. Confusion

A common sign of dehydration in an elderly patient is dry mucous membranes. In this age group, the body's ability to conserve water and respond to fluid loss diminishes, leading to symptoms that indicate dehydration. Dry mucous membranes occur when there is not enough fluid in the body, causing the tissues lining the mouth and other mucous-producing areas to lose moisture, which can be a clear visual cue for healthcare providers assessing hydration status. In elderly patients, other signs of dehydration can manifest, such as confusion or decreased mental clarity, but the condition most clearly indicated by the presence of dry mucous membranes is a reliable physical sign of dehydration. Swollen ankles are generally associated with fluid retention, which contradicts a state of dehydration, while increased urine output typically indicates hydration rather than a deficit.

2. A 58-year-old female is found to be euthyroid. What is the next step of care?

A. Repeat TSH in 4-6 weeks

B. Increase levothyroxine until therapeutic

C. Monitor TSH annually unless symptoms develop

D. Decrease levothyroxine until therapeutic

In this scenario, when a 58-year-old female is found to be euthyroid, the most appropriate next step of care is to monitor her thyroid-stimulating hormone (TSH) levels annually unless any symptoms develop that may indicate a thyroid dysfunction. Being euthyroid means that her thyroid function is currently normal, as indicated by normal TSH levels. In routine clinical practice for individuals who are stable and have normal thyroid function, annual monitoring is considered sufficient. This approach helps in managing the patient's health proactively without unnecessary interventions, as levothyroxine or modifications to thyroid treatment are not indicated in a euthyroid state. Should any symptoms or changes arise, further evaluation and adjustments to treatment may be warranted. Other options, such as repeating TSH in 4-6 weeks or adjusting levothyroxine dosage, would not be appropriate in this case. These would only be necessary if the patient were experiencing symptoms of hypothyroidism or hyperthyroidism or if initial testing had indicated abnormal levels.

3. Which medication is commonly prescribed for allergic rhinitis?

A. Antibiotics

B. Antihistamines

C. Antivirals

D. Beta-blockers

Antihistamines are commonly prescribed for allergic rhinitis because they directly target the symptoms associated with this condition. Allergic rhinitis, often caused by allergens such as pollen, dust mites, or animal dander, leads to the release of histamine in the body. Histamine is a chemical that contributes to inflammation and symptoms such as sneezing, itching, runny nose, and congestion. Antihistamines work by blocking the action of histamine at its receptor sites, thereby alleviating these symptoms effectively. In addition to providing symptom relief, antihistamines can be found in various formulations, including non-drowsy options, which make them suitable for use during daytime activities. This versatility and effectiveness in managing allergy symptoms are why they are a common choice for treating allergic rhinitis.

SAMPLE

4. In a patient with chest pain and a diastolic murmur, which heart condition might be indicated?

A. Aortic Stenosis

B. Atrial Regurgitation

C. Mitral Valve Prolapse

D. Mitral Stenosis

A diastolic murmur is characteristic of certain heart conditions that reflect abnormal blood flow during the diastolic phase of the cardiac cycle. In this case, atrial regurgitation (more accurately termed "aortic regurgitation" if we consider the common terminology) is indeed associated with a diastolic murmur due to the backflow of blood from the aorta into the left ventricle when the aortic valve does not close properly. In atrial regurgitation, the murmur typically occurs right after the second heart sound (S2) and may be described as a high-pitched, blowing sound best heard along the left sternal border. Given the presence of chest pain and a diastolic murmur, this could suggest that the heart is experiencing volume overload and strain on the left ventricle, which can lead to symptoms of angina or other forms of chest discomfort. Understanding the nature and timing of the murmur helps in identifying the underlying condition accurately. Other heart conditions, while potentially being associated with murmur sounds, either do not correlate with diastolic murmurs or present distinctly different auscultatory findings that would suggest different pathologies.

5. What is a recommended action before measuring a patient's blood pressure?

A. Have the patient drink water

B. Instruct the patient to exercise

C. Allow the patient to relax for 5 minutes

D. Measure blood pressure while standing

Allowing the patient to relax for 5 minutes before measuring blood pressure is crucial for obtaining an accurate reading. When a patient is anxious, stressed, or has recently engaged in physical activity, their blood pressure can temporarily rise. This initial relaxation period helps to ensure that the blood pressure reading reflects the patient's typical state rather than being influenced by transient factors such as stress or activity level. The rationale for this practice is rooted in the physiological response of the body. Blood pressure can be affected by a variety of factors, including emotional state, physical exertion, and even recent consumption of food or drink. By ensuring that the patient is calm and at rest, healthcare providers are more likely to capture an accurate baseline measurement, which is essential for effective diagnosis and management of conditions such as hypertension. While hydration is important for overall health, drinking water right before measuring blood pressure can potentially influence readings if it occurs close to the assessment time. The focus on physical activity is counterproductive since exercising will naturally elevate blood pressure temporarily. Taking measurements while standing isn't typically standard for routine evaluations unless specific conditions warrant this approach.

SAMPLE

6. What mental health condition is characterized by excessive worry and anxiety?

A. Panic Disorder

B. Generalized Anxiety Disorder (GAD)

C. Major Depressive Disorder

D. Obsessive-Compulsive Disorder

Generalized Anxiety Disorder (GAD) is characterized by excessive worry and anxiety that is persistent and often difficult to control. Individuals with GAD experience chronic anxiety about various aspects of life, including work, health, and social interactions, even when there is little or no reason for concern. This condition is distinct in that the anxiety is not limited to a specific trigger but is rather generalized across a wide array of situations and events. People with GAD often find it hard to relax and may experience physical symptoms such as fatigue, muscle tension, and sleep disturbances. The excessive worry can interfere significantly with daily functioning, making it a primary indicator of this disorder. In contrast, the other mental health conditions listed have different primary features. Panic Disorder involves sudden episodes of intense fear or discomfort and is characterized by panic attacks. Major Depressive Disorder primarily involves persistent sadness and loss of interest or pleasure, rather than an overarching pattern of anxiety. Obsessive-Compulsive Disorder consists of obsessions (intrusive thoughts) and compulsions (repetitive behaviors), typically focused on specific fears or anxieties rather than generalized worry. Thus, Generalized Anxiety Disorder stands out as the correct choice due to its hallmark symptomatology of pervasive and excessive anxiety.

7. Which medication class is commonly used to treat nasal symptoms of allergies?

A. Intranasal corticosteroids

B. Beta agonists

C. Calcium channel blockers

D. Antidepressants

Intranasal corticosteroids are the medication class commonly used to treat nasal symptoms of allergies due to their powerful anti-inflammatory properties. These medications work by reducing inflammation in the nasal passages, which leads to a decrease in symptoms such as nasal congestion, runny nose, itching, and sneezing. They are often the first-line treatment recommended for allergic rhinitis because they effectively target the underlying inflammatory process. Patients utilizing intranasal corticosteroids generally find significant relief from their symptoms with proper use. While other medication classes exist for various conditions, they do not adequately address the specific nasal symptoms caused by allergies. For instance, beta agonists are primarily utilized for bronchospasm in conditions like asthma and would not be effective for treating allergy-related nasal symptoms. Calcium channel blockers are typically used for cardiovascular issues, and antidepressants do not play a role in managing allergic reactions or the symptoms associated with them. Therefore, intranasal corticosteroids remain the optimal choice for alleviating nasal allergy symptoms.

SAMPLE

8. A 68-year-old male with lab values WBC = 10, ALT = 348, AST = 148 states he feels well. What should be done next?

A. Repeat enzymes in 2 weeks

B. Order alkaline phosphatase

C. Order a hepatitis panel

D. Repeat the labs now

In the scenario presented, the patient has elevated liver enzymes, specifically alanine aminotransferase (ALT) and aspartate aminotransferase (AST), while also maintaining a white blood cell count (WBC) within a normal range. These particular enzyme elevations raise the suspicion for liver-related conditions, such as hepatitis, fatty liver disease, or other forms of liver injury. Ordering a hepatitis panel is an appropriate next step because it will help identify if there is an underlying viral hepatitis that could be responsible for the significant elevations in ALT and AST. Hepatitis viruses such as A, B, C, and others could present with similar laboratory findings, and since the patient is 68 years old, he may be at increased risk for viral hepatitis infections. By determining the specific cause of the liver enzyme elevation early, appropriate management can be initiated, which may involve further treatment or monitoring based on the hepatitis type and other liver-related issues. Thus, ordering a hepatitis panel provides actionable information that is critical for diagnosis and treatment planning in this case.

9. What is the first-line treatment used for asthma exacerbation?

A. Corticosteroids

B. Long-acting beta-agonists

C. Short-acting beta-agonists (e.g., albuterol)

D. Anticholinergics

The first-line treatment for an asthma exacerbation is short-acting beta-agonists, such as albuterol. These medications work by quickly relaxing the muscles around the airways, leading to immediate bronchodilation and improved airflow. They are commonly used as rescue medications because they can provide rapid relief from acute asthma symptoms, such as wheezing, coughing, and shortness of breath. In an emergency setting or during an exacerbation, it is crucial to act quickly, and short-acting beta-agonists are specifically formulated for this purpose, typically taking effect within minutes. Their ability to rapidly open the airways makes them essential for managing sudden and severe asthma attacks. Other treatment options, while important for long-term asthma management, do not provide the quick response needed during an acute situation. Corticosteroids, for instance, are effective in reducing airway inflammation but take longer to have an effect, making them unsuitable as first-line therapy during an acute exacerbation. Long-acting beta-agonists are used for maintenance therapy and not for immediate relief of acute symptoms, while anticholinergics may have a role in some cases but are generally not the first-line treatment for asthma exacerbations. Thus, short-acting beta-agonists

SAMPLE

10. What is a hallmark symptom of hyperthyroidism?

A. Weight gain despite decreased appetite

B. Weight loss despite increased appetite

C. Fatigue and lethargy

D. Excessive sleeping

A hallmark symptom of hyperthyroidism is weight loss despite increased appetite. In this condition, the thyroid gland produces excessive amounts of thyroid hormones, which accelerates metabolism. As a result, individuals often experience an increase in hunger and food intake, but the body's metabolism is so heightened that it leads to weight loss instead of gain. This counterintuitive response can be confusing; despite eating more, the body's energy expenditure is significantly elevated due to the effects of the excessive thyroid hormones on various bodily functions. This includes increased heart rate, heat production, and overall metabolic rate, all of which contribute to the weight loss seen in hyperthyroidism. In the context of other symptoms associated with hyperthyroidism, while fatigue and lethargy can occur, they are not as characteristic as the weight loss combined with increased appetite. Excessive sleeping does not align with hyperthyroidism, as patients often experience insomnia or restless sleep due to heightened energy levels. Therefore, the combination of weight loss and increased appetite is a defining feature of hyperthyroidism.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fnppredictor.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE