FDNY LIEUTENANT (LT) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://fdnylt.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the numerical length designation for straight portable ladders?

A. Marked at the middle of each rail

B. Marked on each end of each rail within 12 inches of the end

C. Marked only on the ladder feet

D. Marked on the ladder's rungs

2. What is the typical height of a cockloft in a Brownstone?

A. 1-2 feet

B. 2-3 feet

C. 3-4 feet

D. 4-5 feet

3. What should be avoided when handling a leaking hose under pressure?

A. Using gloves

B. Grasping the hose directly

C. Covering the hose with a cloth

D. Working in pairs

4. What is the weight capacity of an Aerial Ladder used as a High Point Anchor for Confined Space?

A. 1000 lbs

B. 750 lbs

C. 300 lbs

D. 250 lbs

5. What does the 2nd due roof take with them to a top floor fire?

A. Haligan tool, flashlight, and HT

B. LSR, Halligan tool, and a new ladder

C. No LSR, Halligan tool, flashlight, and HT

D. A standard first aid kit and fire blanket

SAMPLE

6. In case of a high energy line break, which incident classification is applicable?

A. Fire Incident

B. Hazmat Incident

C. Medical Incident

D. Structural Incident

7. What indicates that the battery is running low in the digital in-line pressure gauge?

A. Red light activation

B. Flashing "LO batt"

C. Continuous beeping sound

D. Digital number display drops

8. If a probationary firefighter fails their 20-question quiz three times, who must the officer contact?

A. Fire Department Administration

B. Probationary Firefighters Development Program Group

C. Human Resources Department

D. Training Division Supervisor

9. Which of the following statements is true regarding the Post Radio's battery life when employing the 10/10/80 formula?

A. The battery provides sufficient wattage for 8 hours

B. The battery provides sufficient wattage for 7 hours

C. The battery provides 30 Watts of power

D. The battery provides sufficient wattage for 10 hours

10. Who receives the Collision Report (CD-19) after an apparatus collision?

A. Fire Chief

B. Safety Command

C. District Chief

D. City Hall

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. D
5. C
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the numerical length designation for straight portable ladders?

A. Marked at the middle of each rail

B. Marked on each end of each rail within 12 inches of the end

C. Marked only on the ladder feet

D. Marked on the ladder's rungs

The correct choice regarding the numerical length designation for straight portable ladders is that it is marked on each end of each rail within 12 inches of the end. This marking convention is critical for ensuring that firefighters and other personnel can easily identify the length of the ladder quickly and efficiently during operations. Having the markings on both ends of the ladder provides flexibility and convenience, as it allows the user to determine the length regardless of how the ladder is positioned or how it is being retrieved. This is especially important during emergency situations where time is of the essence. The other choices describe different locations for markings that do not align with standard practices for ladder length designation. For example, marking at the middle of each rail or only on the ladder's feet would make it more challenging for personnel to quickly assess the ladder's length, particularly when the ladder is in use or being set up. Marking on the ladder's rungs would also not be practical, as it could create confusion and space constraints on the rungs that are meant for safe climbing.

2. What is the typical height of a cockloft in a Brownstone?

A. 1-2 feet

B. 2-3 feet

C. 3-4 feet

D. 4-5 feet

The typical height of a cockloft in a Brownstone is generally around 2-3 feet. This space is located between the top of a building's ceilings and the roof, serving as a buffer and providing essential structural and ventilation functions. The 2-3 feet height allows for the necessary plumbing and electrical systems to be accommodated while still being low enough to remain an effective part of the building's overall design. In the context of firefighting, understanding the height of a cockloft is crucial for tactics regarding ventilation and fire spread, as these areas can often be hotspots for fire extension and storage of combustibles. Thus, knowing the typical dimensions helps firefighters assess potential risks and plan their approach effectively.

3. What should be avoided when handling a leaking hose under pressure?

A. Using gloves

B. Grasping the hose directly

C. Covering the hose with a cloth

D. Working in pairs

When handling a leaking hose under pressure, grasping the hose directly should be avoided because it poses significant safety risks. A hose under pressure can propel water or other fluids forcefully, and a rupture can result in high-energy sprays that could cause injury. By grasping the hose directly, a firefighter could potentially expose themselves to these dangers. Instead, it is safer to use appropriate tools or devices designed for handling hoses, which minimize the risk of injury. Using gloves is advisable as they provide protection against abrasions and enhance grip, allowing firefighters to handle equipment safely. Covering the hose with a cloth could potentially reduce water spray and improve safety for others in the vicinity, while working in pairs is a standard safety practice that ensures there is adequate support during potentially hazardous tasks. Each of these alternatives promotes safety better than directly handling a leaking hose.

SAMPLE

4. What is the weight capacity of an Aerial Ladder used as a High Point Anchor for Confined Space?

A. 1000 lbs

B. 750 lbs

C. 300 lbs

D. 250 lbs

The weight capacity of an Aerial Ladder used as a High Point Anchor for confined space operations is specifically set at 250 lbs. This specification is based on safety standards and operational guidelines that dictate the maximum load that can safely be supported when utilizing an aerial ladder in this capacity. The design and purpose of the aerial ladder in confined space scenarios prioritize ensuring the safety of personnel and equipment during rescue operations, particularly in situations where stability and security are critical. The 250 lbs capacity reflects considerations for various factors, including the weight of the personnel involved and any additional gear that may be required during a rescue, without exceeding the stress limits of the ladder. Understanding this weight limit helps ensure that rescue teams can operate safely and effectively while minimizing risks associated with overloading the high point anchor. This is particularly crucial in confined space environments where dynamics can change rapidly, and the need for reliability in equipment is paramount.

5. What does the 2nd due roof take with them to a top floor fire?

A. Haligan tool, flashlight, and HT

B. LSR, Halligan tool, and a new ladder

C. No LSR, Halligan tool, flashlight, and HT

D. A standard first aid kit and fire blanket

In the context of responding to a top-floor fire, the second due roof firefighter's responsibilities are critical for ensuring effective ventilation and safety during fire operations. The second due roof firefighter typically takes specific tools that are essential for their role in managing conditions on the roof and supporting the overall firefighting efforts. The correct choice is rooted in the vital tools needed for roof operations. The Halligan tool is versatile and indispensable for gaining access to structures. A flashlight is essential for visibility, particularly in smoke-filled or dark environments, and the HT (handy talkie) is crucial for communication with other firefighters on the ground and in the building. Both visibility and effective communication are paramount for a successful firefighting operation, especially in high-risk scenarios like rooftop engagements during a fire. By omitting the LSR (ladders, stairs, and rescue devices) from the tools taken, this option highlights the focused approach of the second due roof firefighter, who prioritizes those tools that will most effectively facilitate their specific duties on the roof rather than general rescue operations. This choice underscores the specialized nature of their assignment at a top-floor fire, where the conditions require specific equipment to ensure safety and effectiveness.

SAMPLE

6. In case of a high energy line break, which incident classification is applicable?

A. Fire Incident

B. Hazmat Incident

C. Medical Incident

D. Structural Incident

In the case of a high energy line break, the correct classification is a Hazmat Incident. This situation arises because a high energy line, such as electrical wires or gas lines, has the potential to release hazardous materials or pose significant threats to safety through electrical hazards or exposure to flammable gases. Hazmat Incidents are defined by the presence of substances that can cause harm to humans, property, or the environment. When a high energy line breaks, it often leads to the release of electricity or potentially explosive gases, necessitating a specialized response that includes identifying the nature of the hazard and implementing safety measures to protect responders and the public. In contrast, other classifications like Fire Incidents, Medical Incidents, and Structural Incidents do not adequately capture the specific risks associated with hazardous materials that can be released during a high energy line failure. Fire might be a concern in this context, but the primary classification is tied to the hazardous nature of the materials involved.

7. What indicates that the battery is running low in the digital in-line pressure gauge?

A. Red light activation

B. Flashing "LO batt"

C. Continuous beeping sound

D. Digital number display drops

The indication that a battery is running low in a digital in-line pressure gauge is typically represented by the flashing "LO batt" message. This is a standard feature in many electronic devices designed to alert the user that battery power is dwindling and that a replacement or recharge may be necessary soon. This preventative notification helps ensure that the device remains functional and accurate when in use, especially in critical situations such as firefighting or other emergency response scenarios. Other indications, such as a red light activation or continuous beeping, might signal different operational or functional alerts rather than directly indicating battery status. Additionally, a drop in the digital number display could result from various issues unrelated to battery life, such as calibration errors or equipment malfunction. Hence, the flashing "LO batt" message is the most reliable and straightforward signal that the gauge requires attention regarding its battery.

SAMPLE

8. If a probationary firefighter fails their 20-question quiz three times, who must the officer contact?

A. Fire Department Administration

B. Probationary Firefighters Development Program Group

C. Human Resources Department

D. Training Division Supervisor

In the scenario described, the correct answer is the Probationary Firefighters Development Program Group. This group is specifically designed to oversee the training and development of probationary firefighters. When a probationary firefighter does not pass the quiz after three attempts, it is crucial that the officer contacts this group to address the situation appropriately. They have the relevant expertise and protocols in place to support the firefighter's development, assess the reasons for the failures, and determine the next steps, such as additional training or resources that may be needed. The other options involve departments that may not be directly responsible for the training of probationary firefighters. The Fire Department Administration, Human Resources Department, and Training Division Supervisor may have roles in broader administrative functions, personnel management, or coordination but are not specifically focused on the probationary firefighters' developmental programs. Thus, they would not be the appropriate contact in this specific scenario.

9. Which of the following statements is true regarding the Post Radio's battery life when employing the 10/10/80 formula?

A. The battery provides sufficient wattage for 8 hours

B. The battery provides sufficient wattage for 7 hours

C. The battery provides 30 Watts of power

D. The battery provides sufficient wattage for 10 hours

The statement that indicates the battery provides sufficient wattage for 7 hours when employing the 10/10/80 formula is correct. This formula represents a typical operational scenario where communication equipment, like the Post Radio, is used intermittently rather than continuously. The 10/10/80 formula outlines how the device will operate at a specific power output: it uses 10% of the time in a high-wattage mode (for transmitting), 10% in a lower-wattage mode (for standby), and 80% in a low-power state (which is often utilized for receiving). This operational pattern allows for efficient battery usage. Thus, when considering these operational periods, the battery life can be effectively calculated based on its design specifications and usage patterns, leading to the conclusion of a 7-hour sufficient wattage capacity for the device under these conditions. This aligns with typical real-world applications seen in emergency response and communication scenarios, ensuring that personnel can rely on their equipment for the duration needed while maintaining power efficiently.

10. Who receives the Collision Report (CD-19) after an apparatus collision?

A. Fire Chief

B. Safety Command

C. District Chief

D. City Hall

The Collision Report (CD-19) is specifically directed to the Safety Command following an apparatus collision. This report is critical for reviewing safety protocols and evaluating the circumstances surrounding the incident. Safety Command is responsible for analyzing such reports to improve operational safety and prevent future incidents. While the Fire Chief, District Chief, and City Hall may have a vested interest in the outcomes or implications of such collisions, the direct responsibility for handling and processing the Collision Report lies with Safety Command. This ensures that relevant safety measures are appraised and that appropriate corrective actions can be developed based on the findings in the report.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fdnylt.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE