# FDNY S-13 STANDPIPE CERTIFICATE OF FITNESS PRACTICE EXAM (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://fdnys13standpipefitness.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1
Table of Contents ..... 2
Introduction ..... 3
How to Use This Guide ..... 4
Questions ..... 5
Answers ..... 8
Explanations ..... 10
Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

1. **Who is responsible for safety precautions when a fire protection system is out of service?**

   A. Building tenants

   B. The fire department

   C. The impairment coordinator designated by the building owner

   D. The facility manager

2. **What is an alarm check valve?**

   A. A device to control water flow in pipes

   B. A valve that signals a water flow alarm when the system is activated

   C. A type of pressure relief valve for overpressured systems

   D. A valve that regulates the temperature of water in the system

3. **What is meant by water spray in fire protection systems?**

   A. Water in solid form

   B. Water with specific characteristics from nozzles

   C. Water at varying temperatures

   D. Water mixed with fire retardants

4. **Why is it important to measure the flow rate of a standpipe system?**

   A. To determine the cost of installation

   B. To assess the effectiveness in emergency situations

   C. To estimate the color of the pipes

   D. To evaluate water pressure levels

5. **What is the function of a clapper valve in a standpipe system?**

   A. To regulate the flow of water in multiple directions

   B. To prevent backflow of water

   C. To enhance fire suppression effectiveness

   D. To ensure constant pressure during firefighting

SAMPLE

**6. Which of the following systems requires a regularly demonstrated operational capability?**

A. Sprinkler systems

B. Standpipe systems

C. Alarm systems

D. Emergency lighting systems

**7. What does PSI stand for in terms of pressure measurement?**

A. Pounds per square inch

B. Pascals per square inch

C. Pounds per system interaction

D. Pascals of system intake

**8. What does hose size refer to?**

A. The weight of the hose

B. The length of the hose

C. The internal diameter of the hose

D. The material composition of the hose

**9. What color indicates a Class II standpipe outlet?**

A. Red

B. Green

C. Blue

D. Yellow

**10. Who is responsible for conducting the annual standpipe system inspection?**

A. The building owner

B. A qualified individual or agency

C. Local fire department personnel

D. Insurance company representatives

SAMPLE

# Answers

SAMPLE

1. C
2. B
3. B
4. B
5. B
6. B
7. A
8. C
9. B
10. B

SAMPLE

# Explanations

SAMPLE

## 1. Who is responsible for safety precautions when a fire protection system is out of service?

A. Building tenants

B. The fire department

C. The impairment coordinator designated by the building owner

D. The facility manager

*The designated impairment coordinator plays a critical role in managing safety precautions when a fire protection system is out of service. This individual is typically appointed by the building owner and is responsible for monitoring the situation and implementing safety measures to mitigate risks during the impairment period. Their duties include coordinating communication, overseeing any temporary protection measures, and ensuring that all relevant parties, including tenants and emergency services, are informed about the impaired status of the system. While building tenants, the fire department, and facility managers all have roles in safety, they do not hold the specific responsibility assigned to the impairment coordinator. Tenants may be expected to follow safety protocols as aware occupants but do not have the authority to manage or coordinate safety plans. The fire department's responsibilities primarily come into play in response to emergencies, rather than in ongoing system management. Facility managers might assist in operational aspects, but the impairment coordinator is specifically tasked with overseeing fire protection system impairments, ensuring proper procedures are followed to protect lives and property during such times.*

## 2. What is an alarm check valve?

A. A device to control water flow in pipes

B. A valve that signals a water flow alarm when the system is activated

C. A type of pressure relief valve for overpressured systems

D. A valve that regulates the temperature of water in the system

*An alarm check valve is integral to fire protection systems, particularly in standpipe and sprinkler systems. It serves a critical function by being designed to signal an alarm when water begins to flow through the system, indicating that the system has been activated due to a fire event or a similar emergency. This feature ensures that firefighters and building occupants receive immediate notification that water is being discharged, which is essential for rapid response and assessment of the situation. The valve operates by allowing water to flow in one direction while simultaneously activating a water flow alarm. This ensures that anyone monitoring the alarm system is promptly alerted to the likelihood of a fire, enabling timely action. The other options, while related to valves in general, do not accurately describe the specific function of an alarm check valve. For example, while controlling water flow is a function of some valves, it does not encompass the unique signaling capability of the alarm check valve. Similarly, pressure relief valves focus on regulating pressure rather than signaling water flow events, and regulating temperature is outside the operational scope of an alarm check valve. Thus, the ability to signal a water flow alarm is what distinctly characterizes an alarm check valve.*

SAMPLE

## 3. What is meant by water spray in fire protection systems?

A. Water in solid form

B. Water with specific characteristics from nozzles

C. Water at varying temperatures

D. Water mixed with fire retardants

*Water spray in fire protection systems refers to water being discharged from nozzles in a specific pattern and droplet size, which is designed to effectively cool the flames and inhibit the spread of fire. This method is frequently employed in automatic sprinkler systems and water spray systems. The characteristics of the water spray, including droplet size and distribution, are crucial as they directly affect how efficiently the system can control or extinguish a fire. In systems that utilize water spray, the design and configuration of the nozzles play a significant role in determining the effectiveness of the water application. For instance, fine water droplets can evaporate quickly, absorbing heat from the fire while also reducing the temperature of the surrounding materials, which aids in fire suppression. While water can exist in different forms, such as solid or mixed with chemicals, the defining aspect of water spray in fire protection systems is its delivery method from nozzles with specific characteristics. This ensures optimal performance in combating fires, illustrating why the focus is on the nozzle's design and the specific characteristics of the water spray as the correct answer.*

## 4. Why is it important to measure the flow rate of a standpipe system?

A. To determine the cost of installation

B. To assess the effectiveness in emergency situations

C. To estimate the color of the pipes

D. To evaluate water pressure levels

*Measuring the flow rate of a standpipe system is crucial because it directly impacts the system's effectiveness during emergencies, such as firefighting situations. A higher flow rate ensures that enough water is delivered to extinguish fires and protect occupants and property. Firefighters rely on the standpipe system for a sufficient and reliable water supply when they respond to emergencies. If the flow rate is inadequate, it can severely impair their ability to combat a fire and manage the situation, potentially leading to greater damage or risk to life. In addition to assessing effectiveness during emergencies, understanding flow rates is essential for ensuring that the standpipe system meets the required codes and standards for fire safety. This knowledge aids in determining whether the standpipe system can adequately support fire suppression efforts and emergency evacuation processes, thereby enhancing overall building safety. Other options like determining installation costs or estimating pipe color do not impact the operational efficiency or safety of the standpipe system in real-world scenarios. Evaluating water pressure levels, while important, is more of a complementary measure rather than the primary reason for measuring flow rate directly in relation to emergency responsiveness.*

SAMPLE

## 5. What is the function of a clapper valve in a standpipe system?

A. To regulate the flow of water in multiple directions

B. To prevent backflow of water

C. To enhance fire suppression effectiveness

D. To ensure constant pressure during firefighting

*A clapper valve in a standpipe system serves the essential function of preventing backflow of water. Its design allows water to flow in one direction while effectively blocking the reverse flow. This is particularly important in firefighting scenarios, as it ensures that water supplied to the fire area does not return to the supply source, maintaining the integrity and pressure of the overall system. Without the clapper valve, there is a risk of water returning to the system, which could lead to contamination of the water supply or reduced effectiveness of the firefighting efforts. By preventing backflow, the clapper valve is crucial in ensuring that the standpipe system functions optimally, delivering water where it is needed without compromising the flow or pressure. While the other options present important aspects of firefighting systems, they do not capture the primary role of the clapper valve. This functionality is vital in maintaining a safe and effective water supply during fire emergencies.*

## 6. Which of the following systems requires a regularly demonstrated operational capability?

A. Sprinkler systems

B. Standpipe systems

C. Alarm systems

D. Emergency lighting systems

*Standpipe systems are essential for providing water supply to combat fires, especially in high-rise buildings or structures where fire-fighting efforts may require additional vertical reach. Regularly demonstrating operational capability ensures that these systems are fully functional and can effectively deliver water when needed. This operational capability is typically assessed through regular testing and maintenance procedures, which may include flow tests to verify that adequate water pressure and volume are available and that all connections and outlets are accessible and operational. Failure to maintain operational readiness can lead to catastrophic outcomes during emergencies, making this requirement critical in fire safety regulations and standards. Other systems, while also important for fire safety, may not require the same level of regular operational demonstration as standpipe systems. Sprinkler systems, for example, focus on maintaining adequate water supply but often have different testing protocols. Alarm systems require regular checks to ensure they are functional but do not explicitly require operational demonstrations in the same manner as standpipe systems. Emergency lighting systems also demand regular inspections for compliance and safety, but the operational capability aspect is less critical compared to the immediate needs of standpipe systems during a fire event.*

SAMPLE

## 7. What does PSI stand for in terms of pressure measurement?

A. Pounds per square inch

B. Pascals per square inch

C. Pounds per system interaction

D. Pascals of system intake

*The term "PSI" stands for "Pounds per square inch," which is a unit of pressure measurement commonly used in various applications, including standpipe systems in firefighting. This unit helps quantify the amount of force exerted by a fluid (such as water) on a surface area of one square inch. Understanding PSI is critical when dealing with fire protection systems, as it allows operators to assess and manage the pressure level in the water supply, ensuring adequate flow rates and effective firefighting efforts. Other options do not represent the correct definition of PSI. For instance, "Pascals per square inch" and "Pascals of system intake" mix two different units of measurement, which can lead to confusion. Additionally, "Pounds per system interaction" does not pertain to any standard pressure measurement and does not convey a relevant concept in this context. Recognizing the proper terminology is essential for anyone involved with fire safety and standpipe systems.*

## 8. What does hose size refer to?

A. The weight of the hose

B. The length of the hose

C. The internal diameter of the hose

D. The material composition of the hose

*Hose size specifically refers to the internal diameter of the hose. This measurement is crucial because it directly impacts the flow rate of water through the hose. A larger internal diameter allows for a greater volume of water to flow, which is essential in firefighting scenarios where the demand for water can be high. Understanding the internal diameter is vital for determining compatibility with water sources, fittings, and nozzles, which are also sized based on the hose's diameter to ensure effective operation. The other options do not define hose size in the context of firefighting equipment. The weight of the hose can vary based on its construction and materials, while the length indicates how much hose is available for use but does not affect its size in terms of diameter. The material composition can influence durability and flexibility, but again, it is not a measure of size. Focusing on the internal diameter helps in comprehending how the hose will function under pressure and in various firefighting applications.*

## 9. What color indicates a Class II standpipe outlet?

A. Red

B. Green

C. Blue

D. Yellow

*A Class II standpipe outlet is indicated by the color green. This classification is specifically designated to signify outlets that are intended for use by trained personnel, such as firefighters, to provide a controlled supply of water for fire suppression efforts. In fire protection systems, color coding is crucial for quick identification and effectiveness in emergencies. Green is universally recognized for Class II outlets, often used in residential and commercial buildings where a simple, straightforward connection for hose lines is necessary. This allows firefighters to easily distinguish between the different classes of standpipe systems during a fire incident, ensuring efficient and effective response. By recognizing that green indicates a Class II outlet, trained personnel can swiftly connect hoses to the correct standpipe system without confusion, thereby enhancing the overall safety and effectiveness of fire fighting operations.*

SAMPLE

## 10. Who is responsible for conducting the annual standpipe system inspection?

A. The building owner

B. A qualified individual or agency

C. Local fire department personnel

D. Insurance company representatives

*The responsibility for conducting the annual standpipe system inspection falls to a qualified individual or agency. This ensures that the inspection is carried out by personnel with the necessary expertise and knowledge required to assess the system's operational status, identify potential deficiencies, and ensure compliance with relevant codes and standards. Qualified individuals or agencies typically include licensed professionals such as engineers or fire protection specialists who are familiar with the specific requirements of standpipe systems. This expertise is critical because improper inspections may overlook crucial issues that could affect the reliability of the standpipe system during an emergency. While building owners have a vested interest in maintaining their safety systems and may initiate inspections, they are not typically equipped with the specialized knowledge required for a thorough inspection. Local fire department personnel may inspect systems for compliance as part of their overall safety assessments, but they are not specifically tasked with conducting these annual inspections. Insurance company representatives may review systems for risk assessment purposes, but they do not perform the technical inspections required to evaluate standpipe systems.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fdnys13standpipefitness.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE