FISDAP CARDIOLOGY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://fisdapcardiology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What can chronically high levels of hypertension lead to?

A. Decreased heart rate

B. Increased risk of heart attack and stroke

C. Improved cardiovascular endurance

D. Enhanced muscle strength

2. Which of the following is a typical risk factor for heart disease?

A. High protein diet

B. Advanced age

C. Regular exercise

D. Vegan lifestyle

3. What does the term 'left bundle branch block' (LBBB) imply about heart conduction?

A. A delay in electrical conduction through the left bundle branch.

B. An increase in heart rate.

C. A complete blockage of the heart's electrical system.

D. An acceleration in electrical impulses.

4. In cardiology, what does the term 'perfusion' refer to?

A. The supply of oxygen to the lungs

B. The process of delivering blood to a capillary bed in tissues

C. The measure of blood pressure in arteries

D. The exchange of gases in the alveoli

5. If a patient has a low oxygen saturation level of 76%, what immediate action should be taken?

A. Administer oral medication

B. Start CPR

C. Provide oxygen by non-rebreather mask

D. Monitor blood pressure

SAMPLE

6. Which type of heart valve disorder is considered the most common?

A. Aortic stenosis

B. Mitral regurgitation

C. Tricuspid stenosis

D. Pulmonary valve prolapse

7. What is the appropriate position for a 62-year-old male presenting with chest pain and lightheadedness?

A. Sitting upright

B. Left lateral recumbent

C. Supine

D. Trendelenburg

8. What does an elevated BNP level indicate?

A. Heart valve disease

B. Heart failure

C. Congenital heart defect

D. Cardiac arrhythmia

9. Which class of drugs includes nitroglycerin?

A. Beta-blockers

B. Anticoagulants

C. Nitrates

D. Calcium channel blockers

10. What is meant by 'depolarization' in cardiac muscle cells?

A. The process of blood regaining oxygen

B. The process that brings the heart to rest

C. The process when the inside of a cardiac cell becomes more positive

D. The process of relaxing heart muscles

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. B
5. C
6. A
7. C
8. B
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What can chronically high levels of hypertension lead to?

A. Decreased heart rate

B. Increased risk of heart attack and stroke

C. Improved cardiovascular endurance

D. Enhanced muscle strength

Chronically high levels of hypertension, or high blood pressure, can lead to a number of serious health complications, most notably an increased risk of heart attack and stroke. This is primarily due to the excessive pressure exerted on the artery walls over time, which can cause damage to the cardiovascular system. High blood pressure can result in the hardening and thickening of arteries, known as atherosclerosis, making it more difficult for blood to flow freely. This increases the workload on the heart and can lead to the development of coronary artery disease. Additionally, hypertension can cause blood vessels in the brain to become weakened or burst, which significantly raises the risk of stroke. Managing blood pressure is crucial in preventing these severe outcomes, highlighting the importance of monitoring and treating hypertension effectively. Understanding the risks associated with chronically high blood pressure allows healthcare providers and patients to engage in proactive measures to maintain cardiovascular health.

2. Which of the following is a typical risk factor for heart disease?

A. High protein diet

B. Advanced age

C. Regular exercise

D. Vegan lifestyle

Advanced age is considered a typical risk factor for heart disease because as individuals grow older, the likelihood of developing cardiovascular conditions increases. This is due to several physiological changes that occur with age, such as the thickening and stiffening of blood vessels, increased arterial plaque buildup, and potential changes in heart function. Additionally, older adults may often have other co-existing health conditions, such as hypertension or diabetes, which further elevate their risk for heart disease. In contrast, high protein diets, regular exercise, and vegan lifestyles are not typically classified as risk factors—instead, they can often contribute to lower risk levels for heart disease when practiced within balanced parameters. Regular exercise is associated with improved cardiovascular health, while various studies suggest that a vegan diet can lower cholesterol levels and reduce the incidence of heart disease. High protein diets may not necessarily contribute to heart disease unless they are high in saturated fat or other harmful components.

SAMPLE

3. What does the term 'left bundle branch block' (LBBB) imply about heart conduction?

A. A delay in electrical conduction through the left bundle branch.

B. An increase in heart rate.

C. A complete blockage of the heart's electrical system.

D. An acceleration in electrical impulses.

The term 'left bundle branch block' (LBBB) specifically refers to a delay in electrical conduction through the left bundle branch of the heart's conduction system. In a normal heart, electrical impulses travel from the atria to the ventricles through the bundle of His and then bifurcate into the right and left bundle branches, which stimulate both ventricles to contract in a coordinated manner. When there is a block in the left bundle branch, the electrical impulses cannot travel normally through that pathway. As a result, the electrical activation of the left ventricle is delayed. This means that the heart can no longer fire synchronously, leading to slower and potentially altered contraction patterns of the left ventricle. Clinically, this can be observed on an electrocardiogram (ECG) as a characteristic pattern indicative of LBBB. As for the other options, they do not accurately describe LBBB: an increase in heart rate is not associated with a conduction block; a complete blockage of the heart's electrical system would imply asystole or total electrical inactivity, which is not the case with LBBB; and an acceleration in electrical impulses contradicts the very nature of the block, which is defined by a delay in conduction.

4. In cardiology, what does the term 'perfusion' refer to?

A. The supply of oxygen to the lungs

B. The process of delivering blood to a capillary bed in tissues

C. The measure of blood pressure in arteries

D. The exchange of gases in the alveoli

Perfusion specifically refers to the process of delivering blood to a capillary bed in tissues. This is crucial because adequate perfusion ensures that oxygen and nutrients reach the cells while waste products are removed. Effective perfusion is essential for maintaining cellular metabolism and overall tissue health. It plays a vital role in numerous physiological processes and is a key concept in understanding various cardiovascular conditions. The other options relate to different aspects of the respiratory or cardiovascular systems. While the supply of oxygen to the lungs and the exchange of gases in the alveoli are related to respiration and gas exchange, they do not specifically define perfusion. Similarly, measuring blood pressure pertains to hemodynamics but does not capture the essence of how blood is delivered to tissues at the capillary level. Understanding perfusion helps in assessing conditions like shock or ischemia, where compromised blood flow to tissues can lead to serious complications.

SAMPLE

5. If a patient has a low oxygen saturation level of 76%, what immediate action should be taken?

A. Administer oral medication

B. Start CPR

C. Provide oxygen by non-rebreather mask

D. Monitor blood pressure

When a patient presents with an oxygen saturation level of 76%, it indicates a serious deficiency in the amount of oxygen being delivered to the body's tissues, which could lead to hypoxia. The priority in such a situation is to improve the patient's oxygenation as quickly as possible. Providing oxygen by a non-rebreather mask is the most effective immediate action because this type of mask administers a high concentration of oxygen. It allows for a more significant amount of oxygen to be delivered directly into the lungs, thereby increasing the oxygen saturation in the bloodstream quickly. This intervention is critical, especially when dealing with any respiratory distress or failure, as it can help stabilize the patient's condition and prevent further complications. Other actions, while important in certain clinical scenarios, do not address the critical need for oxygen in this specific situation. Administering oral medication would not be appropriate when the patient is in respiratory distress and could risk further complicating the situation. Starting CPR is necessary only if the patient is unresponsive and not breathing; in this case, oxygen is the immediate concern. Monitoring blood pressure is important, but it does not address the urgent need for oxygenation when saturation levels are critically low.

6. Which type of heart valve disorder is considered the most common?

A. Aortic stenosis

B. Mitral regurgitation

C. Tricuspid stenosis

D. Pulmonary valve prolapse

Aortic stenosis is the most common type of heart valve disorder. This condition occurs when the aortic valve narrows, restricting blood flow from the heart to the aorta and onwards to the rest of the body. It is particularly prevalent in older adults, often due to age-related calcification of the valve. Factors contributing to the increase in aortic stenosis include the aging population and the associated wear and tear on the heart valves. The condition can lead to symptoms such as chest pain, shortness of breath, and fatigue, especially during physical activity, as the heart has to work harder to pump blood through the narrowed valve. While other disorders like mitral regurgitation or tricuspid stenosis are significant and can affect heart function, they are not as widespread as aortic stenosis in the general population. Thus, aortic stenosis stands out as the most common heart valve disorder.

SAMPLE

7. What is the appropriate position for a 62-year-old male presenting with chest pain and lightheadedness?

A. Sitting upright

B. Left lateral recumbent

C. Supine

D. Trendelenburg

For a 62-year-old male presenting with chest pain and lightheadedness, the supine position is the most appropriate choice. This position allows for optimal blood circulation, particularly in patients who may experience a drop in blood pressure, which is a possibility given the symptoms of lightheadedness. Being supine can help facilitate venous return to the heart, improving cardiac output and ensuring that the brain receives adequate blood flow, which is essential in preventing syncope or further complications. Moreover, the supine position provides a stable platform to monitor airway, breathing, and circulation effectively, enabling rapid intervention if necessary. This enables healthcare providers to assess and manage possible cardiac issues promptly. Sitting upright might increase the strain on the cardiovascular system and can lead to further lightheadedness, while the left lateral recumbent position may not provide adequate stabilization in emergencies where cardiac monitoring is necessary. The Trendelenburg position, which involves having the legs elevated above the head, is less commonly used now as it may not effectively address the underlying issues of chest pain and can hinder respiratory mechanics. Thus, supine is the optimal position to manage the patient's symptoms effectively.

8. What does an elevated BNP level indicate?

A. Heart valve disease

B. Heart failure

C. Congenital heart defect

D. Cardiac arrhythmia

An elevated BNP (B-type Natriuretic Peptide) level is a critical biomarker often used in the diagnosis and management of heart failure. BNP is released by the heart's ventricles in response to increased pressure that often occurs with heart failure. When the heart is unable to pump effectively, the levels of BNP rise as a compensatory mechanism aimed at reducing fluid overload and aiding in blood pressure regulation. In patients with heart failure, elevated BNP values can help clinicians confirm the diagnosis, assess the severity of the condition, and monitor treatment effectiveness. Typically, BNP levels above a certain threshold (often 100 pg/mL or higher, depending on the laboratory and guidelines used) suggest that heart failure is likely present. While heart valve disease, congenital heart defects, and cardiac arrhythmias can influence heart function, they do not specifically correlate with elevated BNP levels in the way that heart failure does. Thus, the elevation of BNP serves as a strong indicator of heart failure, making it the appropriate choice in this context.

SAMPLE

9. Which class of drugs includes nitroglycerin?

A. Beta-blockers

B. Anticoagulants

C. Nitrates

D. Calcium channel blockers

Nitroglycerin belongs to the class of drugs known as nitrates. Nitrates are primarily used to treat angina pectoris, a condition characterized by chest pain due to reduced blood flow to the heart muscle. These medications work by dilating blood vessels, which reduces the workload on the heart and improves blood flow, ultimately alleviating the symptoms of angina. In the case of nitroglycerin, it acts rapidly to relieve acute angina attacks and can also be used in a transdermal patch or sustained-release form for long-term prevention. Because of its mechanism of action, users often experience a quick onset of relief when taking nitroglycerin sublingually during an angina episode, making it a vital part of treatment protocols for patients with coronary artery disease. While other drug classes like beta-blockers and calcium channel blockers are also used for cardiovascular conditions such as hypertension and angina, they function through different mechanisms. Anticoagulants are focused on preventing blood clots rather than directly addressing angina or myocardial oxygen demand. Understanding the specific classification of nitroglycerin helps clarify its role and application in cardiac treatments.

10. What is meant by 'depolarization' in cardiac muscle cells?

A. The process of blood regaining oxygen

B. The process that brings the heart to rest

C. The process when the inside of a cardiac cell becomes more positive

D. The process of relaxing heart muscles

Depolarization in cardiac muscle cells refers to the process when the inside of a cardiac cell becomes more positive. This change in charge is critical for the initiation and propagation of electrical impulses within the heart, leading to muscle contraction. When a cardiac cell depolarizes, it typically involves the influx of positive ions, predominantly sodium ions, into the cell, which reverses the resting membrane potential. This depolarization is essential because it triggers the heart's rhythmic contraction, allowing for effective pumping of blood throughout the body. Understanding depolarization is fundamental to grasping how the heart operates, as it directly relates to the cardiac cycle's electrical activity, influencing heart rate and rhythm. The other options do not accurately describe the depolarization process, as they relate to oxygenation, relaxation, or resting states rather than the electrical changes necessary for contraction.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fisdapcardiology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE