FISDAP EMT AIRWAY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://fisdapemtairway.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which characteristic describes the breath sounds associated with lower airway obstruction?**

   A. Clear

   B. Wheezing

   C. Absent

   D. Rhonchi

2. **In a case where a 16-year-old female is in a tripod position with an SPO2 of 79%, what is the recommended oxygen administration method?**

   A. 5 lpm via nasal cannula

   B. 10 lpm via nonrebreather

   C. 15 lpm via simple mask

   D. 20 lpm via venturi mask

3. **Which action is essential when a patient is experiencing respiratory distress?**

   A. Giving them water to drink

   B. Positioning them in a supine position

   C. Offering reassurance and assessing their breathing

   D. Administering medication immediately

4. **What happens to the chest cavity as the diaphragm and intercostal muscles relax?**

   A. Increases in size, causing inhalation

   B. Decreases in size, causing exhalation

   C. Remains the same, maintaining breathing rhythm

   D. Fluctuates based on lung capacity

5. **What complication should be monitored for after airway interventions?**

   A. Hyperventilation or hypoventilation risks

   B. Increased heart rate and blood pressure

   C. Development of a headache

   D. A decrease in body temperature

SAMPLE

6. What is the role of capnography in airway management?

A. It measures heart rate during procedures

B. It assesses oxygen saturation levels

C. It indicates ventilation status by measuring carbon dioxide concentration in exhaled air

D. It monitors lung expansion and contraction

7. Which sequence correctly traces the path oxygen takes from the atmosphere to the lungs?

A. Mouth, Trachea, Bronchi, Alveoli

B. Mouth, Pharynx, Trachea, Bronchi, Alveoli

C. Pharynx, Mouth, Bronchi, Alveoli

D. Trachea, Alveoli, Mouth, Pharynx

8. What is an indicator that a patient's airway may be obstructed?

A. Clear and even breathing sounds

B. Increased oxygen saturation levels

C. Use of accessory muscles for breathing

D. Normal color and responsiveness

9. During airway management, how often should you reassess vital signs?

A. Every hour

B. Every 30 minutes

C. Every 5-15 minutes, depending on the patient's condition

D. Once, before and after the procedure

10. Why is it important to secure the airway with tape or a device?

A. To improve the patient's comfort during transport

B. To prevent dislodgment of the airway adjunct during transport

C. To facilitate easier access for medical personnel

D. To provide a clear pathway for intubation

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. B
5. A
6. C
7. B
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Which characteristic describes the breath sounds associated with lower airway obstruction?

A. Clear

B. Wheezing

C. Absent

D. Rhonchi

Wheezing is characterized by a high-pitched, whistling sound that occurs during breathing, particularly when air flows through narrowed airways. This narrowing can be due to various factors such as inflammation, bronchoconstriction, or the presence of excess mucus, all of which are common in lower airway obstruction scenarios, as seen in conditions like asthma or chronic obstructive pulmonary disease (COPD). When lower airways are obstructed, the turbulence of airflow creates this specific sound as air is forced through tighter passages, making wheezing a key indicator of such obstructions. On the other hand, clear breath sounds typically indicate open airways and normal lung function, while absent breath sounds suggest a more severe problem, such as significant lung collapse or very poor air movement, which would not directly indicate the type of obstruction described. Rhonchi, though they can occur alongside lower airway issues, are more often described as low-pitched and associated with fluid in larger airways rather than directly signifying the presence of wheezing related to narrow airway obstruction.

2. In a case where a 16-year-old female is in a tripod position with an SPO2 of 79%, what is the recommended oxygen administration method?

A. 5 lpm via nasal cannula

B. 10 lpm via nonrebreather

C. 15 lpm via simple mask

D. 20 lpm via venturi mask

In this scenario, the patient is demonstrating signs of respiratory distress, as indicated by her tripod position and low oxygen saturation (SPO2 of 79%). The tripod position often indicates that the patient is struggling to breathe and is attempting to optimize their airway and lung expansion. Administering oxygen via a nonrebreather mask at 10 liters per minute is the most effective method in this case. A nonrebreather mask is designed to deliver a high concentration of oxygen to patients who are critically hypoxic. It can deliver an oxygen concentration of up to 90%-100% when used correctly, which is essential in addressing the patient's severely low SPO2 level. The other options would not provide sufficient oxygenation for someone in this condition. A nasal cannula, even at 5 liters per minute, would not deliver enough supplemental oxygen to significantly improve her saturation. A simple mask at 15 liters per minute provides better oxygen flow than a nasal cannula but still falls short of the high concentrations necessary for a patient in severe distress. The venturi mask, while an excellent option for delivering specific concentrations of oxygen, would not be ideal in this acute situation requiring immediate and high-flow oxygen. Thus, the choice of a nonrebre

SAMPLE

3. Which action is essential when a patient is experiencing respiratory distress?

A. Giving them water to drink

B. Positioning them in a supine position

C. Offering reassurance and assessing their breathing

D. Administering medication immediately

When a patient is experiencing respiratory distress, offering reassurance and assessing their breathing is crucial for several reasons. First, reassurance can help to alleviate anxiety, which can exacerbate the feeling of breathlessness. When patients are anxious, their respiratory rate may increase, creating a cycle that can worsen their condition. By reassuring the patient, you can help reduce their anxiety, potentially making it easier for them to breathe. Moreover, assessing their breathing enables you to determine the severity of the respiratory distress. This assessment may involve observing their respiratory rate, effort of breathing, and the presence of any abnormal lung sounds. Understanding these factors is essential for making informed decisions about further interventions and determining whether additional medical support is needed. Other options, while they may seem helpful, do not address the immediate needs of the patient in respiratory distress as effectively. Providing water could lead to choking or aspiration if the patient is unable to swallow properly. Positioning the patient supine may not be advisable; often, a sitting or slightly leaned-forward position is preferable as it can facilitate better lung expansion and improve airflow. Administering medication immediately without proper assessment may not address the root cause of the distress and could potentially complicate the situation if the medication is not appropriate for the patient's specific condition.

4. What happens to the chest cavity as the diaphragm and intercostal muscles relax?

A. Increases in size, causing inhalation

B. Decreases in size, causing exhalation

C. Remains the same, maintaining breathing rhythm

D. Fluctuates based on lung capacity

When the diaphragm and intercostal muscles relax, the chest cavity decreases in size. This process is essential for exhalation. The diaphragm, which is a dome-shaped muscle at the base of the thoracic cavity, plays a key role in breathing by contracting to create a vacuum that pulls air into the lungs during inhalation. When it relaxes, it returns to its original dome shape, which decreases the volume of the chest cavity. The intercostal muscles, located between the ribs, also contribute by relaxing and allowing the ribcage to drop down and inward, further reducing the space within the chest cavity. As the size of the chest cavity decreases, the pressure within the cavity increases, creating a pressure gradient that forces air out of the lungs and into the atmosphere, a process known as exhalation. This is a natural part of the respiratory cycle, which alternates between inhalation (drawing air in) and exhalation (pushing air out).

SAMPLE

5. What complication should be monitored for after airway interventions?

A. Hyperventilation or hypoventilation risks

B. Increased heart rate and blood pressure

C. Development of a headache

D. A decrease in body temperature

Monitoring for hyperventilation or hypoventilation risks after airway interventions is essential because both conditions can lead to significant physiological changes. Hyperventilation occurs when a patient breathes too rapidly or deeply, causing a decrease in carbon dioxide levels in the blood (hypocapnia). This can lead to symptoms like lightheadedness, tingling in the extremities, or even loss of consciousness. Hypoventilation, on the other hand, involves inadequate ventilation and can result in elevated carbon dioxide levels (hypercapnia), which may lead to respiratory acidosis and can compromise oxygenation. These risks are particularly important to monitor after interventions such as intubation or the use of bag-valve-mask devices, when the patient's breathing pattern may change significantly. Understanding and recognizing these complications can help in managing the patient's airway more effectively, ensuring that adequate ventilation is maintained and preventing further complications from arising.

6. What is the role of capnography in airway management?

A. It measures heart rate during procedures

B. It assesses oxygen saturation levels

C. It indicates ventilation status by measuring carbon dioxide concentration in exhaled air

D. It monitors lung expansion and contraction

Capnography plays a crucial role in airway management by indicating the ventilation status of a patient through the measurement of carbon dioxide (CO_2) concentration in exhaled air. This tool allows healthcare providers to assess how effectively a patient is ventilating. During the process of respiration, CO_2 is produced by the body's metabolism, transported by the bloodstream to the lungs, and is then exhaled. By measuring the concentration of CO_2 in the exhaled air, capnography provides real-time feedback on the adequacy of ventilation; elevated levels can suggest hypoventilation, while decreased levels may indicate hyperventilation. This information is vital for confirming proper endotracheal tube placement and monitoring a patient's ventilation status during sedation, intubation, or in other scenarios where airway management is critical. The other options do not encompass the primary function and importance of capnography in airway management. Monitoring heart rate, assessing oxygen saturation, and evaluating lung expansion and contraction are important aspects of overall patient care but do not relate directly to the specific role of capnography in monitoring CO_2 levels and ventilation efficiency.

SAMPLE

7. Which sequence correctly traces the path oxygen takes from the atmosphere to the lungs?

A. Mouth, Trachea, Bronchi, Alveoli

B. Mouth, Pharynx, Trachea, Bronchi, Alveoli

C. Pharynx, Mouth, Bronchi, Alveoli

D. Trachea, Alveoli, Mouth, Pharynx

The correct sequence is significant because it accurately represents the anatomical pathway that air, enriched with oxygen, must travel through before reaching the alveoli in the lungs where gas exchange occurs. Starting with the mouth, air enters the body and then passes through the pharynx, which acts as a conduit for air traveling to the respiratory tract. Following the pharynx, the air proceeds into the trachea, a major airway that directs it down into the lungs. From the trachea, the air divides into the bronchi, which are the larger airways that branch into each lung. Ultimately, the air reaches the bronchioles and then into the alveoli, which are tiny air sacs where oxygen is absorbed into the blood and carbon dioxide is released. This sequence thoroughly illustrates the necessary structures involved in the respiratory process, highlighting the important role each plays in ensuring oxygen reaches the alveoli for exchange.

8. What is an indicator that a patient's airway may be obstructed?

A. Clear and even breathing sounds

B. Increased oxygen saturation levels

C. Use of accessory muscles for breathing

D. Normal color and responsiveness

The use of accessory muscles for breathing is a clear indicator that a patient's airway may be obstructed. When the airway is compromised, the body often responds by utilizing additional muscles in the neck and shoulders to assist with inhalation. This increased effort is a compensatory mechanism, indicating that the normal pathway for airflow is not functioning optimally. In a healthy respiratory system, the diaphragm and intercostal muscles typically handle breathing without the need for extra assistance. The presence of accessory muscle use suggests that the individual may be struggling to breathe effectively, possibly due to an obstruction in the airway. In contrast, clear and even breathing sounds, increased oxygen saturation levels, and normal color and responsiveness typically indicate a well-oxygenated patient with unobstructed airflow. These factors reflect a stable respiratory status, thereby reinforcing the significance of recognizing accessory muscle use as a warning sign of potential airway obstruction.

SAMPLE

9. During airway management, how often should you reassess vital signs?

A. Every hour

B. Every 30 minutes

C. Every 5-15 minutes, depending on the patient's condition

D. Once, before and after the procedure

Reassessing vital signs is a critical component of airway management, particularly in emergency situations. The frequency of reassessment depends on the patient's condition and the clinical scenario. Monitoring vital signs every 5 to 15 minutes allows for early detection of any changes in the patient's status, ensuring timely intervention if complications arise. For instance, if a patient is experiencing respiratory distress or has a compromised airway, frequent reassessment helps healthcare providers determine if the airway management techniques being employed are effective or if further intervention is necessary. This practice is vital in a dynamic environment, such as an emergency medical situation where a patient's condition may fluctuate rapidly. In contrast, options suggesting reassessment every hour or every 30 minutes may not be frequent enough to capture critical changes that can occur in a patient's respiratory status. Additionally, assessing vital signs only once before and after the procedure does not provide sufficient information during the procedure itself, which is when timely adjustments may be crucial. Thus, the correct approach is to reassess vital signs every 5 to 15 minutes, tailoring the frequency based on the patient's ongoing condition.

10. Why is it important to secure the airway with tape or a device?

A. To improve the patient's comfort during transport

B. To prevent dislodgment of the airway adjunct during transport

C. To facilitate easier access for medical personnel

D. To provide a clear pathway for intubation

Securing the airway with tape or a device is essential primarily to prevent dislodgment of the airway adjunct during transport. When an airway adjunct, such as an oropharyngeal or nasopharyngeal airway, is properly secured, it ensures that it remains in place. Any movement, such as from patient transport, can dislodge an unsecured airway adjunct, potentially leading to airway obstruction. Maintaining a patent airway is crucial for effective ventilation and oxygenation. If the adjunct becomes dislodged, it could compromise the patient's airway, leading to respiratory distress or failure. Therefore, ensuring that the airway remains open and unobstructed by securing it appropriately is a fundamental aspect of patient care in emergency medical services. This action helps maintain the effectiveness of the airway management while minimizing the risk of complications during transport.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fisdapemtairway.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE