FISDAP OB-GYN PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://fisdapobgyn.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the primary role of a doula during labor?

A. To perform medical procedures.

B. To provide physical and emotional support.

C. To take notes for medical records.

D. To assist with prenatal diagnosis.

2. What symptom is often mistaken for common pregnancy discomfort but may indicate a serious issue?

A. Fatigue

B. Cramping in the lower abdomen

C. Dull shoulder pain

D. Morning sickness

3. What is the function of a speculum during a gynecological exam?

A. To collect blood samples

B. To view and collect samples from the cervix

C. To perform a pelvic ultrasound

D. To measure pelvic floor strength

4. What should you expect during the delivery of twins?

A. One placenta

B. Two placentas

C. Three placentas

D. No placenta needed

5. What complication is a high-risk factor for a patient with gestational diabetes during pregnancy?

A. Gestational hypertension

B. Birth injuries

C. Increased amniotic fluid

D. All of the above

SAMPLE

6. A 25 year old female shows bright red vaginal spotting and has a planned cesarean section in 3 weeks. What is the concern?

A. Placenta previa

B. Ectopic pregnancy

C. Threatened miscarriage

D. Cervical incompetence

7. What condition is suspected in a febrile 64-year-old female with suprapubic tenderness and cloudy urine from a Foley catheter?

A. Kidney stones

B. Urinary tract infection

C. Bladder cancer

D. Ovarian cancer

8. Which condition is commonly assessed with a transvaginal ultrasound?

A. Cardiac abnormalities

B. Gallbladder disease

C. Ovarian cysts

D. Diabetes

9. Which hormones are primarily involved in regulating the menstrual cycle?

A. Estrogen and testosterone

B. Oxytocin and prolactin

C. Estrogen, progesterone, LH, and FSH

D. Corticosteroids and insulin

10. Which complication is commonly associated with pregnancy?

A. Ectopic pregnancy

B. Hyperemesis gravidarum

C. Gestational diabetes

D. Placenta accreta

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. D
6. A
7. B
8. C
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What is the primary role of a doula during labor?

A. To perform medical procedures.

B. To provide physical and emotional support.

C. To take notes for medical records.

D. To assist with prenatal diagnosis.

The primary role of a doula during labor is to provide physical and emotional support. Doulas are trained to assist the laboring person by offering comfort measures such as massage, breathing techniques, and position suggestions to help manage pain and facilitate labor. They also provide emotional support, helping to create a calming environment and encouraging the laboring individual throughout the process. Unlike medical personnel, doulas do not perform medical procedures or take notes for medical records; their focus is solely on the well-being and comfort of the birthing person during labor. Additionally, while they may provide information about prenatal care, they do not assist with prenatal diagnosis, as that is outside the scope of a doula's role.

2. What symptom is often mistaken for common pregnancy discomfort but may indicate a serious issue?

A. Fatigue

B. Cramping in the lower abdomen

C. Dull shoulder pain

D. Morning sickness

Dull shoulder pain can often be mistaken for common pregnancy discomfort, but it may actually indicate a serious issue, such as an ectopic pregnancy or a problem with the underlying organs. During pregnancy, women may experience various typical symptoms, such as fatigue, cramping, or morning sickness, which are generally expected as part of the physiological changes occurring in the body. However, dull shoulder pain is less common and can signify referred pain from the diaphragm due to internal bleeding or irritation in the abdominal cavity. Recognizing this potentially serious symptom is essential for timely medical intervention, as conditions like an ectopic pregnancy can be life-threatening if not addressed promptly. Understanding the distinction between normal pregnancy symptoms and concerning signs is crucial for ensuring the health and safety of both the mother and the fetus.

3. What is the function of a speculum during a gynecological exam?

A. To collect blood samples

B. To view and collect samples from the cervix

C. To perform a pelvic ultrasound

D. To measure pelvic floor strength

The primary function of a speculum during a gynecological exam is to facilitate visualization of the cervix and the vaginal walls. By inserting a speculum, healthcare providers can gently open the vaginal canal, allowing for an unobstructed view of the cervix. This visibility is crucial for several diagnostic and therapeutic procedures, including taking cervical samples for Pap smears and other tests, such as sexually transmitted infection screenings. The speculum can also aid in identifying any abnormalities or conditions affecting the cervix and vagina. While other tools and methods are used in gynecological assessments, the speculum's specific design allows for safe and effective examination and sampling without causing undue discomfort to the patient. This is distinct from functions like performing a pelvic ultrasound or measuring pelvic floor strength, which require different equipment and techniques.

SAMPLE

4. What should you expect during the delivery of twins?

A. One placenta

B. Two placentas

C. Three placentas

D. No placenta needed

During the delivery of twins, it is typical to encounter two placentas, especially if the twins are fraternal (dizygotic) and develop from two separate eggs. Each twin would generally have its own placenta, providing individual blood supplies and nutrients necessary for their development. This separation can also reduce the risk of complications associated with shared placentas, such as twin-to-twin transfusion syndrome. In cases of identical twins (monozygotic), there might be one placenta shared between them, but this varies depending on how the embryos split. It's crucial to ascertain the type of twins and their placentation arrangement during prenatal assessments. However, it is most common for twins, particularly fraternal ones, to have two distinct placentas. Other options that suggest one or three placentas or none would not accurately reflect the typical scenarios associated with twin deliveries.

5. What complication is a high-risk factor for a patient with gestational diabetes during pregnancy?

A. Gestational hypertension

B. Birth injuries

C. Increased amniotic fluid

D. All of the above

Gestational diabetes presents various complications during pregnancy, and all the listed options represent serious concerns that can arise for patients with this condition. Gestational hypertension is a significant risk factor because the presence of gestational diabetes can lead to higher blood pressure, which may affect the mother's health and the baby's development. The combination of elevated glucose levels and hypertension can complicate the pregnancy and lead to further health issues. Birth injuries are another critical complication. Babies born to mothers with gestational diabetes are often larger than average, which increases the likelihood of complications during labor and delivery. These complications can include shoulder dystocia or other injuries related to the size of the baby and the circumstances of the birth. Increased amniotic fluid, also known as polyhydramnios, can occur as a result of gestational diabetes. Elevated blood sugar levels can lead to an overproduction of amniotic fluid, which can increase the risk of preterm labor and potentially complicate delivery. Since each of these complications is heightened in the presence of gestational diabetes, the correct answer encompasses all these risks, affirming that a patient with gestational diabetes is at high risk for complications such as gestational hypertension, birth injuries, and increased amniotic fluid.

SAMPLE

6. A 25 year old female shows bright red vaginal spotting and has a planned cesarean section in 3 weeks. What is the concern?

A. Placenta previa

B. Ectopic pregnancy

C. Threatened miscarriage

D. Cervical incompetence

The situation presented involves a 25-year-old female who is experiencing bright red vaginal spotting just weeks before a planned cesarean section. The primary concern in this context is placenta previa. Placenta previa occurs when the placenta is abnormally implanted in the lower part of the uterus, covering the cervix partially or completely. This condition can lead to significant issues during pregnancy and delivery, including bleeding, especially as term approaches or during labor. The bright red vaginal spotting is particularly concerning because it can signify placental detachment or other complications associated with this condition. Since a cesarean section is planned in three weeks, any indication of placenta previa necessitates careful monitoring and possibly a reevaluation of the delivery plan to prevent severe maternal and fetal complications. Other conditions mentioned, such as ectopic pregnancy, threatened miscarriage, and cervical incompetence, do present with vaginal bleeding but are less likely in a patient with a near-term pregnancy and a planned cesarean section. Ectopic pregnancy would typically have been diagnosed earlier in the pregnancy, and threatened miscarriage is also less common at this late stage. Cervical incompetence usually presents with other associated symptoms, such as pelvic pressure or increased discharge, and is less likely to be the cause of isolated bright red spotting

7. What condition is suspected in a febrile 64-year-old female with suprapubic tenderness and cloudy urine from a Foley catheter?

A. Kidney stones

B. Urinary tract infection

C. Bladder cancer

D. Ovarian cancer

In this scenario, the presence of fever, suprapubic tenderness, and cloudy urine strongly suggests a urinary tract infection (UTI). A urinary tract infection is characterized by the invasion of pathogens in the urinary system, which often leads to symptoms such as fever, increased urgency or frequency of urination, dysuria (painful urination), and cloudy urine due to the presence of pus or bacteria. In this case, the patient has a Foley catheter in place, which increases the risk of developing a UTI due to catheter-associated infections. The suprapubic tenderness indicates that there is likely inflammation and irritation of the bladder, common in UTIs. While conditions like kidney stones or cancers can have overlapping symptoms, the combination of fever, suprapubic tenderness, and cloudy urine specifically points toward a urinary tract infection as the most likely diagnosis.

SAMPLE

8. Which condition is commonly assessed with a transvaginal ultrasound?

A. Cardiac abnormalities

B. Gallbladder disease

C. Ovarian cysts

D. Diabetes

A transvaginal ultrasound is a specialized imaging technique often used in gynecology for a detailed examination of the female reproductive organs. It is particularly effective in evaluating ovarian structures due to its ability to provide high-resolution images of the ovaries, uterus, and surrounding tissues. Ovarian cysts are fluid-filled sacs that can form on or within the ovaries, and transvaginal ultrasound is the preferred method for diagnosing these conditions. The ultrasound can help determine the size, composition, and potential complications of the cysts, such as whether they are simple (fluid-filled) or complex (which may require further evaluation). In contrast, other questions regarding cardiac abnormalities, gallbladder disease, and diabetes do not typically fall under the direct purview of transvaginal ultrasounds. Cardiac issues are generally evaluated using echocardiograms, gallbladder disease is assessed through abdominal ultrasounds or other imaging techniques, and diabetes management focuses on blood tests and metabolic assessments rather than imaging of reproductive organs. Hence, the choice regarding ovarian cysts aligns perfectly with the practical applications of transvaginal ultrasound in the field of gynecology.

9. Which hormones are primarily involved in regulating the menstrual cycle?

A. Estrogen and testosterone

B. Oxytocin and prolactin

C. Estrogen, progesterone, LH, and FSH

D. Corticosteroids and insulin

The hormones primarily involved in regulating the menstrual cycle are estrogen, progesterone, luteinizing hormone (LH), and follicle-stimulating hormone (FSH). These hormones play distinct and crucial roles throughout the different phases of the menstrual cycle. Estrogen is primarily responsible for the growth and maintenance of the uterine lining (endometrium) during the first half of the cycle, preparing it for a potential pregnancy. As the cycle progresses and ovulation approaches, estrogen levels rise sharply, triggering a surge in LH. This LH surge is essential for the process of ovulation itself, wherein a mature egg is released from the ovarian follicle. Progesterone, produced by the corpus luteum after ovulation, helps to further thicken the uterine lining in preparation for a possible implantation of a fertilized egg. If pregnancy does not occur, progesterone levels drop, leading to the shedding of the uterine lining during menstruation. Overall, the interplay between these hormones is fundamental to the regulation of the menstrual cycle, involving complex feedback mechanisms that ensure the proper timing of ovulation and menstruation.

SAMPLE

10. Which complication is commonly associated with pregnancy?

A. Ectopic pregnancy

B. Hyperemesis gravidarum

C. Gestational diabetes

D. Placenta accreta

Gestational diabetes is a common complication associated with pregnancy, occurring when a woman who did not previously have diabetes develops high blood sugar levels during pregnancy. This condition typically emerges in the second or third trimester and can pose risks both to the mother and the developing fetus if not managed properly. The placenta plays a crucial role in this condition, as it produces hormones that can interfere with insulin action, thereby increasing blood sugar levels. Factors such as obesity, a family history of diabetes, and advanced maternal age can increase the likelihood of developing gestational diabetes. Proper screening usually occurs around the 24th to 28th week of pregnancy, leading to early identification and management strategies to mitigate complications such as macrosomia, preeclampsia, or the need for cesarean delivery. Other complications associated with pregnancy, such as ectopic pregnancy, hyperemesis gravidarum, and placenta accreta, also pose significant risks but are less common than gestational diabetes. Each has its own distinct pathophysiology and prevalence rates, making gestational diabetes the more frequently encountered issue during routine prenatal care.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fisdapobgyn.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE