FISDAP RESPIRATORY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://fisdaprespiratory.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which balances are controlled, in part, by the kidneys?

A. Fluid-balance, acid-base balance, blood pressure

B. Hormonal balance, respiratory balance, metabolic balance

C. Electrolyte balance, heart rate, temperature

D. Fluid-balance, digestive balance, circulatory balance

2. Which of the following conditions does NOT lead to suppressed gas flow?

A. Diaphragmatic rupture

B. Severe retractions

C. Bronchial dilation

D. Abdominal or chest binding

3. Excessive doses of beta 2 agonists can lead to effects similar to which of the following?

A. Increased sedation

B. Lowered heart rate

C. Tachycardia and hypertension

D. Elevated body temperature

4. Which symptom is associated with bradypnea?

A. Increased respiratory rate

B. Decreased respiratory rate

C. Rash

D. Hypoxia

5. What condition could possibly cause respiratory depression and drooling?

A. Asthma attack

B. Epiglottitis

C. COPD exacerbation

D. Pneumonia

6. What two drugs are combined in the medication Combivent?

A. Albuterol and Methylprednisolone

B. Levalbuterol and Ipratropium

C. Albuterol and Ipratropium

D. Methylprednisolone and Hydrocortisone

SAMPLE

7. Which syndrome is characterized by progressive weakness and paralysis ascending from the feet?

A. Multiple sclerosis

B. Guillain-Barre syndrome

C. Myasthenia gravis

D. Parkinson's disease

8. What is the term used for the stimulus to breathe?

A. Respiratory drive

B. Respiratory rate

C. Carbon dioxide levels

D. Pulmonary function

9. How many lobes does the right lung have?

A. Two

B. Three

C. Four

D. Five

10. When the initial PEFR is below 50% of predicted values, what should be administered after specific treatment?

A. Magnesium sulfate

B. Corticosteroids

C. Bronchodilators

D. Aminophylline

SAMPLE

Answers

SAMPLE

1. A
2. C
3. C
4. B
5. B
6. C
7. B
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which balances are controlled, in part, by the kidneys?

A. Fluid-balance, acid-base balance, blood pressure

B. Hormonal balance, respiratory balance, metabolic balance

C. Electrolyte balance, heart rate, temperature

D. Fluid-balance, digestive balance, circulatory balance

The kidneys play a crucial role in maintaining several essential bodily balances, and fluid-balance, acid-base balance, and blood pressure are among the most significant ones they regulate. Fluid-balance refers to the kidneys' ability to manage the volume and concentration of body fluids, which is vital for overall homeostasis. They adjust the amount of water conserved or eliminated through urine production, thus influencing hydration status and blood volume. Acid-base balance is another critical function facilitated by the kidneys. They regulate the pH of the blood by excreting hydrogen ions and reabsorbing bicarbonate from urine. This process is essential for maintaining the proper pH range that is necessary for normal metabolic functions. Blood pressure control is also influenced by the kidneys through their regulation of blood volume and the release of hormones, such as renin, which plays a role in the renin-angiotensin-aldosterone system. This system helps regulate blood pressure by adjusting blood vessel constriction and fluid balance. Other options, while mentioning important physiological functions, do not accurately describe the direct roles of the kidneys. Hormonal, respiratory, and metabolic balances involve different systems and organs. Electrolyte balance is somewhat related but is not as comprehensive an answer as fluid and acid-base balance

2. Which of the following conditions does NOT lead to suppressed gas flow?

A. Diaphragmatic rupture

B. Severe retractions

C. Bronchial dilation

D. Abdominal or chest binding

The condition that does not lead to suppressed gas flow is bronchial dilation. In fact, bronchial dilation is often a therapeutic goal in conditions like asthma or COPD, where the airways are constricted. By dilating the bronchi, airflow is improved, which facilitates gas exchange and reduces respiratory distress. This widening of the air passages allows for more air to enter and exit the lungs effectively. In contrast, other options can impede airflow. A diaphragmatic rupture can compromise the ability of the diaphragm to function properly, which can lead to reduced ventilation efficiency and gas flow. Severe retractions are typically a sign of respiratory distress and indicate that accessory muscles are working harder to maintain breathing, potentially leading to a decrease in effective gas exchange. Abdominal or chest binding can restrict the full expansion of the thoracic cavity or diaphragm, directly affecting the ability to inhale deeply and leading to suppressed gas flow. Therefore, bronchial dilation promotes better airflow and gas exchange, making it the correct answer in this context.

SAMPLE

3. Excessive doses of beta 2 agonists can lead to effects similar to which of the following?

A. Increased sedation

B. Lowered heart rate

C. Tachycardia and hypertension

D. Elevated body temperature

Excessive doses of beta-2 agonists, which are often used as bronchodilators in the management of respiratory conditions like asthma or COPD, can stimulate not only the bronchial smooth muscle but also the cardiovascular system. This stimulation can lead to an increased heart rate, a condition known as tachycardia, as well as hypertension, which is an elevation of blood pressure. The mechanism behind this is that beta-2 receptors, when overstimulated, can cause vasodilation in some blood vessels while also increasing cardiac output. Therefore, at high doses, the resultant effect can cause a significant increase in heart rate and blood pressure, which are indicative of a sympathetic nervous system response. This understanding is crucial for healthcare professionals administering these medications, as it highlights the potential cardiovascular side effects that can arise from overuse.

4. Which symptom is associated with bradypnea?

A. Increased respiratory rate

B. Decreased respiratory rate

C. Rash

D. Hypoxia

Bradypnea refers specifically to an abnormally slow breathing rate, typically defined as fewer than 12 breaths per minute in adults. This condition can arise from a variety of factors, such as respiratory depression due to narcotics, metabolic disorders, or neurological conditions impacting the respiratory control centers. The characteristic of bradypnea is a decreased respiratory rate, which can lead to a number of physiological changes in the body. For instance, a reduced rate of ventilation can result in inadequate gas exchange, potentially leading to elevated carbon dioxide levels. While hypoxia (reduced oxygen levels) might sometimes be a consequence of bradypnea, it is not a direct symptom of it. On the other hand, increased respiratory rate and symptoms like rash are not associated with bradypnea at all and reflect different respiratory issues or systemic conditions.

5. What condition could possibly cause respiratory depression and drooling?

A. Asthma attack

B. Epiglottitis

C. COPD exacerbation

D. Pneumonia

The condition that could possibly cause respiratory depression and drooling is epiglottitis. This is an acute inflammation of the epiglottis, which can lead to swelling that obstructs the airway, causing significant difficulty in breathing. As the airway narrows, respiratory depression may occur due to inadequate air exchange, resulting in decreased levels of oxygen and increased carbon dioxide. Drooling is particularly common in epiglottitis because swallowing may become painful or difficult due to the swelling and inflammation in the throat area. Consequently, patients may find it uncomfortable to swallow their saliva, leading to visible drooling. This symptom can be an important clinical sign that indicates potential airway obstruction requiring immediate medical attention. In contrast, conditions such as an asthma attack, a COPD exacerbation, or pneumonia typically present with different symptoms that do not include drooling or respiratory depression to the same extent and do not primarily involve the inflammation of the epiglottis that leads to such symptoms.

SAMPLE

6. What two drugs are combined in the medication Combivent?

A. Albuterol and Methylprednisolone

B. Levalbuterol and Ipratropium

C. Albuterol and Ipratropium

D. Methylprednisolone and Hydrocortisone

Combivent is a combination medication that specifically includes albuterol and ipratropium. Albuterol is a short-acting beta-agonist (SABA) that works by relaxing the muscles in the airways, leading to bronchodilation and improved airflow, making it helpful for acute asthma symptoms and COPD exacerbations. Ipratropium, on the other hand, is an anticholinergic drug that also aids in bronchodilation by blocking muscarinic receptors in the airways, further contributing to opening up the bronchial passages. The combination of these two medications provides a synergistic effect, as they work through different mechanisms to relieve respiratory distress. This combination is particularly beneficial for patients who may not achieve adequate bronchodilation with a SABA alone. By using both drugs together, the therapeutic effects can often be enhanced, providing significant relief for individuals with obstructive pulmonary diseases. The other combinations listed do not reflect the active ingredients in Combivent, as they either involve corticosteroids or other beta-agonists that are not part of this specific formula.

7. Which syndrome is characterized by progressive weakness and paralysis ascending from the feet?

A. Multiple sclerosis

B. Guillain-Barre syndrome

C. Myasthenia gravis

D. Parkinson's disease

Guillain-Barre syndrome is characterized by progressive weakness and paralysis that typically starts in the feet and ascends up the body. This autoimmune disorder occurs when the body's immune system mistakenly attacks the peripheral nervous system, leading to inflammation that disrupts the transmission of signals between the nerves and muscles. Patients often experience symptoms beginning with tingling or weakness in the legs that can rapidly escalate, potentially affecting the arms and respiratory muscles as the condition progresses. One of the distinguishing features of Guillain-Barre syndrome is the pattern of ascending weakness, which is different from other conditions. For instance, in multiple sclerosis, symptoms are typically more variable and can include a wide range of neurological issues due to demyelination in the central nervous system. Myasthenia gravis, on the other hand, is more associated with muscle weakness that often worsens with activity but does not present with an ascending paralysis pattern. Lastly, Parkinson's disease primarily involves tremors, rigidity, and bradykinesia rather than muscle weakness ascending from the lower extremities. Thus, the ascending nature of the paralysis seen in Guillain-Barre syndrome is a hallmark of this condition, making it the correct choice.

SAMPLE

8. What is the term used for the stimulus to breathe?

A. Respiratory drive

B. Respiratory rate

C. Carbon dioxide levels

D. Pulmonary function

The term "respiratory drive" refers to the stimulus that triggers the process of breathing. This drive is primarily influenced by the levels of carbon dioxide and oxygen in the blood; when carbon dioxide levels rise or oxygen levels drop, the body responds by signaling the respiratory muscles to initiate breathing. The respiratory drive is an essential mechanism that ensures adequate ventilation and gas exchange in the lungs, thereby maintaining homeostasis in the body. While other choices, such as respiratory rate and carbon dioxide levels, play significant roles in the overall respiratory process, they do not encapsulate the concept of the stimulus for breathing itself. Pulmonary function relates to how well the lungs work, but it does not specifically describe the trigger that leads to breathing. Understanding respiratory drive is crucial for comprehending how the body regulates its need for oxygen and the removal of carbon dioxide, especially in conditions that might impair normal breathing patterns.

9. How many lobes does the right lung have?

A. Two

B. Three

C. Four

D. Five

The right lung has three lobes, which are distinctly organized into the upper, middle, and lower lobes. This anatomical structure reflects the efficiency of the lung in facilitating gas exchange, while also accommodating the space taken up by the heart on the left side of the thorax. The division of the right lung into three lobes is made visible by two fissures: the horizontal fissure separating the upper and middle lobes, and the oblique fissure that separates the middle and lower lobes. Understanding this lobular anatomy is crucial for recognizing how lung diseases may affect specific regions of the lung, as well as for guiding surgical interventions or diagnostic imaging interpretations. This specific configuration contrasts with the left lung, which has only two lobes due to the presence of the heart, hence emphasizing the unique structural adaptations of the lungs.

SAMPLE

10. When the initial PEFR is below 50% of predicted values, what should be administered after specific treatment?

A. Magnesium sulfate

B. Corticosteroids

C. Bronchodilators

D. Aminophylline

When the peak expiratory flow rate (PEFR) is below 50% of predicted values, it indicates a significant degree of airway obstruction, which is common in acute asthma exacerbations or other respiratory distress situations. Administering corticosteroids in such cases is crucial because they help reduce airway inflammation and improve lung function over time. Corticosteroids work by inhibiting the inflammatory response that contributes to airway swelling and mucus production. This therapeutic effect can take several hours to manifest, but it is essential for the long-term management of the underlying inflammation that can exacerbate an obstructive airway disorder. They address the root cause of the airway obstruction, leading to improved airflow as the inflammation decreases with ongoing treatment. In contrast, while bronchodilators are effective for providing immediate relief of bronchospasm and can be the first-line immediate treatment, they do not address the underlying inflammation and are usually administered during the acute phase. Magnesium sulfate and aminophylline have specific roles in respiratory care but are typically reserved for more severe cases when other treatments may not be effective. Therefore, after immediate treatment with bronchodilators, corticosteroids are the appropriate next step for ongoing management when PEFR is significantly compromised.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fisdaprespiratory.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE