FITZGERALD NURSE PRACTITIONER (NP) EXIT PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://fitzgeraldnpexit.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What do tactile fremitus and dullness to percussion at the right lung base likely indicate in a person with CAP?

A. Fluid accumulation

B. Consolidation

C. Pneumothorax

D. Bronchial obstruction

2. Which medication is appropriate for treating a recurrent duodenal ulcer?

A. Proton pump inhibitors

B. Antimicrobials

C. H2 receptor antagonists

D. Antacids

3. How does spironolactone primarily affect electrolytes?

A. Calcium sparing and potassium excreting

B. Sodium keeping and water retaining

C. Potassium sparing and calcium excreting

D. Magnesium lowering and sodium retaining

4. Which vitamin is known to be depleted by oral contraception use?

A. Vitamin A

B. Vitamin B6

C. Vitamin C

D. Vitamin D

5. What is the obligation of healthcare professionals to do no harm called?

A. Beneficence

B. Veracity

C. Non-maleficence

D. Justice

6. What is the safety profile of Zoster immunization?

A. Pooled blood with an excellent safety profile

B. High risk of severe allergic reactions

C. Low immunogenicity in older adults

D. Associated with increased infection rates

SAMPLE

7. A 48-year-old woman with back pain and loss of bowel and bladder control is suspected to have?

A. Cauda equina syndrome

B. Herniated disc

C. Spinal stenosis

D. Multiple sclerosis

8. When is it essential for an NP to understand the standard of care?

A. When only treating chronic conditions

B. In all patient interactions and treatments

C. Only during initial patient consultations

D. When paperwork is being completed

9. Dysthymia is characterized by which of the following?

A. Euphoria and weight gain

B. Irregular sleep patterns

C. Anhedonia and sustained depression

D. Hyperactivity and impulsivity

10. A normal Red Cell Distribution Width (RDW) in conjunction with a normal MCV would indicate which type of anemic condition?

A. Microcytic Anemia

B. Normocytic Anemia

C. Macrocytic Anemia

D. Pernicious Anemia

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. B
5. C
6. A
7. A
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What do tactile fremitus and dullness to percussion at the right lung base likely indicate in a person with CAP?

A. Fluid accumulation

B. Consolidation

C. Pneumothorax

D. Bronchial obstruction

Tactile fremitus and dullness to percussion at the right lung base in a patient with community-acquired pneumonia (CAP) suggest the presence of lung consolidation. When a healthcare provider assesses for tactile fremitus, they are feeling for vibrations transmitted through the lung tissue when a patient speaks. In cases of consolidation, such as pneumonia, the lung tissue becomes denser due to the accumulation of inflammatory exudates, fluid, or debris, leading to increased transmission of these vibrations. As a result, tactile fremitus is often more pronounced over areas of consolidation. Dullness to percussion is another notable finding. Normally, percussion over the lungs produces a resonant sound due to the presence of air. However, when fluid or solid material accumulates in the lung (as seen in consolidation), the percussion note becomes dull. This is because denser materials do not transmit sound waves as well as air. Together, these findings are classic indicators of consolidation within the lung, particularly in the presence of infection like pneumonia. Thus, the presence of increased tactile fremitus and dullness to percussion at the right lung base strongly points toward consolidation as the underlying pathology.

2. Which medication is appropriate for treating a recurrent duodenal ulcer?

A. Proton pump inhibitors

B. Antimicrobials

C. H2 receptor antagonists

D. Antacids

When treating a recurrent duodenal ulcer, the most appropriate medication is antimicrobial therapy, particularly when the underlying cause is related to an infection with Helicobacter pylori (H. pylori). H. pylori infection is a significant contributor to the development of peptic ulcers, including duodenal ulcers. In cases of recurrent ulcers, eradicating H. pylori infection can significantly reduce the likelihood of ulcer recurrence. Antimicrobials such as amoxicillin, clarithromycin, and metronidazole are often used in combination therapies aimed at successfully treating the infection. It is essential to ensure a complete and effective eradication of H. pylori to promote healing and prevent future occurrences of the ulcer. Other treatment options, while they have their roles in ulcer management, do not directly address the root cause of recurrent duodenal ulcers related to H. pylori. Proton pump inhibitors and H2 receptor antagonists are useful for reducing gastric acid secretion and promoting healing but do not target the underlying infection. Antacids may provide symptomatic relief but are not a curative treatment for the infection itself. Therefore, for recurrent duodenal ulcers associated with H. pylori, antimicrobial therapy is the most appropriate choice.

SAMPLE

3. How does spironolactone primarily affect electrolytes?

A. Calcium sparing and potassium excreting

B. Sodium keeping and water retaining

C. Potassium sparing and calcium excreting

D. Magnesium lowering and sodium retaining

Spironolactone is primarily known as a potassium-sparing diuretic. This means that its primary effect on electrolytes involves the retention of potassium in the body while facilitating the excretion of sodium and water. The drug works by antagonizing aldosterone, a hormone that promotes the reabsorption of sodium and water in the kidneys. When spironolactone inhibits aldosterone, it leads to less reabsorption of sodium, resulting in increased sodium excretion through the urine and, consequently, water follows due to osmotic effects. However, since it spares potassium, patients on spironolactone are less likely to develop hypokalemia (low potassium levels), which is a common side effect of many other diuretics. In conjunction with its potassium-sparing properties, spironolactone does influence calcium metabolism, but the emphasis of its mechanism is not primarily on calcium excretion; rather, the primary consideration here is potassium retention along with sodium and water excretion, which aligns with the chosen answer. Understanding this mechanism is crucial for assessing a patient's electrolyte status and avoiding complications associated with electrolyte imbalances while on spironolactone.

4. Which vitamin is known to be depleted by oral contraception use?

A. Vitamin A

B. Vitamin B6

C. Vitamin C

D. Vitamin D

Oral contraceptives have been shown to affect the levels of certain vitamins in the body, and Vitamin B6 is particularly notable for being depleted due to their use. This depletion can affect various bodily functions, including hormone regulation and neurotransmitter synthesis. Vitamin B6 plays a significant role in the metabolism of proteins, fats, and carbohydrates, and it is also essential in the production of neurotransmitters such as serotonin and dopamine. This depletion may result in symptoms like mood changes, irritability, and other issues related to the nervous system. Understanding the impact of oral contraceptives on Vitamin B6 status is important for healthcare providers to manage and address any potential nutrient deficiencies that may arise in patients using these medications. Monitoring and potentially supplementing Vitamin B6 in women who use oral contraceptives can be an important consideration in comprehensive patient care.

SAMPLE

5. What is the obligation of healthcare professionals to do no harm called?

A. Beneficence

B. Veracity

C. Non-maleficence

D. Justice

The obligation of healthcare professionals to do no harm is referred to as non-maleficence. This principle is foundational in ethical practice within healthcare, emphasizing that providers must avoid causing harm to patients, whether through neglect, error, or inappropriate treatment decisions. Non-maleficence aligns closely with the Hippocratic Oath's tenet to "first, do no harm," which underscores the importance of minimizing potential risks associated with medical interventions. In contrast, beneficence refers to the obligation to promote good and actively contribute to the well-being of patients. Veracity involves the duty to be truthful and transparent in patient communications, fostering trust and informed consent. Justice pertains to the fair distribution of resources and equal treatment of patients. Understanding these distinctions is crucial for ethical decision-making in healthcare settings, reinforcing why non-maleficence is identified specifically with the imperative to avoid harm.

6. What is the safety profile of Zoster immunization?

A. Pooled blood with an excellent safety profile

B. High risk of severe allergic reactions

C. Low immunogenicity in older adults

D. Associated with increased infection rates

The safety profile of the Zoster immunization, particularly the recombinant zoster vaccine (Shingrix), is well-regarded among healthcare providers. It has undergone extensive clinical trials and post-marketing surveillance, demonstrating a favorable safety profile overall. The use of pooled blood products is not relevant in this context, as Zoster immunization is not derived from blood components but is instead a vaccine developed to boost immunity against herpes zoster, or shingles. The vaccine stimulates the immune system effectively, providing robust protection against the disease, especially in older adults who are at higher risk for it. In contrast, concerns such as a high risk of severe allergic reactions, low immunogenicity in older adults, or association with increased infection rates do not accurately reflect the data surrounding Zoster immunization. Studies indicate that while some mild to moderate side effects can occur, severe allergic reactions are rare, and the vaccine shows high immunogenicity across different age groups, particularly in older adults.

SAMPLE

7. A 48-year-old woman with back pain and loss of bowel and bladder control is suspected to have?

A. Cauda equina syndrome

B. Herniated disc

C. Spinal stenosis

D. Multiple sclerosis

The situation presented describes a 48-year-old woman experiencing back pain along with loss of bowel and bladder control, which is a critical symptom that raises concern for cauda equina syndrome. This condition occurs due to compression of the cauda equina, a bundle of nerve roots located at the lower end of the spinal cord, which is responsible for innervating the pelvic organs, bladder, and bowel function. Loss of bowel and bladder control, particularly when occurring alongside back pain, is often indicative of significant nerve involvement and suggests a medical emergency. Cauda equina syndrome can stem from various causes, including herniated discs, tumors, or spinal injuries, and it requires immediate diagnosis and intervention to prevent long-term neurological damage. Recognizing this clinical scenario is essential for a healthcare provider, as timely intervention can significantly alter outcomes for patients experiencing such alarming symptoms. In this case, the combination of the symptoms points strongly toward cauda equina syndrome as the most concerning diagnosis to pursue further evaluation and management.

8. When is it essential for an NP to understand the standard of care?

A. When only treating chronic conditions

B. In all patient interactions and treatments

C. Only during initial patient consultations

D. When paperwork is being completed

Understanding the standard of care is essential in all patient interactions and treatments because it embodies the level of care that a reasonably competent practitioner would provide under similar circumstances. This encompasses not just the clinical guidelines and protocols that inform patient care but also legal and ethical responsibilities. By being aware of the standard of care, nurse practitioners can ensure they are making evidence-based decisions, providing appropriate interventions, and effectively communicating with patients about their conditions and treatment options. This understanding applies across the entire continuum of patient care, including routine follow-ups, management of acute and chronic conditions, and in consultations where decisions about care plans are made. Recognizing the standard of care helps NPs prevent liability issues and enhances patient safety by adhering to established protocols. Thus, it is integral to their role throughout every patient interaction, from assessment through treatment and beyond.

SAMPLE

9. Dysthymia is characterized by which of the following?

A. Euphoria and weight gain

B. Irregular sleep patterns

C. Anhedonia and sustained depression

D. Hyperactivity and impulsivity

Dysthymia, also known as persistent depressive disorder, is characterized by a chronic state of depression lasting for at least two years in adults (or at least one year in children and adolescents). Individuals with dysthymia often experience anhedonia, which refers to a loss of interest or pleasure in activities that were previously enjoyable. Additionally, they typically display sustained feelings of sadness, hopelessness, and a reduction in energy levels throughout this prolonged episode of depression. The nature of dysthymia distinguishes it from more acute depressive episodes, highlighting the persistent and enduring quality of the depressive symptoms rather than episodic occurrences. This chronic presentation can interfere significantly with daily functioning and quality of life. In contrast, the other choices suggest states or symptoms that do not align with the core characteristics of dysthymia. For example, euphoria and weight gain are not typically associated with this form of depression, while irregular sleep patterns can vary greatly among depressive disorders but are not defining features of dysthymia specifically. Hyperactivity and impulsivity relate more closely to conditions such as bipolar disorder or attention-deficit hyperactivity disorder, rather than dysthymia.

10. A normal Red Cell Distribution Width (RDW) in conjunction with a normal MCV would indicate which type of anemic condition?

A. Microcytic Anemia

B. Normocytic Anemia

C. Macrocytic Anemia

D. Pernicious Anemia

When both the Red Cell Distribution Width (RDW) and Mean Corpuscular Volume (MCV) are normal, it typically suggests that the size of the red blood cells (RBCs) is consistent and that there is no significant variation in their size. This is characteristic of normocytic anemia, where the RBCs are of normal size, but the overall number of red blood cells is reduced, leading to anemia. In normocytic anemia, despite the normal size of RBCs, conditions such as chronic disease, renal disease, or aplastic anemia may be present. The key factor here is that a normal RDW indicates that red blood cell production is regular and consistent, while a normal MCV confirms that the average size of these cells is also within a normal range. Together, these findings narrow down the likely type of anemia to normocytic anemia. In contrast, microcytic anemia typically presents with a low MCV indicating smaller than normal red blood cells, and macrocytic anemia shows a high MCV with larger red cells. Pernicious anemia, a subtype of macrocytic anemia due to vitamin B12 deficiency, would also not fit with normal RDW and MCV findings. Thus, the combination of normal RD

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fitzgeraldnpexit.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE