FMC PATIENT CARE TECHNICIAN (PCT) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://fmcpatientcaretech.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What should a PCT do if they notice a change in a patient's condition?

A. Document it and wait for a nurse to arrive

B. Immediately inform the nursing staff

C. Handle the situation independently

D. Discuss it with the patient first

2. Which of the following is incorrect about re-infusing blood during treatment termination?

A. Arterial blood is returned before venous blood

B. Blood pump should be set at 150 to 200 during re-infusion

C. Staff members can leave the patient's chair side if the patient is alert

D. If the saline bag empties it could cause an air embolism

3. What is a major risk factor for falls in patients?

A. Impaired mobility or balance

B. Excessive physical activity

C. High blood pressure

D. Improved vision

4. Which body system is primarily affected by dehydration?

A. Nervous system

B. Cardiovascular system

C. Renal system

D. Respiratory system

5. How should a PCT respond if they notice a change in a patient's condition?

A. Ignore it if the patient seems stable

B. Report it to the supervising nurse or physician

C. Attempt to diagnose the problem

D. Inform the patient's family directly

6. Which machine alarm does not stop the blood pump?

A. Pressure

B. Fluid

C. Conductivity

D. Temperature

SAMPLE

7. What does the term "nociceptive pain" refer to?

A. Pain caused by emotional distress

B. Pain caused by the activation of pain receptors due to injury or inflammation

C. Chronic pain with no apparent cause

D. Pain that arises from surgery

8. What procedures should a PCT follow when taking a patient's vital signs?

A. Use any available device regardless of calibration

B. Use proper techniques and record data accurately

C. Only check vital signs if a patient requests it

D. Document results based on memory

9. How does a PCT assist in respiratory care for patients?

A. By directly administering anesthetics

B. By monitoring oxygen levels and helping with breathing exercises

C. By performing surgeries on patients

D. By avoiding any interaction with respiratory equipment

10. What is the function of an electrocardiogram (ECG)?

A. To assess lung capacity

B. To monitor the electrical activity of the heart

C. To measure body temperature

D. To check blood glucose levels

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. C
5. B
6. C
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What should a PCT do if they notice a change in a patient's condition?

A. Document it and wait for a nurse to arrive

B. Immediately inform the nursing staff

C. Handle the situation independently

D. Discuss it with the patient first

When a Patient Care Technician (PCT) observes a change in a patient's condition, immediately informing the nursing staff is essential. This step ensures that the patient receives timely medical attention and evaluation from qualified healthcare professionals who can assess the situation accurately. By notifying the nursing staff right away, the PCT plays a critical role in the patient's care, enabling the nursing team to implement necessary interventions or modifications to the treatment plan. Prompt communication in healthcare settings is vital because it can significantly impact patient outcomes. Any alteration in a patient's condition might indicate a serious issue that requires immediate intervention, and the nursing staff is trained to make decisions concerning further assessments and treatment. While documenting the change is important, it should not be the first step taken, as delays in communication could lead to worsening of the patient's condition. Similarly, discussing the situation with the patient or attempting to handle it independently lacks the procedural authority and immediate support needed to ensure the patient's safety and well-being. Hence, direct communication with nursing staff supports a coordinated approach to patient care, which is crucial in maintaining high standards of safety and health.

2. Which of the following is incorrect about re-infusing blood during treatment termination?

A. Arterial blood is returned before venous blood

B. Blood pump should be set at 150 to 200 during re-infusion

C. Staff members can leave the patient's chair side if the patient is alert

D. If the saline bag empties it could cause an air embolism

The statement regarding staff members leaving the patient's side if the patient is alert is incorrect because during critical procedures like blood re-infusion, maintaining constant supervision of the patient is essential to ensure their safety and respond quickly to any adverse reactions. Patient alertness does not eliminate the potential for complications, and the healthcare team must remain vigilant throughout the process. In medical settings, particularly during blood re-infusion, patients can have unexpected reactions. For example, complications such as allergic responses, hemolysis, or changes in vital signs may occur. Therefore, even if the patient appears alert and stable, the presence of clinical staff is crucial to monitor the patient's condition closely. The other statements provide accurate guidelines: arterial blood being returned before venous blood is a standard practice to ensure proper circulation; the blood pump being set at 150 to 200 is within the acceptable flow rate range to facilitate effective re-infusion; and the concern about an empty saline bag leading to an air embolism highlights the importance of proper fluid management during transfusions.

SAMPLE

3. What is a major risk factor for falls in patients?

A. Impaired mobility or balance

B. Excessive physical activity

C. High blood pressure

D. Improved vision

Impaired mobility or balance is a significant risk factor for falls in patients as it directly affects their ability to navigate their environment safely. When a patient has compromised strength, coordination, or stability, they are more prone to losing their footing or control. Factors such as muscle weakness, joint issues, neurological conditions, or the side effects of medications can contribute to this impairment, making patients more vulnerable to falls, which can lead to serious injuries. In contrast, excessive physical activity typically promotes strength and balance, reducing the likelihood of falls. High blood pressure, while it may have other health implications, does not directly correlate with an increased risk of falls. Improved vision can actually enhance balance and spatial awareness, thereby decreasing the risk of falling. Understanding the significance of mobility and balance is crucial for developing fall prevention strategies in patient care.

4. Which body system is primarily affected by dehydration?

A. Nervous system

B. Cardiovascular system

C. Renal system

D. Respiratory system

Dehydration primarily affects the renal system because the kidneys play a crucial role in regulating the body's fluid balance and filtering waste products from the blood. When the body is dehydrated, the kidneys may conserve water, resulting in concentrated urine and potential disturbances in electrolyte levels. This can lead to impaired kidney function and an increased risk of developing acute kidney injury if dehydration becomes severe. The renal system's capacity to manage hydration and excrete waste is directly impacted when fluid levels in the body drop, making it the most affected system in cases of dehydration. While the other systems can experience consequences from dehydration, their primary functions do not center around fluid balance management in the same way that the renal system does. The nervous system may experience symptoms like confusion or dizziness due to electrolyte imbalances caused by dehydration, and the cardiovascular system can be affected by increased heart rate and decreased blood volume, but these are secondary effects stemming from renal stress. The respiratory system, while it can be influenced by overall changes in body hydration, is not as directly impacted as the renal system.

SAMPLE

5. How should a PCT respond if they notice a change in a patient's condition?

A. Ignore it if the patient seems stable

B. Report it to the supervising nurse or physician

C. Attempt to diagnose the problem

D. Inform the patient's family directly

A Patient Care Technician (PCT) plays a crucial role in monitoring and responding to changes in a patient's condition. When a PCT notices any change, it is essential to report it to the supervising nurse or physician. This is because the supervising medical professionals have the training and authority to assess the situation accurately and decide on the appropriate course of action. By reporting changes in a patient's condition, the PCT ensures that the medical team can evaluate any potential issues quickly and intervene if necessary. This action contributes to patient safety and allows for timely medical care that can prevent complications. The PCT's role is to observe, document, and communicate relevant changes rather than diagnose or take actions outside their scope of practice. Monitoring and effectively communicating shifts in a patient's health status is a fundamental responsibility, which emphasizes the importance of collaboration within the healthcare team to ensure optimal patient outcomes.

6. Which machine alarm does not stop the blood pump?

A. Pressure

B. Fluid

C. Conductivity

D. Temperature

The machine alarm that does not stop the blood pump is related to conductivity. Conductivity alarms are typically designed to alert the operator to issues within the dialysis process that may affect the quality of the treatment, such as problems with the dialysate solution, but they do not immediately halt the blood pump. This type of alarm may indicate that the conductivity of the dialysate is outside of the normal range, which could require adjustment or replacement of the dialysate solution, but it allows for continued blood flow. This is critical because stopping the blood pump could jeopardize the patient's access to dialysis and potentially lead to complications. In contrast, pressure alarms are activated when there is a blockage or significant change in blood flow, which necessitates stopping the blood pump to protect the patient and the dialysis machine. Fluid alarms may indicate issues with fluid balance or delivery, and temperature alarms are triggered to prevent problems associated with incorrect temperature in the dialysis process. Both of these alarms also typically require stopping the blood pump to ensure patient safety. Thus, the conductivity alarm's function is primarily for monitoring and does not result in an immediate cessation of blood flow.

SAMPLE

7. What does the term "nociceptive pain" refer to?

A. Pain caused by emotional distress

B. Pain caused by the activation of pain receptors due to injury or inflammation

C. Chronic pain with no apparent cause

D. Pain that arises from surgery

Nociceptive pain specifically refers to pain that occurs when pain receptors, also known as nociceptors, are activated due to harmful stimuli such as injury or inflammation. This type of pain is the body's natural response to potentially damaging events and serves as a protective mechanism. It typically involves the activation of sensory pathways in the peripheral nervous system that transmit signals to the central nervous system, leading to the sensation of pain. In contrast to other types of pain, nociceptive pain is usually well-defined and can often be traced back to a specific physical cause, such as a broken bone, a sprained ankle, or inflammation caused by an infection. Understanding nociceptive pain is crucial for providing appropriate patient care, as it allows healthcare professionals to identify treatment methods that address the underlying cause of the pain, leading to more effective management strategies. Other types of pain mentioned in the choices relate to different pathways or causes of pain, such as emotional distress or chronic pain with no apparent cause. However, none of these pertain directly to the physiological processes involved in nociceptive pain, which is distinctly linked to the body's response to actual tissue damage or inflammation.

8. What procedures should a PCT follow when taking a patient's vital signs?

A. Use any available device regardless of calibration

B. Use proper techniques and record data accurately

C. Only check vital signs if a patient requests it

D. Document results based on memory

Using proper techniques and recording data accurately is essential when taking a patient's vital signs. Vital signs, which include temperature, pulse, respiration, and blood pressure, are critical indicators of a patient's health status. Accurate measurement and recording ensure that healthcare providers have reliable information to make informed decisions regarding patient care. Employing correct techniques minimizes the chances of error and allows for consistency in readings, which is important for monitoring a patient's condition over time. Additionally, thorough documentation of vital signs is crucial for effective communication within the healthcare team, serving as a health record that provides a clear picture of the patient's current state and any changes that may occur. This approach helps in identifying trends and guiding further medical assessment or intervention as needed. In contrast, using any device without consideration of its calibration could lead to inaccurate measurements, as could relying on memory for documentation. Checking vital signs only at the patient's request neglects the proactive monitoring necessary for patient safety and health assessment in a clinical setting.

SAMPLE

9. How does a PCT assist in respiratory care for patients?

A. By directly administering anesthetics

B. By monitoring oxygen levels and helping with breathing exercises

C. By performing surgeries on patients

D. By avoiding any interaction with respiratory equipment

A Patient Care Technician (PCT) plays a vital role in supporting respiratory care by monitoring oxygen levels and assisting patients with breathing exercises. This involvement is crucial for patients who may have compromised respiratory function or are recovering from surgeries or illnesses that impact their ability to breathe effectively. Monitoring oxygen levels often involves using pulse oximeters to check the saturation of oxygen in a patient's blood. This information is essential for determining if a patient needs additional oxygen therapy or if adjustments to their current treatment are necessary. Breathing exercises help improve lung capacity, promote better oxygen exchange, and prevent complications such as pneumonia or atelectasis, particularly in patients who are immobile or recovering from procedures that may limit their ability to breathe deeply. The other options fundamentally misrepresent the role of a PCT. While administering anesthetics and performing surgeries are tasks designated for trained medical professionals such as anesthesiologists and surgeons, a PCT's focus is on supportive care. Furthermore, avoiding interaction with respiratory equipment would be contrary to the PCT's responsibilities, as effective patient care often requires familiarity with various medical tools and devices used in respiratory therapy.

10. What is the function of an electrocardiogram (ECG)?

A. To assess lung capacity

B. To monitor the electrical activity of the heart

C. To measure body temperature

D. To check blood glucose levels

An electrocardiogram (ECG) is specifically designed to monitor the electrical activity of the heart. It provides critical information about the heart's rhythm, the size and position of the heart chambers, and can reveal issues such as arrhythmias, previous heart attacks, or other cardiac conditions. By placing electrodes on the skin, the ECG captures the electrical signals that trigger each heartbeat, displaying this information as a wave pattern on the monitor or paper. This makes it a vital tool in diagnosing and managing heart-related disorders. In contrast, the other options pertain to different aspects of health monitoring. Assessing lung capacity involves pulmonary function tests, while measuring body temperature relates to monitoring for infection or illness, and checking blood glucose levels is pertinent for diabetes management. None of these tests provide information about the heart's electrical activity, which is the sole purpose of an ECG.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://fmcpatientcaretech.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE