FOCUS ON DELEGATING PRIORITIZING TRIAGE DISASTER PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://delegatingprioritizingtriage.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. In case of an acid splash in the eye, what is the nurse's immediate response?

A. Assess the extent of the burn

B. Irrigate the eye with copious amounts of sterile saline

C. Cover the eye with a sterile patch

D. Administer eye drops for irritation

2. For a client exhibiting symptoms of new-onset atrial fibrillation, what is the nurse's initial preparation?

A. Administer anticoagulants

B. Prepare for cardioversion

C. Administer adenosine

D. Notify the health care provider

3. What is the primary nursing intervention for a client bitten by a snake?

A. Administer pain medication

B. Immobilize the affected arm at heart level

C. Apply ice to the wound

D. Remove restrictive clothing

4. Upon finding a client's uterus is not firmly contracted during a postpartum assessment, what should the nurse do first?

A. Check the client's vital signs

B. Massage the uterine fundus

C. Document assessment findings

D. Notify the healthcare provider

5. Which intervention should a nurse pursue first when caring for a client who has a nasogastric tube post-bowel resection?

A. Change the nasogastric tube dressing

B. Check the tube placement

C. Administer medications through the tube

D. Document the client's status

SAMPLE

6. How can a clear chain of command facilitate effective delegation?

A. It creates confusion and overlaps in responsibilities

B. It complicates decision-making processes

C. It clarifies responsibilities and aids in timely decision-making

D. It hinders effective resource allocation

7. What is the primary goal of delegating tasks in a disaster management setting?

A. To enhance efficiency and ensure the effective allocation of resources

B. To decrease overall team communication

C. To centralize decision-making

D. To extend the duration of the response

8. What is the best initial response when a nurse observes sudden apnea in a patient on mechanical ventilation?

A. Check the patient's pulse

B. Manually ventilate the patient

C. Perform a respiratory assessment

D. Adjust the ventilator setting

9. For a client suspected of having an air embolism, which action should the nurse take first?

A. Position the client in high Fowler's

B. Clamp the central line catheter

C. Administer oxygen

D. Monitor vital signs

10. Which client requires a licensed nurse, thus is not suitable for UAP assignment?

A. A client needing a bladder scan

B. A client requiring routine ambulation

C. A client in a bowel-management program needing a rectal suppository

D. A client who needs hygiene care

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. C
7. A
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. In case of an acid splash in the eye, what is the nurse's immediate response?

A. Assess the extent of the burn

B. Irrigate the eye with copious amounts of sterile saline

C. Cover the eye with a sterile patch

D. Administer eye drops for irritation

In the event of an acid splash in the eye, the immediate response should focus on minimizing damage and removing the harmful substance as quickly as possible. Irrigating the eye with copious amounts of sterile saline is crucial because it helps to dilute and wash away the acid, thus reducing its corrosive effects. This action is time-sensitive; delaying irrigation could lead to further injury and complications. While assessing the extent of the burn, covering the eye, or administering eye drops may be relevant steps in the management of eye injuries, they do not address the urgent need to neutralize the acid and prevent deeper tissue damage. Therefore, providing immediate irrigation is the most critical and appropriate first step in managing an acid eye injury.

2. For a client exhibiting symptoms of new-onset atrial fibrillation, what is the nurse's initial preparation?

A. Administer anticoagulants

B. Prepare for cardioversion

C. Administer adenosine

D. Notify the health care provider

The correct answer involves a critical understanding of managing atrial fibrillation, particularly when it presents acutely. In cases of new-onset atrial fibrillation, the priority is often to stabilize the patient's cardiac rhythm and manage any immediate complications. Administering adenosine is a typical step when dealing with certain types of tachycardias, especially if the heart rate is excessively elevated. Adenosine acts quickly to interrupt the reentry pathways in the atrioventricular node, which can help restore a normal rhythm in some cases. Although adenosine is generally more effective in supraventricular tachycardia, some clinicians may consider its use based on the specific clinical scenario and heart rate. In the context of new-onset atrial fibrillation, other choices could represent appropriate interventions, but they typically come after initial stabilization efforts. For instance, anticoagulants are essential to prevent thromboembolic complications from atrial fibrillation but are usually not the immediate response unless there is a clear indication of a clot. Preparing for cardioversion is a critical step when a patient is unstable or symptoms are severe, but it requires prior assessment and sometimes the administration of sedation. Notifying the healthcare provider is crucial in all situations; however

SAMPLE

3. What is the primary nursing intervention for a client bitten by a snake?

A. Administer pain medication

B. Immobilize the affected arm at heart level

C. Apply ice to the wound

D. Remove restrictive clothing

The primary nursing intervention for a client bitten by a snake is to immobilize the affected arm at heart level. This is vital because it helps to slow the spread of venom through the bloodstream and reduces movement in the area, which can exacerbate tissue damage. By keeping the affected limb at heart level, the body can maintain better circulation without encouraging the venom to circulate quickly through the body. Additionally, immobilization is crucial in managing a snakebite as it decreases the likelihood of further injury and allows for the affected area to be stabilized while waiting for medical treatment, such as antivenom administration. This approach is supported by guidelines on snakebite management, which emphasize the importance of minimizing the movement of the limb. Although administering pain medication may be appropriate after the initial interventions are completed, it is not the primary action in the acute phase following the bite. Applying ice can cause vasoconstriction and may worsen tissue damage, while removing restrictive clothing can be helpful but is secondary to ensuring the affected limb is immobilized and stabilized.

4. Upon finding a client's uterus is not firmly contracted during a postpartum assessment, what should the nurse do first?

A. Check the client's vital signs

B. Massage the uterine fundus

C. Document assessment findings

D. Notify the healthcare provider

The first action the nurse should take when discovering that a client's uterus is not firmly contracted during a postpartum assessment is to massage the uterine fundus. This step is critical because a poorly contracted uterus can lead to postpartum hemorrhage, which is a significant risk during the immediate postpartum period. By massaging the fundus, the nurse stimulates uterine contractions, promoting firming and reducing the risk of excessive bleeding. This action addresses the immediate concern of uterine atony, which is one of the primary causes of postpartum hemorrhage. It is important for the nurse to act quickly, as the safety and well-being of the client are paramount. While monitoring vital signs, documenting findings, and informing the healthcare provider are necessary steps that will follow, the priority in this situation is to ensure that the uterus is contracting properly to prevent complications. Therefore, initiating fundal massage directly targets the immediate issue at hand.

SAMPLE

5. Which intervention should a nurse pursue first when caring for a client who has a nasogastric tube post-bowel resection?

A. Change the nasogastric tube dressing

B. Check the tube placement

C. Administer medications through the tube

D. Document the client's status

In the scenario presented, the most critical intervention for the nurse to pursue first is checking the placement of the nasogastric tube. This step is essential for ensuring that the tube is functioning properly and that the patient is safe. After a surgical procedure, like a bowel resection, there is a need to confirm that the tube is in the correct position in the stomach to prevent complications such as aspiration, which can occur if the tube is misplaced in the lungs. Verifying tube placement typically involves checking for gastric aspirate, auscultating for air sounds, or using pH testing, depending on the facility protocols. This assessment ensures that any medications or fluids administered through the tube, as well as any suctioning, are done safely. The other interventions, while important, are secondary to ensuring that the nasogastric tube is appropriately placed. Changing the dressing or documenting the client's status do not address immediate safety concerns. Administering medications through the tube is dependent on confirming the tube's placement first; administering medications when the tube is not properly positioned could lead to serious harm. Thus, prioritizing the verification of the tube's placement is the most appropriate first step in this circumstance.

6. How can a clear chain of command facilitate effective delegation?

A. It creates confusion and overlaps in responsibilities

B. It complicates decision-making processes

C. It clarifies responsibilities and aids in timely decision-making

D. It hinders effective resource allocation

A clear chain of command is essential for effective delegation because it delineates the hierarchy within an organization. This structure ensures that everyone understands their specific roles and responsibilities, which reduces confusion and enhances accountability. When roles are clearly defined, team members know who to report to and who has the authority to make decisions. This clarity leads to quicker and more efficient decision-making, which is crucial in high-pressure situations such as a disaster response. Moreover, by having a well-established chain of command, resources can be allocated more effectively because everyone understands their duties within that framework. Leaders can delegate tasks with confidence, knowing that team members are aware of their responsibilities and can act accordingly. In situations that require prompt action, such as emergencies or disasters, such clarity not only streamlines processes but also enhances coordination among team members, leading to improved outcomes.

SAMPLE

7. What is the primary goal of delegating tasks in a disaster management setting?

A. To enhance efficiency and ensure the effective allocation of resources

B. To decrease overall team communication

C. To centralize decision-making

D. To extend the duration of the response

In a disaster management setting, the primary goal of delegating tasks is to enhance efficiency and ensure the effective allocation of resources. During a disaster, time is often of the essence, and the ability to respond quickly and effectively can significantly impact outcomes. By delegating tasks to appropriate team members, leaders can ensure that specialized skills are utilized, and workload is balanced, allowing for a more streamlined response. This process enables team members to focus on specific responsibilities, which can lead to faster decision-making, better resource management, and ultimately, a more coordinated and effective response to the disaster. This approach also fosters a collaborative environment and enables the response team to leverage the unique strengths of its members. In contrast to the other options, which would lead to inefficiencies, such as decreased communication or centralized decision-making that may slow down the response, delegating tasks optimally aligns with the pressing nature of disaster situations where rapid and informed actions are crucial.

8. What is the best initial response when a nurse observes sudden apnea in a patient on mechanical ventilation?

A. Check the patient's pulse

B. Manually ventilate the patient

C. Perform a respiratory assessment

D. Adjust the ventilator setting

The best initial response when a nurse observes sudden apnea in a patient on mechanical ventilation is to manually ventilate the patient. This action addresses the immediate concern of ensuring that the patient continues to receive adequate oxygen while further evaluation takes place. In situations where a patient on mechanical ventilation stops breathing, there is a risk of hypoxia, which can be life-threatening. Manually ventilating the patient with a bag-valve mask allows for the provision of breaths until the cause of the apnea can be determined and appropriate interventions can be made. Taking other actions, such as checking the patient's pulse, conducting a respiratory assessment, or adjusting the ventilator settings, may be important, but they do not address the critical need for immediate ventilation support. Checking the pulse provides information about the patient's circulatory status but does not resolve the breathing issue. Assessing respiratory functions offers additional insights but can delay the critical need for oxygenation. Adjusting the ventilator settings might be necessary after the immediate airway concerns are managed, but the priority should always be to ensure that the patient is receiving the necessary support as quickly as possible. Therefore, manually ventilating the patient directly ensures that they are protected from potential complications due to apneic episodes.

SAMPLE

9. For a client suspected of having an air embolism, which action should the nurse take first?

A. Position the client in high Fowler's

B. Clamp the central line catheter

C. Administer oxygen

D. Monitor vital signs

The priority action for a client suspected of having an air embolism is to clamp the central line catheter. This is crucial because air embolisms occur when air enters the vascular system, potentially leading to severe complications such as cardiac arrest or stroke. By clamping the central line, the nurse prevents further air from entering the system, which is essential for stabilizing the patient's condition. After ensuring that the central line is clamped to prevent additional air entry, other actions can be taken to support the client's recovery, such as administering oxygen to help manage hypoxia, positioning the patient properly, or monitoring vital signs for any changes. However, immediate action focused on stopping the source of the embolism takes precedence to minimize the risk of further harm to the patient.

10. Which client requires a licensed nurse, thus is not suitable for UAP assignment?

A. A client needing a bladder scan

B. A client requiring routine ambulation

C. A client in a bowel-management program needing a rectal suppository

D. A client who needs hygiene care

The client who is in a bowel-management program and needs a rectal suppository requires a licensed nurse for this task because it involves a more complex level of assessment, judgment, and intervention. Administering a rectal suppository is not a routine task and requires the nurse to assess the client's condition, understand indications or contraindications, and respond appropriately to any complications or adverse reactions that may arise. This activity demands knowledge of anatomy, potential complications from the procedure, and the ability to evaluate the client's response, which are beyond the scope of practice for unlicensed assistive personnel (UAP). In contrast, tasks such as conducting a bladder scan or assisting with hygiene care involve more straightforward procedures that can be delegated to UAP, as they do not require the same level of clinical judgment or assessment. Routine ambulation can also be aided by UAP under supervision, as it typically does not involve complex interventions or assessments. Therefore, the nature of the bowel intervention specifically necessitates the expertise of a licensed nurse, making it unsuitable for UAP assignment.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://delegatingprioritizingtriage.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE