
FREE A SPINAL EXAM 4 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://freeaspinal4.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which statement correctly describes the regional distribution of OPLL?

A. Cervical Region 80 Percent, Thoracic 10 Percent, Lumbar 10 Percent

B. Cervical 60 Percent, Thoracic 20 Percent, Lumbar 20 Percent

C. Cervical 90 Percent, Thoracic 5 Percent, Lumbar 5 Percent

D. Cervical 70 Percent, Thoracic 15 Percent, Lumbar 15 Percent

2. Which statement best describes the histological composition of the interspinous ligament?

A. Membranous fibrous connective tissue

B. Hyaline cartilage

C. Bone tissue

D. Adipose tissue

3. Which group is most strongly associated with lordosis abnormalities?

A. Adults over 50, children in growth spurts, and pregnant individuals

B. Athletes

C. Infants

D. Children under 5

4. Which cranial nerve group is associated with the middle cranial fossa?

A. CN II-VI (2-6)

B. CN VII-XII (7-12)

C. CN I-V (1-5)

D. CN III-X (3-10)

5. The interspinous ligament blends dorsally with which structures?

A. Ligamentum flavum

B. Ligamentum nuchae and supraspinous ligament

C. Anterior longitudinal ligament

D. Intertransverse ligaments

6. What cranial nerves pass through the hypoglossal canal?

A. CN IX (9)

B. CN XII (12)

C. CN X (10)

D. CN XI (11)

SAMPLE

7. What characterizes a pedunculated disc protrusion?

A. Peripheral herniated material is larger than its attachment site

B. The base is larger than the herniated portion

C. The fragment remains attached to the parent disc but not beyond annulus

D. It is entirely detached from the disc

8. Aqueous humor flows from where to where?

A. Posterior chamber to anterior chamber

B. Anterior chamber to posterior chamber

C. Pupil to retina

D. Vitreous chamber to posterior

9. A fragment with no attachment located in the epidural space is called what?

A. Extrusion

B. Transligamentous extrusion

C. Sequestration

D. Subligamentous extrusion

10. Ossification of the ligamentum flavum is most likely seen at which spinal level?

A. C1–C2

B. L5–S1

C. T9–T10 and Below

D. T1–T4

SAMPLE

Answers

SAMPLE

1. A
2. A
3. C
4. A
5. B
6. B
7. A
8. A
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. Which statement correctly describes the regional distribution of OPLL?

A. Cervical Region 80 Percent, Thoracic 10 Percent, Lumbar 10 Percent

B. Cervical 60 Percent, Thoracic 20 Percent, Lumbar 20 Percent

C. Cervical 90 Percent, Thoracic 5 Percent, Lumbar 5 Percent

D. Cervical 70 Percent, Thoracic 15 Percent, Lumbar 15 Percent

The main idea is that ossification of the posterior longitudinal ligament most often involves the cervical spine, with far fewer cases in the thoracic and lumbar regions. About four-fifths of OPLL lesions occur in the cervical region, with roughly one-tenth in the thoracic region and one-tenth in the lumbar region. This pattern reflects why cervical myelopathy is the most common clinical consequence of OPLL: the cervical canal is smaller and experiences more motion and dynamic loading, making ossified ligament there more likely to encroach on the spinal cord. The thoracic region is relatively stabilized by the rib cage and has less mobility, and the lumbar region tends to be less affected by PLL ossification overall. There is some variation between populations, but the cervical predominance (around 80%) is the best-supported description.

2. Which statement best describes the histological composition of the interspinous ligament?

A. Membranous fibrous connective tissue

B. Hyaline cartilage

C. Bone tissue

D. Adipose tissue

Ligaments are built mainly from fibrous connective tissue rich in collagen, providing tensile strength to resist pulling forces. The interspinous ligament lies between adjacent spinous processes along the back of the spine and is best described histologically as a thin sheet of membranous fibrous connective tissue. This means it's composed chiefly of collagen fibers with scattered fibroblasts, forming a flexible, tensile structure rather than a cartilaginous or bony tissue. Hyaline cartilage would be found at joint surfaces, bone tissue in bones, and adipose tissue in fat stores, none of which characterize the interspinous ligament.

3. Which group is most strongly associated with lordosis abnormalities?

A. Adults over 50, children in growth spurts, and pregnant individuals

B. Athletes

C. Infants

D. Children under 5

Lordosis is the inward curvature of the lumbar spine, and it develops as the spine transitions from its newborn form to an upright posture. In infants, the spine is rapidly evolving as they gain head control, sit, crawl, and stand, so the lumbar region begins to form its curve and showcases a lot of variability during this maturation period. Because the musculoskeletal system and trunk muscles are still developing, any deviations from the expected developmental trajectory—such as an exaggerated or persistent lumbar curve—are most commonly noticed early in life. This makes infants the group most closely associated with lordosis abnormalities in clinical discussions. While pregnancy and other groups can experience changes in spinal curvature, these are typically adaptive rather than primarily abnormal in the same way as early developmental variations.

SAMPLE

4. Which cranial nerve group is associated with the middle cranial fossa?

A. CN II-VI (2-6)

B. CN VII-XII (7-12)

C. CN I-V (1-5)

D. CN III-X (3-10)

Focus on where the nerves run relative to the cranial fossae. The middle cranial fossa houses the nerves that travel with the cavernous sinus and the foramina of the sphenoid bone—namely the optic nerve as it enters the cranial cavity near the sella, and the nerves that control eye movement and facial sensation through the superior orbital fissure, foramen rotundum, and foramen ovale. In practical terms, this means the second through the sixth cranial nerves are the ones associated with this region: the optic nerve, the oculomotor, the trochlear, and the first two divisions of the trigeminal nerve, along with the abducens. This grouping reflects their anatomical path through structures linked to the middle fossa. Nerves in the posterior cranial fossa (such as VII–XII) and the olfactory nerve (in the anterior fossa) have different regional associations, so they don't fit this middle-fossa pattern as neatly.

5. The interspinous ligament blends dorsally with which structures?

A. Ligamentum flavum

B. Ligamentum nuchae and supraspinous ligament

C. Anterior longitudinal ligament

D. Intertransverse ligaments

The interspinous ligament sits between adjacent spinous processes and, on the back of the spine, blends with the nearby posterior ligaments to form a continuous dorsal support. Specifically, it fuses with the supraspinous ligament along the tips of the spinous processes, and in the cervical region it also blends with the ligamentum nuchae, which is the expanded continuation of the supraspinous ligament that reaches up to the skull. This creates a single dorsal ligamentous chain that helps stabilize the spine. It doesn't blend with the ligamentum flavum, which lies deeper between the laminae; nor with the anterior longitudinal ligament, which runs along the front of the vertebral bodies; nor with the intertransverse ligaments, which connect the transverse processes laterally.

6. What cranial nerves pass through the hypoglossal canal?

A. CN IX (9)

B. CN XII (12)

C. CN X (10)

D. CN XI (11)

The hypoglossal canal transmits the hypoglossal nerve, CN XII. This nerve is the motor supply to most of the tongue muscles, traveling from the brainstem and exiting the skull specifically through this canal to reach the tongue. The other nerves listed—glossopharyngeal (IX), vagus (X), and accessory (XI)—exit the skull through the jugular foramen, not the hypoglossal canal. So CN XII is the nerve that passes through the hypoglossal canal.

SAMPLE

7. What characterizes a pedunculated disc protrusion?

A. Peripheral herniated material is larger than its attachment site

B. The base is larger than the herniated portion

C. The fragment remains attached to the parent disc but not beyond annulus

D. It is entirely detached from the disc

Pedunculated means the herniated piece of disc material is connected to the main disc by a narrow stalk, with the portion that extends outward being larger than that attachment. In other words, the peripheral mass is bigger than its base, giving it a stem-like appearance. This distinguishes it from a sessile protrusion, where the base is as wide as or wider than the herniated portion, and from extrusion/sequestration, where the material is no longer attached or has fully breached the annulus.

8. Aqueous humor flows from where to where?

A. Posterior chamber to anterior chamber

B. Anterior chamber to posterior chamber

C. Pupil to retina

D. Vitreous chamber to posterior

Aqueous humor is produced by the ciliary body into the posterior chamber, which lies between the iris and the lens. From there it flows forward through the pupil into the anterior chamber, the space between the cornea and the iris. In the anterior chamber it drains mainly through the trabecular meshwork into Schlemm's canal to leave the eye. So the correct direction is from the posterior chamber to the anterior chamber. The other options don't fit because aqueous humor does not move from anterior to posterior, nor from the pupil toward the retina, and it does not originate in or flow from the vitreous chamber.

9. A fragment with no attachment located in the epidural space is called what?

A. Extrusion

B. Transligamentous extrusion

C. Sequestration

D. Subligamentous extrusion

A fragment that is completely detached from the parent disc and lies freely in the epidural space is sequestration. This term specifically describes a piece of disc material that has broken away and has no remaining attachment to the disc itself, which is what the description "no attachment" implies. Other terms describe fragments that are still connected to the disc or relate to how they pass the posterior longitudinal ligament. An extrusion usually means the disc material has breached the disc boundary and PLL but remains connected by a neck to the disc. Transligamentous and subligamentous extrusions refer to whether the fragment extends through or beneath the PLL but still maintains some connection to the disc.

SAMPLE

10. Ossification of the ligamentum flavum is most likely seen at which spinal level?

A. C1–C2

B. L5–S1

C. T9–T10 and Below

D. T1–T4

Ossification of the ligamentum flavum occurs most often in the thoracic spine, with a preference for the lower thoracic levels. The combination of aging-related degenerative changes and the relatively narrow thoracic canal there increases the likelihood that thickened or calcified flavum will ossify. The cervical region is less prone due to different mechanics, and the lumbar region is not the typical site for this ossification pattern. Therefore, the level range that matches this distribution is the lower thoracic spine and below, around T9–T12 and continuing downward.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://freeaspinal4.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE