FRESENIUS NURSE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://freseniusnurse.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which substance among the following is listed as an electrolyte important to consider?

A. Chloride

B. Bicarbonate

C. Oxygen

D. Glucose

2. Dialysis solutions use which buffer to help treat metabolic acidosis?

A. Potassium chloride

B. Calcium carbonate

C. Sodium chloride

D. Sodium bicarbonate

3. How can you tell a dialyzer is clotting?

A. Dark blood in dialyzer

B. Air detector alarms

C. Rising TMP

D. Increased arterial pressure

4. Which two patient types should not be cared for on the same shift?

A. HIV-positive patients and HBV-infected patients

B. HBV and patients that are susceptible to HBV

C. HBV-infected patients and patients with Hep C

D. Susceptible HBV patients and HIV-positive patients

5. When is a dialyzer sensitivity reaction usually seen?

A. After several hours

B. At the end of treatment

C. In the first half-hour of treatment

D. Next day

SAMPLE

6. These should be used to work on computer information in the isolation room.

A. Clean Gloves

B. Gowns

C. Eye protection

D. N95 mask

7. What is a key reason to enforce fluid restriction in ESRD patients on dialysis?

A. To prevent fluid overload, hypertension, and to help achieve target dry weight

B. To increase urine output

C. To promote electrolyte depletion

D. To reduce dialysis frequency

8. Which item is NOT listed among the most important electrolytes to consider?

A. Bicarbonate

B. Sodium

C. Potassium

D. Chloride

9. Which regulation governs patient privacy in the dialysis setting?

A. OSHA

B. HIPAA

C. ADA

D. FDA

10. How many compartments does a dialyzer have, and what are they separated by?

A. One compartment; They mix

B. Two compartments: blood & dialysate; separated by semipermeable membrane; They do not mix

C. Three compartments; They mix

D. Four compartments; They mix

SAMPLE

Answers

SAMPLE

1. B
2. D
3. C
4. B
5. C
6. A
7. A
8. D
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which substance among the following is listed as an electrolyte important to consider?

A. Chloride

B. Bicarbonate

C. Oxygen

D. Glucose

Understanding electrolytes and their role in acid-base balance is the key idea here. An electrolyte is a charged particle in body fluids that helps conduct electricity and support fluid balance, nerve function, and pH control. Bicarbonate is the main buffering electrolyte in blood, forming the carbonic acid–bicarbonate system that keeps blood pH within a narrow range. In kidney failure, dialysis solutions use bicarbonate as a buffer to correct metabolic acidosis, so bicarbonate levels are routinely monitored and managed. Oxygen and glucose are not electrolytes, since they don't exist as charged ions in solution. Chloride is an electrolyte too, but the emphasis here is on bicarbonate because of its central role in buffering and dialysate therapy.

2. Dialysis solutions use which buffer to help treat metabolic acidosis?

A. Potassium chloride

B. Calcium carbonate

C. Sodium chloride

D. Sodium bicarbonate

Dialysis solutions use a buffering component to correct metabolic acidosis by supplying bicarbonate. In kidney failure, the body can't excrete enough acid, so the blood becomes too acidic. The dialysate contains bicarbonate, which diffuses into the patient's blood while hydrogen ions move into the dialysate. The added bicarbonate neutralizes excess hydrogen ions, forming carbonic acid that is converted to CO_2 and water; CO_2 is then removed by the lungs. This helps raise the patient's serum bicarbonate toward normal. Other options don't serve as the dialysate buffer. Potassium chloride adds electrolytes but not buffering capacity. Calcium carbonate is not used as the dialysate buffer. Sodium chloride mainly adjusts sodium and chloride levels and does not provide bicarbonate to counter acidosis.

3. How can you tell a dialyzer is clotting?

A. Dark blood in dialyzer

B. Air detector alarms

C. Rising TMP

D. Increased arterial pressure

Clotting inside the dialyzer raises resistance to blood flow across the membrane, which increases the pressure difference across it—transmembrane pressure (TMP). When clot forms, the fibers become blocked, so TMP climbs. Seeing a rising TMP during a dialysis run is the clearest sign that the dialyzer is starting to clot and may lose efficiency, often prompting stopping the run and replacing the dialyzer or adjusting anticoagulation. Other signs, like dark blood in the dialyzer, air detector alarms, or a higher arterial pressure, are not as specific to clotting and can result from other issues. So, a rising TMP is the best indicator of dialyzer clotting.

SAMPLE

4. Which two patient types should not be cared for on the same shift?

A. HIV-positive patients and HBV-infected patients

B. HBV and patients that are susceptible to HBV

C. HBV-infected patients and patients with Hep C

D. Susceptible HBV patients and HIV-positive patients

HBV is highly transmissible through blood and bodily fluids, and patients who are not immune to HBV (susceptible) can become infected if exposed. In a dialysis setting, where blood exposure and shared equipment can occur, placing an HBV-infected patient on the same shift as a susceptible patient greatly increases the risk of transmission. To protect those without immunity, it's standard practice to avoid pairing an HBV-infected patient with someone susceptible to HBV on the same shift, or to ensure strict dedicated staffing and precautions if such pairing cannot be avoided. The other pairings don't pose the same specific risk to a patient who is not immune to HBV, which is why this option is the best choice.

5. When is a dialyzer sensitivity reaction usually seen?

A. After several hours

B. At the end of treatment

C. In the first half-hour of treatment

D. Next day

Dialyzer sensitivity reactions are immediate responses to the dialyzer exposure and occur soon after the treatment starts. The reaction is driven by the membrane or residual sterilants and involves rapid immune/complement-mediated changes, so it typically appears within the first 30 minutes of the session. That makes the early part of the treatment the point where these reactions are most likely to be seen. Reactions that show up later, at the end of treatment, or the next day don't fit the usual pattern of a dialyzer sensitivity reaction and suggest other causes. If such a reaction occurs, it's treated as an urgent event requiring stopping the dialysis circuit and medical assessment.

6. These should be used to work on computer information in the isolation room.

A. Clean Gloves

B. Gowns

C. Eye protection

D. N95 mask

Working in an isolation room with contact precautions centers on protecting your hands and preventing contamination of the patient environment. The computer and its peripherals can become contaminated, so wearing clean gloves creates a barrier between your hands and those surfaces, reducing the chance of transferring pathogens. After handling the computer, you'd remove the gloves and perform hand hygiene. Eye protection and an N95 are not routinely needed for this task unless there's a splashing risk or an airborne infection; a gown is used for direct contact with the patient or heavily contaminated surfaces. For this scenario, clean gloves are the appropriate and sufficient choice.

SAMPLE

7. What is a key reason to enforce fluid restriction in ESRD patients on dialysis?

A. To prevent fluid overload, hypertension, and to help achieve target dry weight

B. To increase urine output

C. To promote electrolyte depletion

D. To reduce dialysis frequency

Controlling fluid balance is essential in ESRD on dialysis because the kidneys can't remove excess water effectively. When fluid intake is not limited, this extra water adds to the circulating volume between dialysis sessions, raising the risk of fluid overload. That overload can push blood pressure higher and cause edema, congestive heart failure, or pulmonary edema, which place stress on the heart and lungs. By enforcing a fluid restriction, the goal is to keep the patient near their target dry weight—the weight after dialysis when excess fluid has been removed—so that the amount of fluid that must be removed during each session stays within safe, tolerable limits. This helps maintain stable blood pressure, reduces swelling, and protects heart and lung function. Increasing urine output isn't reliable in ESRD, and fluid restriction doesn't purposefully deplete electrolytes or directly reduce how often dialysis is needed; those are managed through other aspects of care.

8. Which item is NOT listed among the most important electrolytes to consider?

A. Bicarbonate

B. Sodium

C. Potassium

D. Chloride

The concept being tested is which electrolytes are prioritized in dialysis assessment. In many Fresenius-style contexts, the electrolytes you actively monitor first due to their direct impact on critical functions are sodium, potassium, and bicarbonate. Sodium influences extracellular fluid volume and blood pressure; potassium affects cardiac conduction and rhythm; bicarbonate is key for maintaining acid-base balance during dialysis. Chloride, while an important accompanying electrolyte, is not typically singled out as one of the top three to focus on in routine assessment, so it isn't listed among the most important electrolytes in this item. Remember that chloride normally tracks with sodium and bicarbonate to help maintain electroneutrality, but the emphasis in this question is on those three primary electrolytes.

SAMPLE

9. Which regulation governs patient privacy in the dialysis setting?

A. OSHA

B. HIPAA

C. ADA

D. FDA

Patient privacy in healthcare is protected by a standard that governs how health information is used, shared, and stored. In the dialysis setting, any information about a patient's health, treatment, or billing must be kept confidential and only shared with people who need it to provide care or process the billing, and with the patient's explicit consent when required. The regulation that creates national standards for the privacy and security of health information is HIPAA. It establishes what information can be disclosed and to whom, sets the minimum necessary rule to limit data shared, gives patients rights to access and request corrections, and requires safeguards for protecting protected health information (PHI) in both paper and electronic form. In dialysis units, this means patient charts, treatment plans, lab results, and even conversations should be handled in private and only disclosed to authorized staff for legitimate purposes. Breaches can lead to penalties and require notification, training, and corrective actions. The other regulations address different areas: OSHA focuses on workplace safety, ADA on equal access and accommodations for disabilities, and FDA on safety and effectiveness of drugs and medical devices, not patient privacy.

10. How many compartments does a dialyzer have, and what are they separated by?

A. One compartment; They mix

B. Two compartments: blood & dialysate; separated by semipermeable membrane; They do not mix

C. Three compartments; They mix

D. Four compartments; They mix

Dialysis relies on two separate fluid spaces separated by a semipermeable membrane. The blood flows on one side and the dialysate on the other, so they do not mix. The membrane lets small waste molecules and excess water pass through while blocking larger blood components like cells and proteins, enabling cleanup of the blood without blending the two fluids. This setup maximizes diffusion across the barrier, using the large surface area inside the dialyzer to remove toxins and regulate electrolytes.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://freseniusnurse.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE