FRONTIER AIRLINES FIRST AID PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://frontierairlinesfirstaid.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does CPR stand for?

A. Cardiac Pulmonary Recovery

B. Cardiovascular Pressure Regulation

C. Cardiopulmonary Resuscitation

D. Cardiac Patient Relief

2. What should be done to ensure the POB is functioning before placing a mask on a passenger?

A. Check for a green light on the POB

B. Turn the bottle upside down

C. Hold the mask to the face to feel for flow

D. Inspect the bottle for any leaks

3. When is a replacement EMK required onboard?

A. Within the hour

B. Within 1 flight cycle

C. After every flight

D. Once a month

4. What initial action should be taken when a passenger has fainted?

A. Apply pressure to their forehead

B. Have them stand up slowly

C. Conduct a head-to-toe check

D. Give them food or drink

5. What is the primary use of gloves in first aid cases?

A. To enhance grip

B. To protect from exposure to pathogens

C. To keep hands warm

D. To prevent skin rashes

6. What should be done if a passenger is unconscious from low blood sugar?

A. Administer insulin immediately

B. Place them upright in their seat

C. Use a gloved finger to place sugar between their cheek and gums

D. Offer them solid food

SAMPLE

7. Which of the following is a proper post-seizure care step?

A. Maintain complete silence

B. Provide immediate food and drink

C. Monitor the passenger's Airway, Breathing, and Circulation (ABCs)

D. Restrict the passenger's movements

8. What does the term "recognize, identify, respond" refer to in first aid?

A. The method of assessing an injury

B. The process of recognizing an emergency, identifying the issue, and responding appropriately

C. The steps for patient evaluation

D. A routine for documenting incidents

9. What action should be taken if a passenger shows signs of shock?

A. Lay them down with feet elevated

B. Force them to eat

C. Place them in a sitting position

D. Move them to a cold environment

10. How should latex gloves be removed according to protocol?

A. Skin-to-skin, glove-to-glove

B. Glove-to-glove, skin-to-skin

C. From wrist to fingertip

D. Fingertip to wrist

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. B
6. C
7. C
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What does CPR stand for?

A. Cardiac Pulmonary Recovery

B. Cardiovascular Pressure Regulation

C. Cardiopulmonary Resuscitation

D. Cardiac Patient Relief

CPR stands for Cardiopulmonary Resuscitation, which is a critical emergency procedure used to restore breathing and circulation in someone who has stopped breathing or whose heart has ceased beating. The procedure involves both chest compressions and rescue breaths to maintain vital blood flow to the brain and other organs until professional medical help arrives. Understanding the full term is essential as it highlights the two key components involved in the process: "cardio," pertaining to the heart, and "pulmonary," pertaining to the lungs. This comprehensive approach aims to revive an individual's breathing and heartbeat, making it a lifesaving technique in emergencies such as cardiac arrest or drowning. By recognizing the importance and elements of CPR, individuals can be better prepared to respond effectively in crises, potentially saving lives.

2. What should be done to ensure the POB is functioning before placing a mask on a passenger?

A. Check for a green light on the POB

B. Turn the bottle upside down

C. Hold the mask to the face to feel for flow

D. Inspect the bottle for any leaks

To ensure that the Portable Oxygen Bottle (POB) is functioning properly before applying a mask to a passenger, it is essential to hold the mask to the face to feel for the flow of oxygen. This action directly assesses whether the oxygen is being dispensed as intended. If oxygen flow is present, it confirms that the system is operational and ready to support the passenger's needs. In a practical setting, merely checking for a green light on the POB may not provide a complete assurance of functionality, as indicators can sometimes be misleading or malfunction. Turning the bottle upside down is not a standard procedure for testing its function and might not yield reliable results. Inspecting the bottle for leaks is important for maintenance and safety but does not confirm the immediate functionality of oxygen delivery, which is the critical concern when managing a passenger in need of oxygen. Thus, feeling for the flow through the mask offers immediate confirmation of the system's effectiveness and readiness for use.

3. When is a replacement EMK required onboard?

A. Within the hour

B. Within 1 flight cycle

C. After every flight

D. Once a month

A replacement Emergency Medical Kit (EMK) is required onboard within one flight cycle if it has been used or if any of its contents are expended. This guideline ensures that medical resources are always available and that the EMK is fully stocked and ready for immediate use in case of medical emergencies. Ensuring that the kit is replaced promptly within the same flight cycle allows for continued compliance with safety regulations and readiness to assist passengers in critical health situations. Replacement after longer timeframes such as every hour, after every flight, or once a month would not adequately address the need for immediate accessibility of medical supplies when they are used or required. Therefore, the requirement within one flight cycle is both a practical and a regulatory measure to maintain the safety of passengers and crew.

SAMPLE

4. What initial action should be taken when a passenger has fainted?

A. Apply pressure to their forehead

B. Have them stand up slowly

C. Conduct a head-to-toe check

D. Give them food or drink

When a passenger has fainted, the initial action is to conduct a head-to-toe check. This assessment is crucial as it helps determine the extent of the situation and identify any possible injuries or medical issues that may have contributed to the fainting episode. Conducting a thorough evaluation allows for appropriate care and response. Performing a head-to-toe check will help ensure the safety of the passenger and guide any immediate actions that may be necessary, such as administering first aid or calling for medical assistance if needed. Other actions, such as applying pressure to the forehead, encouraging the person to stand up slowly, or giving them food or drink, may not be suitable first steps. These actions could potentially exacerbate the situation or lead to further complications. The priority after someone has fainted is to assess their condition thoroughly to ensure they receive the correct support and care.

5. What is the primary use of gloves in first aid cases?

A. To enhance grip

B. To protect from exposure to pathogens

C. To keep hands warm

D. To prevent skin rashes

The primary use of gloves in first aid cases is to protect from exposure to pathogens. When providing care to someone who is injured or ill, the risk of coming into contact with blood, bodily fluids, or other contaminants increases. Wearing gloves acts as a barrier, significantly reducing the likelihood of cross-contamination and the transmission of infectious diseases not only from patient to caregiver but also vice versa. In any first aid scenario, prioritizing both the safety of the caregiver and the person receiving care is essential. Therefore, gloves serve a critical role in infection control practices within medical emergencies. While gloves may have other incidental benefits, such as offering a slight grip enhancement, their primary function is to maintain hygiene and protect against pathogens. Keeping hands warm or preventing skin rashes are not relevant when considering the main objective of using gloves in a first aid context.

6. What should be done if a passenger is unconscious from low blood sugar?

A. Administer insulin immediately

B. Place them upright in their seat

C. Use a gloved finger to place sugar between their cheek and gums

D. Offer them solid food

When a passenger is unconscious due to low blood sugar, the appropriate action is to use a gloved finger to place sugar between their cheek and gums. This method allows for rapid absorption of glucose directly into the bloodstream through the mucous membranes in the mouth. Since the individual is unconscious, they are unable to swallow safely, making it crucial to avoid giving them solid food or drinks that could lead to choking. Administering insulin is not appropriate in this situation, as insulin is used to lower blood sugar levels, and the passenger's issue is low blood sugar. Placing them upright in their seat may also not be safe or effective, especially if they are unconscious, as it can lead to airway obstruction. Offering solid food is also risky, as the passenger may not be able to swallow properly, which could lead to choking hazards. Using sugar in the manner described in the correct answer provides a safe and effective way to help manage the symptoms of low blood sugar while minimizing risks associated with unconsciousness.

SAMPLE

7. Which of the following is a proper post-seizure care step?

A. Maintain complete silence

B. Provide immediate food and drink

C. Monitor the passenger's Airway, Breathing, and Circulation (ABCs)

D. Restrict the passenger's movements

Monitoring the passenger's Airway, Breathing, and Circulation (ABCs) after a seizure is crucial for ensuring their safety and well-being. Following a seizure, the individual may be disoriented, confused, or even unresponsive, which can affect their ability to maintain a clear airway. By checking the ABCs, you assess whether the person is breathing effectively and whether their circulation is stable. This step helps to identify any potential complications, such as airway obstruction or insufficient breathing, allowing for prompt intervention if necessary. Maintaining the ABCs also involves watching for any signs of distress or changes in consciousness, which are key indicators of how well the person is recovering from the seizure. Proper monitoring can help in providing timely assistance or calling for emergency services if the individual requires additional medical care. This focus on the vital signs is an important aspect of post-seizure management and contributes to a safe recovery environment.

8. What does the term "recognize, identify, respond" refer to in first aid?

A. The method of assessing an injury

B. The process of recognizing an emergency, identifying the issue, and responding appropriately

C. The steps for patient evaluation

D. A routine for documenting incidents

The term "recognize, identify, respond" in first aid refers to a systematic approach to handling emergencies. This process emphasizes the importance of first recognizing that a situation may require medical assistance, which is the initial alertness to an unusual event or behavior that could indicate a medical emergency. Following recognition, the next step is to identify the specific issue at hand, whether it's a medical condition such as a heart attack, an injury like a fracture, or another urgent health matter. This stage is crucial as it allows the responder to understand the nature of the problem and formulate an appropriate course of action. Finally, responding appropriately involves taking the necessary steps to assist the individual in need. This could range from performing CPR, applying pressure to a bleeding wound, or calling for emergency services. This three-step framework is fundamental in first aid training as it helps responders effectively manage emergencies, ensuring that they act swiftly and appropriately based on the situation. By following this method, individuals are better equipped to provide effective first aid and potentially save lives.

SAMPLE

9. What action should be taken if a passenger shows signs of shock?

A. Lay them down with feet elevated

B. Force them to eat

C. Place them in a sitting position

D. Move them to a cold environment

When a passenger shows signs of shock, the recommended action is to lay them down with their feet elevated. This position helps to improve blood circulation to vital organs by encouraging blood flow back to the heart and brain, which can be crucial during shock. Elevating the legs can also help counteract symptoms such as faintness and dizziness, which are common in shock situations. It is essential not to force the individual to eat or drink, especially if they are feeling lightheaded or nauseous, as this could lead to further complications such as choking or aspiration. Placing a person in a sitting position is not advisable during shock because it can impede circulation; a lying position is more effective in stabilizing the patient. Moving them to a cold environment is also inappropriate since shock often leads to complications such as hypothermia. Maintaining a comfortable temperature can help the individual retain body heat, which is vital for overall stability during a shock episode.

10. How should latex gloves be removed according to protocol?

A. Skin-to-skin, glove-to-glove

B. Glove-to-glove, skin-to-skin

C. From wrist to fingertip

D. Fingertip to wrist

The proper method of removing latex gloves is by using the technique referred to as glove-to-glove, skin-to-skin. This means that the outer surface of one glove is used to grasp the interior surface of the other glove, minimizing the risk of contamination. When removing gloves, you want to prevent your skin from coming into direct contact with any contaminants that may be on the gloves' exterior. This technique allows for the gloves to be turned inside out during removal, which effectively contains any pathogens or potentially harmful substances and keeps them away from your skin. By heading into the correct sequence where the glove is first handled to peel off and then the skin is involved last, it ensures that any contamination remains trapped within the removed glove. Proper glove removal is critical in a healthcare or first aid context to maintain safety and hygiene, especially to prevent the spread of infection.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://frontierairlinesfirstaid.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE