FTCE GENERAL KNOWLEDGE MATH PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ftcegeneralknowledgemath.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a triangle called that includes one obtuse angle?

A. Equilateral Triangle

B. Scalene Triangle

C. Acute Triangle

D. Obtuse Triangle

2. Which of the following is not a characteristic of the standard deviation?

A. It indicates the average distance of data points from the mean

B. It provides a measure of variability within a data set

C. It can only take positive values

D. It will always equal the range of the data set

3. What is the boiling point of water in degrees Fahrenheit?

A. 0 degrees F

B. 100 degrees F

C. 212 degrees F

D. 32 degrees F

4. Which formula would be used to find the lateral area of a cone or pyramid?

A. 1/2PI

B. (3.14)r^2

C. Sum of lengths of sides

D. 1/2PI + B

5. What does the graph indicate if an inequality solves to x is greater than or equal to a number?

A. Vertical line

B. Horizontal line

C. Diagonal line

D. No graph

6. Which of the following describes a feature of variance?

A. Measures central tendency

B. Measures dispersion from the mean

C. Indicates a linear relationship

D. Defines proportional relationships

SAMPLE

7. What type of triangle has no sides of equal length?

A. Isosceles triangle

B. Equilateral triangle

C. Scalene triangle

D. Right triangle

8. How many equal sides does an equilateral triangle have?

A. One

B. Two

C. Three

D. None

9. What is the term for a shorthand way of expressing repeated multiplication?

A. Factorial form

B. Exponent form

C. Scientific notation

D. Radical form

10. Which term is associated with the rearrangement of items to consider different orders?

A. Permutations

B. Combinations

C. Substitutions

D. Linear relationships

SAMPLE

Answers

SAMPLE

1. D
2. D
3. C
4. A
5. B
6. B
7. C
8. C
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What is a triangle called that includes one obtuse angle?

A. Equilateral Triangle

B. Scalene Triangle

C. Acute Triangle

D. Obtuse Triangle

A triangle that has one obtuse angle is classified as an obtuse triangle. An obtuse angle is defined as an angle greater than 90 degrees but less than 180 degrees. In this type of triangle, the presence of the obtuse angle means that the other two angles must be acute, as the sum of all angles in a triangle is always 180 degrees. This characteristic differentiates it from other types of triangles, such as equilateral triangles, where all angles are equal (and acute), or scalene triangles, which may have all angles acute or one right angle but cannot have an obtuse angle. Acute triangles consist entirely of angles less than 90 degrees, making them distinctly different from obtuse triangles. Thus, an obtuse triangle is the correct classification for a triangle with one angle measuring greater than 90 degrees.

2. Which of the following is not a characteristic of the standard deviation?

A. It indicates the average distance of data points from the mean

B. It provides a measure of variability within a data set

C. It can only take positive values

D. It will always equal the range of the data set

The correct answer is indeed the statement that the standard deviation will always equal the range of the data set. This is not a characteristic of standard deviation. Standard deviation is a measure of the amount of variation or dispersion in a set of values. It indicates the average distance of each data point from the mean, making it a valuable tool for understanding the spread of the data. Unlike the range, which is simply the difference between the highest and lowest values in the dataset, standard deviation takes into account how each data point varies from the mean. While standard deviation can only take positive values (since it involves squaring the differences from the mean), its relationship with the range is not fixed; they can be very different depending on the distribution of the data. For example, a dataset can have a large range but a small standard deviation if most of the values are clustered together. This further illustrates that standard deviation and range are distinct measures with different interpretations in the context of statistics.

3. What is the boiling point of water in degrees Fahrenheit?

A. 0 degrees F

B. 100 degrees F

C. 212 degrees F

D. 32 degrees F

The boiling point of water is 212 degrees Fahrenheit at standard atmospheric pressure. This temperature is significant because it marks the point at which water transitions from a liquid to a gas. Under normal conditions, when water reaches this temperature, it begins to produce steam, indicating that it is boiling. In terms of its relevance in various scientific and practical applications, understanding the boiling point of water is crucial. It is foundational in experiments that involve phase changes, cooking processes, and in many industries that rely on steam or evaporation processes. The other suggested temperatures do not reflect the boiling point of water: 0 degrees Fahrenheit is far below the freezing point of water, 100 degrees Fahrenheit is actually the boiling point of water in Celsius (which is not applicable here), and 32 degrees Fahrenheit represents the freezing point of water. Thus, 212 degrees Fahrenheit is the accurate boiling point when considering common conditions and measurements.

SAMPLE

4. Which formula would be used to find the lateral area of a cone or pyramid?

A. 1/2PI

B. (3.14)r^2

C. Sum of lengths of sides

D. 1/2PI + B

The formula for finding the lateral area of a cone or a pyramid is not represented correctly in the selected answer. To clarify, the lateral area specifically relates to the areas of the sides of these shapes, excluding any bases. For a cone, the lateral area can be calculated using the formula $\pi r l$, where r is the radius of the base and l is the slant height. This formula accounts for the curved surface of the cone. In the case of a pyramid, the lateral area can be computed by summing the areas of the triangular faces. The formula for this is generally $\frac{1}{2} \times \text{perimeter of the base} \times \text{slant height}$. Looking at the provided choices, while none accurately reflect the required formulas for the lateral area of a cone or pyramid, understanding that the lateral area pertains to the surface area excluding the base is crucial. The correct approach would involve identifying either the specific lateral area formula for a cone or the appropriate calculation method for a pyramid's lateral area. To improve understanding, it's beneficial to remember that while lateral area considers only the sides, surface area includes both bases and lateral surfaces.

5. What does the graph indicate if an inequality solves to x is greater than or equal to a number?

A. Vertical line

B. Horizontal line

C. Diagonal line

D. No graph

When an inequality is expressed as "x is greater than or equal to a number," it indicates that the solution includes all values of x that are equal to that number or any value greater than it. In terms of graphing, this is represented using a vertical line on a coordinate plane. A vertical line indicates that for all points along that line, the x-values are constant, while the y-values can take on any value. Since the inequality includes "greater than or equal to," the vertical line is often drawn as a solid line, highlighting that the point corresponding to the number is included in the solution set. The shading extends to the right of that line to represent all values greater than the specified number. This context clarifies why the selected answer, which describes a horizontal line, is not appropriate in this case. A horizontal line would indicate a situation where the y-value is constant and the x-value can vary, which does not correspond to the inequality in question.

6. Which of the following describes a feature of variance?

A. Measures central tendency

B. Measures dispersion from the mean

C. Indicates a linear relationship

D. Defines proportional relationships

Variance is a statistical measure that quantifies the degree of spread in a set of data points. It specifically gauges how much the individual data points deviate from the mean of the dataset. A higher variance indicates that the data points are more spread out, whereas a lower variance suggests that they are closer to the mean, thereby providing insight into the distribution of data. In this context, measuring dispersion from the mean is the defining feature of variance. It is important to distinguish this from measures of central tendency, which focus on identifying the center of the data, such as the mean, median, or mode. Variance, on the other hand, deals with the variability and distribution of those data points around that central value. Therefore, the correct characterization of variance aligns precisely with the explanation of how it measures dispersion from the mean.

SAMPLE

7. What type of triangle has no sides of equal length?

A. Isosceles triangle

B. Equilateral triangle

C. Scalene triangle

D. Right triangle

A triangle that has no sides of equal length is classified as a scalene triangle. In a scalene triangle, each side has a different length, and as a result, all three angles are also different. This distinguishes scalene triangles from isosceles triangles, which have at least two equal sides, and equilateral triangles, where all three sides are of equal length. While a right triangle describes a triangle with one angle measuring exactly 90 degrees, it can also be scalene if its sides are of different lengths. However, the defining characteristic of a scalene triangle is the absence of equal sides, which is why it is the correct identification for a triangle with no sides of equal length. Understanding these classifications helps in recognizing the properties of different types of triangles in geometry.

8. How many equal sides does an equilateral triangle have?

A. One

B. Two

C. Three

D. None

An equilateral triangle is defined as a triangle in which all three sides are of equal length. This property gives the triangle its name, as "equilateral" translates to "equal sides." When you consider the geometric properties, each side is not just equal in length but also contributes to the overall symmetry of the triangle, making all angles within the triangle equal as well. Therefore, the correct response indicates that there are three equal sides in an equilateral triangle.

9. What is the term for a shorthand way of expressing repeated multiplication?

A. Factorial form

B. Exponent form

C. Scientific notation

D. Radical form

The term for a shorthand way of expressing repeated multiplication is exponent form. In mathematics, exponentiation refers to the operation of raising a number (the base) to a power, which indicates how many times the base is multiplied by itself. For example, \(3^4\) means that 3 is multiplied by itself four times: \(3 \times 3 \times 3 \times 3\). This is a concise way to represent what would otherwise be a lengthy multiplication expression. The other options represent different mathematical concepts. Factorial form relates to the product of an integer and all the integers below it, scientific notation is used for expressing very large or very small numbers in a compact form, and radical form deals with roots, such as square roots or cube roots. These do not describe the concept of repeated multiplication as effectively as exponent form does.

SAMPLE

10. Which term is associated with the rearrangement of items to consider different orders?

A. Permutations

B. Combinations

C. Substitutions

D. Linear relationships

The correct response is linked to the concept of arrangements of items where the order matters. In mathematics, permutations refer to the different possible arrangements of a set of items. For instance, if you have three letters A, B, and C, the permutations would be ABC, ACB, BAC, BCA, CAB, and CBA, illustrating that changing the order creates a distinct arrangement. On the other hand, combinations deal with selections where the order does not matter. For example, the combination of the letters A, B, and C considers AB and BA as the same group. The term substitutions is not specific to arrangements but rather refers to replacing one element with another. Linear relationships describe a type of equation or graph rather than arrangements of items. Therefore, permutations accurately describe the concept of rearranging items into different orders.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ftcegeneralknowledgemath.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE