
G36 NEW YORK PROPANE LICENSE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://g36newyeardpropane.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What must be done before starting work if dangerous vapors are detected?

A. Begin work and ventilate during

B. Vapors must be reduced to safe levels before work begins

C. Wait for a supervisor

D. Just wear a mask

2. What is the dangerous consequence of exposing gas containers to high temperatures (125°F)?

A. The container will melt.

B. The pressure inside increases to a dangerous level.

C. The valve will automatically seal.

D. The gas becomes inert.

3. Regarding placement, LPG containers must not be placed where?

A. The container must not be placed underground or below grade

B. The container may be placed underground if ventilated

C. The container may be stored on shelves

D. The container may be used in enclosed spaces

4. Maintenance should be performed on propane appliances annually?

A. Replacing worn parts only

B. Cleaning the exterior only

C. Checking venting performance

D. Inspect venting, seals, gaskets, connections, and test for leaks; service any worn parts

5. Why is mercaptan odorant added to propane, and how is a leak detected?

A. To improve combustion efficiency.

B. To make propane heavier than air.

C. To enable leak detection by smell; leaks are typically detected by the odor.

D. To prevent rust on cylinders.

SAMPLE

6. In propane safety, which statement is true about odorant mercaptan?

A. It is added to reduce the odor of leaks.

B. It is added to help detect leaks by smell.

C. It has no safety function.

D. It is used to color-code propane cylinders.

7. At the end of each workday, what must be done with LPG/CNG containers on a site with a city-wide permit?

A. Left on site for access

B. Stored in a locked container only

C. Ignored if not in use

D. Removed from the site

8. What should you check on hoses and regulators before use?

A. Look for cracks, wear, bulges, leaks, and damage; replace damaged parts with approved components.

B. Look for cracks only.

C. Check only the color of hoses.

D. Ignore minor damage if you think it's safe.

9. How can you verify the accuracy of a pressure gauge in a propane system?

A. Ignore test results

B. Compare with a known-good gauge or have it tested/calibrated by a qualified technician

C. Check visually only

D. Replace the gauge annually regardless

10. Where should indoor compressed gas storage and use areas be located?

A. In well-ventilated areas.

B. In a cellar, basement, pit, or other area below grade.

C. In an above-grade under-floor space or basement without ventilation.

D. In any location if containers are upright.

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. D
5. C
6. B
7. D
8. A
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What must be done before starting work if dangerous vapors are detected?

A. Begin work and ventilate during

B. Vapors must be reduced to safe levels before work begins

C. Wait for a supervisor

D. Just wear a mask

When dangerous vapors are present, you don't start work until the air is safe. The atmosphere must be brought to a level where there's no ignition risk and exposure is within safe limits. That means you test the area and, if vapors are detected, you reduce them to safe levels before beginning—typically through ventilation, leak repair, and containment if needed. A mask won't reliably remove vapors, and simply waiting for someone else doesn't address the hazard. Only when detectors show the air is safe do you proceed with the task.

2. What is the dangerous consequence of exposing gas containers to high temperatures (125°F)?

A. The container will melt.

B. The pressure inside increases to a dangerous level.

C. The valve will automatically seal.

D. The gas becomes inert.

Increasing the temperature inside a sealed gas container raises the pressure of the gas inside. Propane vapor expands as it gets warmer, and the cylinder is built to hold a specific pressure range. When exposed to high heat (like 125°F), the internal pressure can climb to dangerous levels. The safety valve may vent gas to prevent a rupture, but if the heat continues or the valve can't release enough gas, the cylinder could fail and potentially cause a fire or explosion. The other choices aren't correct because melting isn't the primary risk at this temperature, the valve doesn't automatically seal due to heat, and heating doesn't make the gas inert. The core takeaway is to avoid exposing gas containers to high temperatures to prevent dangerous pressure buildup.

3. Regarding placement, LPG containers must not be placed where?

A. The container must not be placed underground or below grade

B. The container may be placed underground if ventilated

C. The container may be stored on shelves

D. The container may be used in enclosed spaces

Place LPG containers in a way that keeps leaks from pooling in low areas and away from places where people live or work. The key safety rule is that propane systems should never be placed underground or below grade. Propane is heavier than air, so a leak can quickly drift down and collect in depressions, basements, or other low spots where it can reach ignition sources or create a dangerous atmosphere. Underground or below-grade locations also have poor ventilation and harder access for emergency shutoff and inspections, increasing the risk. That's why this option is the best answer. Even though ventilation is important for any gas system, placing containers underground is not considered safe simply by adding ventilation. Using LPG in enclosed spaces is also unsafe because gas can accumulate and ignite, so it's not allowed to operate or keep cylinders in enclosed areas. Storing on shelves isn't a standard replacement for proper outdoor, well-ventilated placement, and the safest practice is to keep cylinders upright in a ventilated outdoor area away from heat sources.

SAMPLE

4. Maintenance should be performed on propane appliances annually?

A. Replacing worn parts only

B. Cleaning the exterior only

C. Checking venting performance

D. Inspect venting, seals, gaskets, connections, and test for leaks; service any worn parts

Regular maintenance of propane appliances is about keeping the system safe by checking both how well the venting works and that there are no gas leaks. The best approach is to inspect the venting system to ensure combustion gases are expelled properly, examine seals, gaskets, and all connections for wear or damage, and perform a leak test. If any parts are worn or damaged, they should be serviced or replaced. This comprehensive check is necessary because issues with venting can lead to dangerous buildup of carbon monoxide, while deteriorated seals, gaskets, or loose connections can cause gas leaks. Merely cleaning the exterior or replacing worn parts without verifying venting and leaks could leave serious safety problems unaddressed.

5. Why is mercaptan odorant added to propane, and how is a leak detected?

A. To improve combustion efficiency.

B. To make propane heavier than air.

C. To enable leak detection by smell; leaks are typically detected by the odor.

D. To prevent rust on cylinders.

Propane is odorless, so mercaptan is added to give it a distinctive smell that you can notice if there's a leak. This odorant lets leaks be detected quickly by smell—people typically notice a sulfur-like or rotten-egg scent, which prompts them to shut off the flow and ventilate the area. This is why smelling is the common way leaks are detected. The other ideas don't fit with the safety purpose: the odorant isn't about improving combustion efficiency, it doesn't change the gas's density in air, and it isn't meant to prevent rust on cylinders.

6. In propane safety, which statement is true about odorant mercaptan?

A. It is added to reduce the odor of leaks.

B. It is added to help detect leaks by smell.

C. It has no safety function.

D. It is used to color-code propane cylinders.

Propane is odorless by itself, so a safety feature is added to make leaks easy to notice. The odorant mercaptan gives propane a strong, distinctive smell (often described as rotten eggs or skunky), so even small leaks are detected by people nearby. This allows quick action—evacuating the area, avoiding flames or sparks, and turning off the gas—before a dangerous buildup can occur. The purpose isn't to reduce odor or to color-code cylinders; it's specifically to introduce a detectable smell that serves as an early warning of leaks.

SAMPLE

7. At the end of each workday, what must be done with LPG/CNG containers on a site with a city-wide permit?

A. Left on site for access

B. Stored in a locked container only

C. Ignored if not in use

D. Removed from the site

The main idea here is handling LPG/CNG containers in a way that minimizes fire and explosion risk when the day ends. Propane and other compressed gas cylinders are flammable and can leak or be tampered with if left unattended or near ignition sources. Removing them from the site after work eliminates the potential gas source from the occupied area, helps prevent leaks during off-hours, and aligns with city permit requirements that regulate after-hours storage. It also keeps access routes and emergency readiness clear for the next day. Leaving containers on site for access or ignoring them if not in use keeps a flammable gas source nearby, which is unsafe and often not permitted. Storing them only in a locked container may reduce risk somewhat, but it still leaves the containers in the vicinity and may not meet permit stipulations for removal after hours. Removing the containers entirely is the safest and most compliant practice.

8. What should you check on hoses and regulators before use?

A. Look for cracks, wear, bulges, leaks, and damage; replace damaged parts with approved components.

B. Look for cracks only.

C. Check only the color of hoses.

D. Ignore minor damage if you think it's safe.

Before using propane equipment, you must perform a thorough pre-use inspection of hoses and regulators to prevent dangerous leaks and failures. Carefully check the hose for cracks, wear, bulges, leaks, and any other signs of damage. If you notice any of these issues, replace the hose with an approved component that is rated for propane use and compatible with your system. The regulator and its fittings deserve the same attention: look for corrosion, cracks, or obvious damage, and ensure all connections are secure and suitable for the system's pressure. This kind of comprehensive check matters because even small cracks or a hidden bulge can lead to a dangerous gas leak, and damaged components can fail under pressure. Relying on color or eyeing only one type of defect isn't enough—you want to confirm the physical integrity of the entire assembly and use only approved parts to maintain a proper seal and safe operation. Never ignore damage; replace damaged parts and then test the connections for leaks with a soap-and-water solution to ensure everything is tight and safe.

SAMPLE

9. How can you verify the accuracy of a pressure gauge in a propane system?

A. Ignore test results

B. Compare with a known-good gauge or have it tested/calibrated by a qualified technician

C. Check visually only

D. Replace the gauge annually regardless

Gauge accuracy in a propane system must be verified against a trusted reference or through proper calibration. Reading a pressure gauge isn't enough to know you're seeing the true pressure unless you've confirmed it against a known-good standard. This is essential for safety and proper system operation because incorrect readings can lead to improper regulator behavior, leaks going unnoticed, or over-pressurization. The best approach is to compare the gauge under test with a known-good gauge that is properly calibrated, ideally with traceability to a standards body. If the readings align within the acceptable tolerance, the gauge is considered accurate for use. If they don't, the gauge should be recalibrated by a qualified technician or replaced. Using a professional calibration service or a deadweight tester provides a calibration that you can trust and that meets required specifications, which is especially important in safety-critical propane work. Make sure all readings are taken on the same line, units are consistent, and environmental factors like temperature are considered, since they can affect readings. Ignoring test results is unsafe because you might rely on an inaccurate gauge. Checking only visually can miss drift or internal damage, and replacing the gauge on an arbitrary schedule without verification wastes resources and doesn't guarantee accuracy. The key is using a trusted reference or professional calibration to confirm the gauge's accuracy.

10. Where should indoor compressed gas storage and use areas be located?

A. In well-ventilated areas.

B. In a cellar, basement, pit, or other area below grade.

C. In an above-grade under-floor space or basement without ventilation.

D. In any location if containers are upright.

Ventilation is essential for indoor compressed gas storage and use areas because leaked gas must be quickly diluted and dispersed to prevent dangerous buildup. Propane vapors can collect in enclosed spaces, especially in low areas, posing fire, explosion, and asphyxiation risks. A well-ventilated area reduces these hazards by allowing fresh air to dilute any gas that escapes and carry it away from people and ignition sources. Storing or using gas in a cellar or basement, or in any space without adequate ventilation, increases the chance that leaked gas will accumulate rather than dissipate. The same risk applies to spaces above grade that lack proper ventilation. Simply keeping containers upright does not address the danger of gas accumulation if the area itself does not have sufficient air exchange.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://g36newyeardpropane.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE