GENERAL CERTIFICATE OF SECONDARY EDUCATION (GCSE) MATHS PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://gcse-maths.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **How do you calculate 'at least probability'?**

   A. Add the probabilities of all outcomes

   B. Subtract the opposite probability from 1

   C. Multiply all probabilities together

   D. Divide the total outcomes by the successful outcomes

2. **To estimate a decimal point in a square root calculation, what should you consider?**

   A. Rounding the number to the nearest whole

   B. The distance between the two nearest square numbers

   C. Multiplying the root by ten

   D. Understanding the definition of square roots

3. **Which method is used to construct a 60-degree angle?**

   A. Draw two intersecting lines at 60 degrees

   B. Use a protractor to measure

   C. Draw a large arc with the compass

   D. Make two lines intersect

4. **The sum of two integers is always what type of number?**

   A. Fraction

   B. Decimal

   C. Whole number

   D. Integer

5. **What term describes the measure of how much matter is in a given volume?**

   A. Mass

   B. Volume

   C. Density

   D. Weight

SAMPLE

6. If y is inversely proportional to x, which equation represents this relationship?

A. $y = k + x$

B. $y = kx$

C. $y = k/x$

D. $y = x/k$

7. What is the value of tan 0°?

A. 0

B. 1

C. undefined

D. -1

8. If A and B are independent events, how do you find P(A and B)?

A. P(A) + P(B)

B. P(A) x P(B)

C. P(A) - P(B)

D. P(A) / P(B)

9. How is the volume of a prism calculated?

A. Area of base x height

B. Cross sectional area x length

C. Area of perimeter x height

D. Length x width x height

10. Which of the following is NOT a type of projection in geometry?

A. Front elevation

B. Plan

C. Side elevation

D. Bottom view

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. D
5. C
6. C
7. A
8. B
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. How do you calculate 'at least probability'?

A. Add the probabilities of all outcomes

B. Subtract the opposite probability from 1

C. Multiply all probabilities together

D. Divide the total outcomes by the successful outcomes

To calculate 'at least probability,' you typically focus on finding the probability of one or more favorable outcomes occurring in an event. The most efficient way to do this is to consider the complement of the event in question. This means you first determine the probability of the event not occurring at all (i.e., the opposite). You can then subtract this probability from 1 to find the probability of the event occurring at least once. For example, if you are tossing a die and want to find the probability of rolling at least one 4 in three tosses, you would first calculate the probability of not rolling a 4 at all and then subtract that from 1. This approach simplifies calculations, especially when dealing with multiple events and ensures that you are capturing all possible successful outcomes as opposed to calculating each possible successful outcome individually.

2. To estimate a decimal point in a square root calculation, what should you consider?

A. Rounding the number to the nearest whole

B. The distance between the two nearest square numbers

C. Multiplying the root by ten

D. Understanding the definition of square roots

When estimating a decimal point in a square root calculation, considering the distance between the two nearest square numbers is crucial. This approach allows you to identify a range within which the square root of the target number lies. For instance, if you need to find the square root of a number like 20, you can recognize that it is between the square of 4 (which is 16) and the square of 5 (which is 25). This gives you the estimate that the square root of 20 is between 4 and 5. Next, by determining how far 20 is from these squares, you can refine your estimate further. Since 20 is closer to 16 than to 25, you might estimate the square root to be closer to 4.5 rather than 5. This method allows for a more precise estimate by examining the relationship between the number in question and the nearest perfect squares, which is a pivotal aspect of understanding square roots.

3. Which method is used to construct a 60-degree angle?

A. Draw two intersecting lines at 60 degrees

B. Use a protractor to measure

C. Draw a large arc with the compass

D. Make two lines intersect

The method of constructing a 60-degree angle using a compass is based on the geometric principle that a regular hexagon can be inscribed in a circle, and each central angle of the hexagon measures 60 degrees. To do this, you start by drawing a circle with a compass, which will act as the boundary for your angle. Mark the center of the circle as point O. From the center, you then draw a radius to any point on the circle, and label that point as A. Without changing the width of the compass, place the compass point on A, and draw another arc that intersects the circle at point B. Next, keeping the compass width the same, place the compass point on B and draw an arc intersecting the radius. Where this new arc intersects the radius, label that point C. Finally, drawing a straight line from O to C creates a 60-degree angle with the original radius OA. This method is accurate and does not rely on measurement tools, as it purely uses the properties of circles and angles to construct the desired angle. Using a protractor to measure directly would provide a quick way to create a 60-degree angle but does not utilize geometric constructions. Drawing two intersecting lines could

EXAMPLE

4. The sum of two integers is always what type of number?

A. Fraction

B. Decimal

C. Whole number

D. Integer

When considering the sum of two integers, it is essential to understand the properties of integers. Integers are whole numbers that can be positive, negative, or zero, but they do not include fractions or decimals. When you take two integers and add them together, the result will always be another integer. This is due to the closed property of addition within the set of integers, which states that the sum of any two integers will produce another integer. For example, if you take 3 and -5, their sum is -2, which is still an integer. This property holds true regardless of the specific integers involved, meaning the outcome will consistently be an integer. Other types of numbers, such as fractions or decimals, cannot result from adding two integers, reinforcing that the correct answer is indeed that the sum is an integer.

5. What term describes the measure of how much matter is in a given volume?

A. Mass

B. Volume

C. Density

D. Weight

The term that describes the measure of how much matter is in a given volume is density. Density is defined as mass per unit volume. This means that density tells us how much mass is contained in a specific volume of an object or substance. For example, if you have two objects that are the same size or occupy the same volume, but one is significantly heavier than the other, the heavier object has a higher density. This concept is crucial in various scientific applications, including material science and engineering, where understanding the properties of different materials is essential. The other terms provided do relate to measurements of matter, but they describe different concepts. Mass refers simply to the amount of matter itself, without reference to volume. Volume measures the amount of space an object occupies, and weight is the force exerted by gravity on that mass. Understanding these distinctions helps in accurately describing physical properties in science and mathematics.

6. If y is inversely proportional to x, which equation represents this relationship?

A. $y = k + x$

B. $y = kx$

C. $y = k/x$

D. $y = x/k$

When a variable y is said to be inversely proportional to another variable x, it means that as x increases, y decreases in such a way that their product remains constant. This relationship can be expressed mathematically as $y = \frac{k}{x}$, where k is a constant. In this equation, if x takes on larger values, y must take on smaller values to ensure that the product $y \times x$ equals the constant k. Conversely, if x is smaller, y will be larger, maintaining that constant product. Thus, the equation $y = \frac{k}{x}$ precisely captures the essence of inverse proportionality between y and x. The other forms provided in the choices do not accurately represent inverse relationships. For instance, the equation $y = k + x$ suggests a direct addition rather than an inverse association, while $y = kx$ indicates direct proportionality. The equation $y = \frac{x}{k}$ would imply that y is directly proportional to x

SAMPLE

7. What is the value of tan 0°?

A. 0

B. 1

C. undefined

D. -1

The value of tan 0° equals 0 because the tangent function is defined as the ratio of the opposite side to the adjacent side in a right triangle. When the angle is 0°, the length of the opposite side is 0 while the length of the adjacent side remains non-zero. Therefore, the tangent at this angle can be calculated as: \[\tan(0°) = \frac{\text{opposite}}{\text{adjacent}} = \frac{0}{\text{non-zero}} = 0. \] This is consistent within the unit circle as well, where the coordinates at 0° (or 0 radians) are (1, 0). The tangent, which is the sine (y-coordinate) divided by the cosine (x-coordinate), also confirms this: \[\tan(0°) = \frac{\sin(0°)}{\cos(0°)} = \frac{0}{1} = 0. \] Thus, the correct answer reflects the fundamental understanding of the tangent function in trigonometry.

8. If A and B are independent events, how do you find P(A and B)?

A. P(A) + P(B)

B. P(A) x P(B)

C. P(A) - P(B)

D. P(A) / P(B)

To find the probability of two independent events A and B occurring together, you multiply their individual probabilities. This is because the occurrence of one event does not influence the occurrence of the other when events are independent. When calculating P(A and B), you use the formula P(A and B) = P(A) × P(B). This reflects the idea that the total probability of both events happening is the product of their respective probabilities. For example, if the probability of event A happening is 0.5 and the probability of event B happening is 0.3, then the probability of both events A and B occurring is calculated as follows: P(A and B) = 0.5 × 0.3 = 0.15. In contrast, the other options provided do not apply to independent events. Adding their probabilities (P(A) + P(B)) would result in an inaccurate measure, as it does not consider the actual intersection of the two events. Subtracting the probabilities (P(A) - P(B)) also does not represent a correct measure of either event occurring together, as probabilities cannot be negative. Finally, dividing the probabilities (P(A) / P(B)) does not provide a meaningful measure of their joint occurrence

9. How is the volume of a prism calculated?

A. Area of base x height

B. Cross sectional area x length

C. Area of perimeter x height

D. Length x width x height

The volume of a prism is calculated using the formula that involves the cross-sectional area and the length of the prism. Specifically, this means that to find the volume, one needs to determine the area of the cross-section—this is the area of a slice of the prism taken perpendicular to its length—and then multiply that area by the total length of the prism. This method is particularly effective because a prism maintains the same cross-sectional area throughout its length, allowing you to simply replicate the area across the length for a consistent volume calculation. In terms of the other choices, the calculation of area and height suggests a two-dimensional figure rather than a three-dimensional prism. The option about perimeter would not yield a volume in the proper manner since it involves length around the base rather than the base area itself. The last option presents a formula typically used for finding volume, but it refers to a rectangular prism and doesn't generalize to prisms of different shapes, hence it's not the most appropriate representation of how to calculate the volume of a general prism.

SAMPLE

10. Which of the following is NOT a type of projection in geometry?

A. Front elevation

B. Plan

C. Side elevation

D. Bottom view

In geometry, various types of projections are used to represent three-dimensional objects on a two-dimensional plane. The common projections include front elevation, plan, and side elevation. Front elevation shows the object as viewed from the front, allowing for a clear representation of vertical features. The plan view, on the other hand, depicts the object from above, providing insight into the object's layout and dimensions horizontally. Side elevation offers a profile of the object from the side, representing how the object appears from that angle. The term "bottom view" is not commonly associated with projections in standard geometrical practices. While it may sometimes be informally used to describe a view from below, it does not fit into the conventional types of projections such as front or side elevations, or plan views. Therefore, it can be classified as not being a recognized type of projection in geometry.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://gcse-maths.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE