
GEORGIA COMMERCIAL CONTRACTOR SEPTIC PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://georgiacommercialcontractor-septic.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is the minimum distance that a septic tank should be from drainage ditches?**

   A. 25 Ft

   B. 10 Ft

   C. 15 Ft

   D. 50 Ft

2. **Which materials should be avoided when disposing of waste in a septic system?**

   A. Food scraps and organic waste

   B. Grease, oils, solvents, and non-biodegradable items

   C. Paper products and biodegradable items

   D. Human waste and toilet paper

3. **Can chemical additives positively affect septic system performance?**

   A. Yes, they are always beneficial

   B. No, they can harm the system's bacteria

   C. Yes, in some cases they help

   D. No, but they have no effect

4. **What is the minimum size requirement for a grease trap?**

   A. 50 gallons

   B. 75 gallons

   C. 100 gallons

   D. 125 gallons

5. **What happens when a septic system is improperly maintained?**

   A. It can lead to sewage backups and system failures

   B. It enhances the efficiency of wastewater treatment

   C. It reduces the operational costs of the system

   D. It provides better soil nutrients

SAMPLE

6. What are the main components of a septic system?

A. Septic tank, drain field, and soil absorption area

B. Septic tank, pump station, and holding tank

C. Drainage ditch, interceptor, and filtration unit

D. Septic tank, grease trap, and stormwater basin

7. Which of the following is NOT a reason to contact the Georgia Environmental Protection Division?

A. Projects exceeding 10,000 gallons per day

B. Residential systems over 2,000 gallons per day

C. Increased construction activity in the area

D. New chemical substances in wastewater

8. What should homeowners monitor to maintain their septic system properly?

A. The color of their septic tank

B. The frequency of water usage in the household

C. The amount of vegetation over the septic field

D. The level of noise from the septic system

9. What must be done for any project with a total daily flow of 10,000 gallons on a single property?

A. Submit a report to the local council

B. Obtain a permit from Georgia Environmental Protection Division

C. Notify local residents

D. Install monitoring systems

10. Which of the following is NOT a key consideration when selecting a dosing tank?

A. Size of the tank

B. Color of the tank

C. Type of wastewater

D. Total Dynamic Head

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. D
5. A
6. A
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the minimum distance that a septic tank should be from drainage ditches?

A. 25 Ft

B. 10 Ft

C. 15 Ft

D. 50 Ft

The correct choice reflects the guidelines established for septic system placement concerning drainage ditches. Maintaining a minimum distance of 15 feet from drainage ditches is crucial for several reasons, primarily to prevent contamination of surface water and ensure proper operation of the septic system. By adhering to this minimum distance, the risk of effluent from the septic tank entering nearby drainage ditches is minimized. This is vital for protecting water quality, as any contamination can lead to public health issues and environmental harm. Additionally, this distance helps ensure that the septic system operates efficiently by preventing excessive moisture or flooding from the drainage ditches from adversely impacting the septic tank and surrounding soil. In contrast, the other distances would not adequately mitigate the risks associated with proximity to drainage ditches. For example, a minimum distance of 10 feet may not provide sufficient protection and could lead to contamination risks. Distances of 25 feet or 50 feet, while safer, exceed the regulatory requirement and may not be necessary unless specific site conditions warrant them. The regulation's choice of 15 feet strikes a balance between safety and practicality for residential and commercial properties.

2. Which materials should be avoided when disposing of waste in a septic system?

A. Food scraps and organic waste

B. Grease, oils, solvents, and non-biodegradable items

C. Paper products and biodegradable items

D. Human waste and toilet paper

The choice to avoid grease, oils, solvents, and non-biodegradable items when disposing of waste in a septic system is crucial for maintaining its functionality and longevity. These materials can cause numerous problems within the septic system. Firstly, grease and oils can solidify within the tank and pipes, leading to clogs that impede the flow of wastewater, which may result in back-ups and overflow. Solvents and non-biodegradable items, such as plastics, can disrupt the natural bacterial processes essential for breaking down waste. Bacteria in the septic tank are responsible for decomposing organic matter, and the introduction of harmful chemicals or items that cannot break down hinders this process, potentially allowing harmful substances to enter the leach field and contaminate groundwater. In contrast, food scraps and organic waste, biodegradable products, and human waste with toilet paper are generally acceptable in a properly functioning septic system, as they are designed to decompose effectively through natural processes facilitated by bacteria. This is why the focus is on avoiding items that are harmful to the septic system's operation.

SAMPLE

3. Can chemical additives positively affect septic system performance?

A. Yes, they are always beneficial

B. No, they can harm the system's bacteria

C. Yes, in some cases they help

D. No, but they have no effect

The idea that chemical additives can harm the system's bacteria is grounded in the understanding of how septic systems operate. Septic systems rely on a delicate balance of bacteria to break down waste. These bacteria are essential for the proper functioning of the system, as they facilitate the digestion of organic material, helping to prevent clogs and maintain effective sewage treatment. When chemical additives are introduced, they can disrupt this balance. Many chemical products are harsh and can kill beneficial bacteria or inhibit their activity. This disruption can lead to reduced efficiency in waste breakdown, potentially causing backups, system failures, or the need for costly repairs and maintenance. In contrast, some alternatives to chemical additives, such as natural enzymes or bacteria boosters, may improve septic system performance without the adverse effects associated with chemicals. They work by supplementing the existing bacterial population rather than harming it. Adopting a cautious approach to any additives used in septic systems is critical, as the health of the microbial community directly impacts system performance and longevity. Therefore, understanding the implications of using chemical additives is essential for maintaining a properly functioning septic system.

4. What is the minimum size requirement for a grease trap?

A. 50 gallons

B. 75 gallons

C. 100 gallons

D. 125 gallons

The minimum size requirement for a grease trap is indeed 125 gallons. This specification is crucial for effectively managing waste and ensuring that commercial kitchens or food service establishments can properly handle the volume of grease and food particles generated during operation. A grease trap's function is to intercept fats, oils, and greases (FOG) before they enter the sewage system, preventing clogs and ensuring compliance with local wastewater management regulations. Choosing a trap that meets or exceeds the 125-gallon requirement ensures that there is sufficient capacity to handle peak discharge periods, thereby reducing the likelihood of overflow or sewer backup. It is essential for maintaining sanitary conditions and promoting the longevity of the sewer system. Grease traps that are too small may not adequately capture the buildup of grease, which can lead to costly repairs, health code violations, and potential fines. Other options would not meet the necessary capacity to effectively manage grease separation in commercial settings, resulting in less efficient operation and increased risk of failures in the waste management system.

SAMPLE

5. What happens when a septic system is improperly maintained?

A. It can lead to sewage backups and system failures

B. It enhances the efficiency of wastewater treatment

C. It reduces the operational costs of the system

D. It provides better soil nutrients

Improper maintenance of a septic system can lead to severe consequences, including sewage backups and system failures. A septic system is designed to treat and dispose of household wastewater efficiently. When the system is not properly maintained, factors like clogged pipes, overfilled tanks, or inefficient drainage can occur. These issues can cause the system to back up, resulting in sewage material entering homes or overflowing onto the property, which poses health risks and necessitates costly repairs or replacements. In contrast, enhancing the efficiency of wastewater treatment, reducing operational costs, or providing better soil nutrients cannot occur when maintenance is lacking. Instead, neglect can lead to an increase in operational costs due to emergency repairs and more frequent pumping, along with negative environmental impacts. Thus, the right answer highlights the crucial need for regular maintenance to prevent significant and costly failures in the system.

6. What are the main components of a septic system?

A. Septic tank, drain field, and soil absorption area

B. Septic tank, pump station, and holding tank

C. Drainage ditch, interceptor, and filtration unit

D. Septic tank, grease trap, and stormwater basin

The main components of a septic system are the septic tank, drain field, and soil absorption area. The septic tank serves as the initial stage of wastewater treatment, where solids settle at the bottom, and bacteria break down the waste. This creates a layer of effluent that flows into the drain field, which is critical for further treatment and absorption of the wastewater into the soil. The soil absorption area, also known as the leach field, allows for the final treatment of effluent as it percolates through the soil, providing biological filtration and natural purification before the water re-enters the groundwater supply. Other options provided do not accurately describe the essential components of a standard septic system. For example, while a pump station and holding tank are components of certain wastewater management systems, they are not basic components of a conventional septic system. Similarly, drainage ditches and filtration units are used in different contexts and are not fundamental elements of traditional septic systems. Grease traps are used in commercial settings to prevent fats, oils, and grease from entering the sewage system, and stormwater basins are designed for managing surface runoff, but neither is a part of conventional septic systems. Thus, the correct answer reflects the essential components necessary for the proper functioning of a septic

SAMPLE

7. Which of the following is NOT a reason to contact the Georgia Environmental Protection Division?

A. Projects exceeding 10,000 gallons per day

B. Residential systems over 2,000 gallons per day

C. Increased construction activity in the area

D. New chemical substances in wastewater

Contacting the Georgia Environmental Protection Division (EPD) is essential for certain regulatory and safety reasons, particularly in relation to wastewater management and environmental health. In this case, increased construction activity in the area does not necessarily warrant contacting the EPD unless it results in specific environmental concerns, such as the discharge of pollutants or impacts on water sources. On the other hand, projects exceeding 10,000 gallons per day or residential systems over 2,000 gallons per day are significant because they can greatly affect the surrounding environment, necessitating oversight and monitoring to ensure compliance with environmental laws and standards. Additionally, the introduction of new chemical substances in wastewater presents potential risks to public health and the ecosystem, making it critical to inform the EPD to assess and manage any hazardous impacts. Thus, while increased construction activity may indirectly affect environmental factors, it does not automatically trigger the need for EPD involvement as do the other options, which involve more direct regulatory implications.

8. What should homeowners monitor to maintain their septic system properly?

A. The color of their septic tank

B. The frequency of water usage in the household

C. The amount of vegetation over the septic field

D. The level of noise from the septic system

Monitoring the frequency of water usage in the household is crucial for proper septic system maintenance. Excessive water use can overwhelm the septic system, leading to inadequate treatment of wastewater and potential system failure. By keeping track of water usage, homeowners can identify trends that might indicate issues, such as leaks or inefficient appliances, which can then be addressed before they escalate into significant problems. Additionally, maintaining a balance in water usage helps ensure that the septic tank does not become overloaded, allowing for optimal operation. Since a septic system relies on the natural processes of settling solids and separating liquids, a sudden influx of water can disrupt these processes, potentially leading to backups and costly repairs. The other factors, while they may play roles in overall upkeep or inform homeowners about their septic systems, do not directly affect the system's functionality in the same immediate and critical way that monitoring water usage does.

SAMPLE

9. What must be done for any project with a total daily flow of 10,000 gallons on a single property?

A. Submit a report to the local council

B. Obtain a permit from Georgia Environmental Protection Division

C. Notify local residents

D. Install monitoring systems

For any project with a total daily flow of 10,000 gallons on a single property, obtaining a permit from the Georgia Environmental Protection Division is a necessary step. This requirement ensures that the septic systems are designed, installed, and operated in accordance with environmental protection standards. The division assesses the environmental impact, compliance with state regulations, and the potential effects on public health and the surrounding ecosystem. Projects of this scale typically present a higher risk of contaminating groundwater or surface water, as well as concerns related to capacity and infrastructure. By enforcing a permitting process, the Georgia Environmental Protection Division can monitor and regulate these systems to ensure they function properly and allow for appropriate oversight. This ultimately protects both the environment and the community from potential hazards associated with large-scale septic operations. The other choices may involve important considerations in specific circumstances, but they do not fulfill the mandatory regulatory requirement that comes with managing a septic system with such a significant daily flow.

10. Which of the following is NOT a key consideration when selecting a dosing tank?

A. Size of the tank

B. Color of the tank

C. Type of wastewater

D. Total Dynamic Head

When selecting a dosing tank, the most critical factors center around its functionality and capacity to handle specific types of wastewater. While the size of the tank is crucial as it determines the volume of wastewater it can hold and effectively manage, and the type of wastewater influences how the system is designed and operated, total dynamic head is essential to ensure the system can effectively transport wastewater to the distribution area. The color of the tank, however, does not play a significant role in its functionality or efficiency. Choosing a tank based on its color does not impact the performance of the septic system; rather, factors like size, wastewater type, and total dynamic head are vital for ensuring the tank meets operational needs and complies with regulations. Therefore, the color can be seen as a negligible consideration in comparison to the other technical factors involved in the effective selection of a dosing tank.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://georgiacommercialcontractor-septic.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE