
GIAC FOUNDATIONAL CYBERSECURITY TECHNOLOGIES PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://gfact.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Why is dynamically adding files based on user input considered a security risk?**

   A. Because it requires higher server resources

   B. Because it opens the application to file inclusion vulnerabilities

   C. Because it complicates user authentication

   D. Because it slows down the user experience

2. **What does encryption provide?**

   A. Authentication

   B. Integrity

   C. Non-repudiation

   D. All of the above

3. **What distinguishes phishing from other types of social engineering attacks?**

   A. Targeting specific individuals

   B. Utilizing emails to deceive the user

   C. In-person manipulation

   D. Being purely physical attacks

4. **Which file extension typically indicates a configuration file for Apache web server settings?**

   A. conf

   B. txt

   C. html

   D. php

5. **What is Spear Phishing?**

   A. A phishing attack but you have a specific target in mind for the attack

   B. Where you go phishing but with a spear instead of a normal bait and hook

   C. Where you target a specific attacker with an email or file in hopes they tag it

   D. None of the above

SAMPLE

6. What does a Cross Site Request Forgery primarily involve?

A. An attack exploiting trust from a web application

B. A method to safely transmit files

C. A technique to enhance website security

D. A type of network encryption

7. What is a common characteristic of social engineering attacks?

A. Technical sophistication

B. Exploiting human psychology

C. Use of malware

D. Accessing physical locations

8. What could potentially happen if known vulnerabilities are not patched?

A. Enhanced system performance

B. Increased risk of exploitation by malicious actors

C. Improved user experience

D. Delayed software execution

9. What makes an encryption strong?

A. An encryption where the mathematical calculations are open to the public

B. An encryption that was bought from a 3rd party

C. An encryption with no mathematical calculations

D. An encryption that is public domain

10. What does a stack canary protect in a stack?

A. A value that sits after the return pointer

B. A value that sits before the return pointer of the stack

C. A security flag used in hardware

D. A variable used for stack management

SAMPLE

Answers

SAMPLE

1. B
2. D
3. B
4. A
5. A
6. A
7. B
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Why is dynamically adding files based on user input considered a security risk?

A. Because it requires higher server resources

B. Because it opens the application to file inclusion vulnerabilities

C. Because it complicates user authentication

D. Because it slows down the user experience

Dynamically adding files based on user input is considered a security risk primarily because it opens the application to file inclusion vulnerabilities. When a web application accepts user input to dynamically include files, it may inadvertently allow attackers to manipulate that input. This manipulation can lead to situations where malicious actors can include unauthorized files on the server, potentially leading to remote code execution, exposure of sensitive information, or other forms of exploitation. File inclusion vulnerabilities, such as Local File Inclusion (LFI) and Remote File Inclusion (RFI), take advantage of improper validation of file paths or names given by the user. An attacker can exploit this by entering a specially crafted input, which results in the application including and executing malicious files that can compromise the server and its data. The other choices do touch on potential issues related to user input and application performance, but they do not directly address the significant security implications that arise from improper handling of dynamic file inclusion in applications.

2. What does encryption provide?

A. Authentication

B. Integrity

C. Non-repudiation

D. All of the above

Encryption serves multiple purposes in the realm of cybersecurity, and it is instrumental in providing authentication, integrity, and non-repudiation. When data is encrypted, it transforms the original information into a secure format. This transformation allows for verification of the sender's identity, hence providing authentication. Only those with the correct decryption key can prove their identity and access the original data. Integrity refers to the assurance that the data has not been altered in transit. Encryption often works alongside techniques such as hashing, which creates a unique fingerprint (or hash) of data. If the data is modified, the hash will not match, indicating that the integrity of the data has been compromised. Non-repudiation ensures that the sender cannot deny having sent the data, which is crucial for accountability. By using digital signatures alongside encryption, an entity can confirm that a specific individual or system sent a message, thereby preventing denial of the sending action. Thus, encryption indeed provides authentication, integrity, and non-repudiation. As a result, the option encompassing all these essential aspects is the correct choice.

SAMPLE

3. What distinguishes phishing from other types of social engineering attacks?

A. Targeting specific individuals

B. Utilizing emails to deceive the user

C. In-person manipulation

D. Being purely physical attacks

Phishing is distinctly characterized by its reliance on emails as the primary medium for deceiving individuals. This method typically involves attackers sending fraudulent messages that appear to originate from legitimate sources, such as banks or popular online services, with the intent to trick recipients into providing sensitive information like passwords or credit card numbers. The essence of phishing lies in this digital deception through communication channels that many individuals interact with regularly. While targeting specific individuals is a feature of some phishing attempts, such as spear phishing, phishing generally addresses a broader audience by casting a wide net. In-person manipulation refers to techniques like pretexting or baiting, which are separate forms of social engineering not connected to phishing. Similarly, purely physical attacks, such as tailgating or physical theft, do not relate to phishing, which fundamentally involves an online component. Thus, the emphasis on emails in phishing sets it apart from other social engineering tactics.

4. Which file extension typically indicates a configuration file for Apache web server settings?

A. conf

B. txt

C. html

D. php

The file extension that typically indicates a configuration file for Apache web server settings is ".conf". This extension is commonly used for configuration files because they contain directives that instruct the Apache server on how to operate, including settings for modules, server behavior, and directory permissions. Configuration files are essential for tuning the performance and security of the Apache server, as they dictate how the server interacts with requests and how it serves content. The ".conf" extension clearly signals to system administrators that the file is intended for configuration purposes, making it easier to identify among other types of files. In contrast, the other extensions represent different types of files: ".txt" is used for plain text files that can contain any text content; ".html" is for Hypertext Markup Language files, which are used to create web pages; and ".php" indicates files that contain PHP code, used for server-side scripting in web development. These files serve different roles within a web environment and do not pertain to server configuration like ".conf" does.

SAMPLE

5. What is Spear Phishing?

A. A phishing attack but you have a specific target in mind for the attack

B. Where you go phishing but with a spear instead of a normal bait and hook

C. Where you target a specific attacker with an email or file in hopes they tag it

D. None of the above

Spear phishing is a targeted attempt to steal sensitive information such as account credentials or financial information from a specific individual, often for malicious reasons, by masquerading as a trustworthy entity in electronic communications. In this context, identifying a specific target is crucial; the attacker tailors their approach to deceive the chosen individual, using personal information about them to make the phishing attempt appear more legitimate. This could include referencing shared connections, recent activities, or interests that the victim may have, thus increasing the chances of success. The focus on a specific target is what distinguishes spear phishing from traditional phishing, which typically casts a wider net, trying to deceive as many people as possible without targeting any particular individual. Understanding this distinction is vital in recognizing how spear phishing can be particularly dangerous and effective in cybersecurity threats, as it often relies on social engineering tactics to convince individuals to reveal sensitive information.

6. What does a Cross Site Request Forgery primarily involve?

A. An attack exploiting trust from a web application

B. A method to safely transmit files

C. A technique to enhance website security

D. A type of network encryption

A Cross-Site Request Forgery (CSRF) primarily involves exploiting the trust that a web application has in the user's browser. In a CSRF attack, a malicious actor tricks a user into unknowingly submitting a request to a web application where they are authenticated. This often occurs when the user is logged into a site and the attack causes the browser to send an unwanted request that performs actions on behalf of the user without their consent or knowledge. For instance, if a user is authenticated on a banking website and visits a malicious site that sends a request to transfer money, the banking site may execute the transaction because it perceives the request as valid due to the user's authenticated session. The key factor in CSRF attacks is the trust established between the web application and the user's browser, which the attacker exploits to carry out potentially harmful actions without the user's intention. The other options relate to different concepts. Transmitting files safely refers to secure file transfer methods, enhancing website security involves various protective measures against vulnerabilities, and network encryption pertains to the techniques used to encode data traveling over a network. These do not capture the essence of what a CSRF attack entails.

SAMPLE

7. What is a common characteristic of social engineering attacks?

A. Technical sophistication

B. Exploiting human psychology

C. Use of malware

D. Accessing physical locations

The common characteristic of social engineering attacks lies in exploiting human psychology. These attacks manipulate individuals into divulging confidential information or performing actions that may compromise security. Social engineers rely on psychological principles such as trust, fear, urgency, and social proof to deceive their targets. For instance, they might pose as legitimate colleagues or authority figures to gain the victim's confidence, prompting them to share sensitive information like passwords or personal data. In contrast, technical sophistication is typically associated with more advanced hacking techniques and tools, which are not the primary focus of social engineering. While some social engineering attacks may involve the use of malware, the essence of these attacks is rooted in manipulating human behavior rather than technology itself. Similarly, accessing physical locations is more related to physical security breaches, which do not inherently involve the same psychological tactics as social engineering.

8. What could potentially happen if known vulnerabilities are not patched?

A. Enhanced system performance

B. Increased risk of exploitation by malicious actors

C. Improved user experience

D. Delayed software execution

When known vulnerabilities are not patched, the increased risk of exploitation by malicious actors is a significant consequence. Attackers actively search for unpatched systems to exploit vulnerabilities. This exploitation can lead to many detrimental outcomes, including unauthorized access to sensitive data, installation of malware, system disruptions, or even complete system takeovers. Vulnerabilities are often well-documented, and attackers can leverage this information to develop tailored attacks that could compromise the integrity, confidentiality, and availability of systems and data. Patching vulnerabilities is a critical aspect of maintaining cybersecurity hygiene. It helps organizations close security gaps before they can be exploited. As software developers release patches, they mitigate the risks associated with known vulnerabilities, making systems more secure against potential breaches. In contrast, the other outcomes mentioned—enhanced system performance, improved user experience, and delayed software execution—are not valid consequences of failing to patch vulnerabilities. In fact, neglecting patches may lead to degraded performance and increased complexity in system management, which can negatively impact user experience and potentially lead to delayed execution of software due to security checks or protective measures applied by security programs reacting to threats.

SAMPLE

9. What makes an encryption strong?

A. An encryption where the mathematical calculations are open to the public

B. An encryption that was bought from a 3rd party

C. An encryption with no mathematical calculations

D. An encryption that is public domain

The concept of strong encryption is fundamentally rooted in the security provided by its algorithms and keys rather than the openness or accessibility of its mathematical calculations. Strong encryption typically involves complex mathematical algorithms that are designed to resist attempts to decrypt the information without the correct key. Having the mathematical calculations open to the public does not make encryption inherently weak. In fact, publicly available algorithms, such as AES (Advanced Encryption Standard), are often deemed strong because they undergo extensive scrutiny and testing by cryptographers and security experts. The more open the algorithm is to review and analysis, the better the chances are that vulnerabilities can be identified and addressed. This public scrutiny can also help build confidence in the system's security. On the other hand, the other options suggest various factors that do not contribute to the strength of encryption: - Acquiring encryption from a third party does not necessarily guarantee that it is strong; the quality and security depend on the underlying algorithm and its implementation, not just the fact that it was purchased. - An encryption method with no mathematical calculations is inherently weak, as it lacks the complex processes required to secure the data effectively. - Encryption that is public domain may indicate a lack of proprietary protections, but it does not speak to the strength of the encryption itself, as

10. What does a stack canary protect in a stack?

A. A value that sits after the return pointer

B. A value that sits before the return pointer of the stack

C. A security flag used in hardware

D. A variable used for stack management

A stack canary is a specific security mechanism that helps protect against stack buffer overflow attacks. It typically involves placing a known value (the canary) right before the return pointer on the stack. The main purpose of the stack canary is to detect any alterations to the return pointer caused by a buffer overflow, which could allow an attacker to hijack the control flow of a program. When a program uses a stack canary, it checks the canary's value before executing a return instruction. If the value has changed, it indicates that there has been an overflow or an unauthorized alteration, prompting the program to terminate or take additional protective measures. This mechanism is essential for maintaining the integrity of the execution flow and preventing exploitable vulnerabilities. The other options pertain to different aspects of security and stack management but do not accurately describe the role or placement of the stack canary in relation to the return pointer. Thus, the correct understanding of the stack canary's position—right before the return pointer—is crucial for grasping its function in stack protection.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://gfact.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE