GREATER MIAMI VALLEY EMS COUNCIL (GMVEMSC) PROTOCOL PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://gmveemscprotocol.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What should be monitored after administering Narcan to a patient?

A. Blood pressure

B. Heart rate

C. Respiratory rate

D. All of the above

2. What is the pediatric GCS Eye Score for a child who opens their eyes spontaneously?

A. 2

B. 3

C. 4

D. 1

3. In obstetrical emergencies, which of the following actions should be taken?

A. Keep all expelled tissue for the hospital

B. Authorize medication administration

C. Discharge the patient immediately

D. Remove the placenta if possible

4. Which of the following symptoms signals a need for an EpiPen?

A. Low blood sugar

B. Anaphylactic shock

C. Simple allergic reaction

D. General malaise

5. What is the nasal cannula (NC) oxygen flow rate recommended for patients with COPD?

A. 1 LPM

B. 2 LPM

C. 4 LPM

D. 6 LPM

SAMPLE

6. What key information should you obtain from a woman in childbirth?

A. Only the contraction duration

B. Disease history and medications

C. History of patient condition and pregnancy details

D. Only the due date

7. What does capnography help confirm in airway management?

A. Patient's oxygen saturation

B. Tube placement confirmation

C. Exhaled carbon dioxide levels

D. Respiratory rate

8. What should be done if the hospital needs additional decontamination equipment during a hazmat call?

A. Inform them in advance

B. Defer all actions until they arrive

C. Proceed to transport without waiting

D. Call for backup

9. If a patient is under 20 weeks pregnant, where should you transport them?

A. Obstetric clinic

B. Immediate care facility

C. The ER

D. Another hospital for specialized care

10. Which symptom is NOT part of the SLUDGEMM mnemonic?

A. Emesis

B. Muscle twitching

C. Headaches

D. Lacrimation

SAMPLE

Answers

SAMPLE

1. D
2. B
3. A
4. B
5. B
6. C
7. B
8. A
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What should be monitored after administering Narcan to a patient?

A. Blood pressure

B. Heart rate

C. Respiratory rate

D. All of the above

Monitoring the patient's respiratory rate after administering Narcan is particularly crucial because Narcan (naloxone) is an opioid antagonist used to reverse the effects of opioid overdose, particularly respiratory depression. Following administration, it's important to assess how well the patient is breathing as opioid overdose often leads to life-threatening respiratory depression, and Narcan's action can help restore normal breathing. Blood pressure and heart rate are also significant parameters to monitor after Narcan administration. Changes in blood pressure and heart rate can occur due to the reversal of opioid effects on the cardiovascular system or as a reaction to the stress of potential withdrawal symptoms in opioid-dependent individuals. Therefore, monitoring all three, respiratory rate, blood pressure, and heart rate, gives a comprehensive view of the patient's stability and response to the treatment. Since respiratory monitoring is the most immediate concern, coupled with the importance of keeping an eye on cardiovascular indicators, it is essential to monitor them all for holistic patient care and safety post-intervention. Acknowledging the importance of each of these parameters confirms why monitoring all of them is the best choice in this situation.

2. What is the pediatric GCS Eye Score for a child who opens their eyes spontaneously?

A. 2

B. 3

C. 4

D. 1

The pediatric Glasgow Coma Scale (GCS) Eye Score evaluates a child's level of consciousness based on their eye response. In this scoring system, the scoring for eye opening is as follows: - A score of 4 is given when the child opens their eyes spontaneously. - A score of 3 indicates eye opening in response to verbal stimuli. - A score of 2 is given for eye opening in response to painful stimuli. - A score of 1 is assigned when there is no eye opening at all. Since the child in the scenario opens their eyes spontaneously, they demonstrate a healthy level of responsiveness, which corresponds to the highest eye opening score of 4. Therefore, for a child who opens their eyes without any external prompting, the correct GCS Eye Score is 4.

SAMPLE

3. In obstetrical emergencies, which of the following actions should be taken?

A. Keep all expelled tissue for the hospital

B. Authorize medication administration

C. Discharge the patient immediately

D. Remove the placenta if possible

In the context of obstetrical emergencies, retaining expelled tissue, such as the placenta or any other tissue, is crucial for several reasons. First, this tissue can provide valuable information for medical professionals regarding the health of both the mother and the newborn. For instance, examining the placenta can help identify conditions, such as retained products of conception or other complications. Additionally, retaining expelled tissue allows for better assessment of potential complications that may arise during or after delivery, such as excessive bleeding or infection. By keeping all expelled tissue for the hospital, healthcare providers can ensure that they have all relevant materials for evaluation and treatment, fostering a more thorough approach to the patient's care. Other actions, while they may seem relevant, might not be as appropriate in this context. Medication administration often requires careful assessment and authorization from a medical professional, and discharging a patient immediately might overlook the need for monitoring and treatment after an obstetrical emergency. The removal of the placenta, if necessary, should only be performed by qualified medical personnel if indicated, as improper handling can lead to increased risks for the patient.

4. Which of the following symptoms signals a need for an EpiPen?

A. Low blood sugar

B. Anaphylactic shock

C. Simple allergic reaction

D. General malaise

The need for an EpiPen is specifically indicated by symptoms of anaphylactic shock, which is a severe and potentially life-threatening allergic reaction. Anaphylaxis can occur rapidly after exposure to an allergen and is characterized by symptoms such as difficulty breathing, swelling of the throat, hives, a rapid drop in blood pressure, and possible loss of consciousness. The urgency in treating anaphylaxis with an EpiPen arises from the fact that these symptoms can escalate quickly and require immediate intervention to prevent serious complications or death. In contrast, other symptoms listed, such as low blood sugar, a simple allergic reaction, or general malaise, do not warrant the use of an EpiPen. Low blood sugar is managed with glucose or sugar intake, a simple allergic reaction may not require medication beyond antihistamines, and general malaise is too vague and nonspecific to indicate a need for epinephrine. Therefore, recognizing the signs of anaphylactic shock is crucial for proper emergency response and timely use of an EpiPen.

SAMPLE

5. What is the nasal cannula (NC) oxygen flow rate recommended for patients with COPD?

A. 1 LPM

B. 2 LPM

C. 4 LPM

D. 6 LPM

The recommended nasal cannula oxygen flow rate for patients with Chronic Obstructive Pulmonary Disease (COPD) is generally set around 2 liters per minute (LPM). This flow rate allows for a balanced approach to oxygen therapy, ensuring that enough oxygen is delivered to meet the patient's needs while minimizing the risk of hypercapnia, which can occur if the oxygen levels are too high for COPD patients. Setting the flow rate too low might not provide sufficient oxygen, particularly if the patient has significant hypoxemia. Conversely, a higher flow rate could lead to increased levels of carbon dioxide in the blood, as patients with COPD often rely on hypoxic drive for their respiratory drive. Therefore, a flow rate of 2 LPM strikes a good balance, maintaining adequate oxygenation without the increased risk associated with higher rates. This understanding is crucial for clinicians, especially when treating COPD patients, where careful management of oxygen therapy can significantly affect outcomes.

6. What key information should you obtain from a woman in childbirth?

A. Only the contraction duration

B. Disease history and medications

C. History of patient condition and pregnancy details

D. Only the due date

The most critical information to gather from a woman in childbirth includes her history of the patient condition and relevant pregnancy details. Understanding these aspects is essential for several reasons. First, details about the ongoing labor, such as the frequency and duration of contractions, provide insight into the stage of labor and whether immediate interventions are necessary. Additionally, knowing if this is a first-time pregnancy or subsequent one influences management and care protocols. Second, an assessment of any complications during pregnancy, such as gestational diabetes, preeclampsia, or other medical conditions, is vital for ensuring both the mother's and baby's safety during delivery. Information about prenatal care and any medical interventions that occurred throughout the pregnancy can guide emergency care and assist in making informed decisions during the childbirth process. In summary, obtaining a comprehensive medical history and specific pregnancy details is key to providing the best possible care during childbirth. It informs the assessment of risks and the need for any advanced medical support.

SAMPLE

7. What does capnography help confirm in airway management?

A. Patient's oxygen saturation

B. Tube placement confirmation

C. Exhaled carbon dioxide levels

D. Respiratory rate

Capnography is a valuable tool in airway management, particularly for confirming the placement of endotracheal tubes. The primary reason it is effective for this purpose is that it provides real-time feedback on the presence of carbon dioxide (CO_2) in exhaled air. When an endotracheal tube is properly positioned within the trachea, it will consistently measure the levels of CO_2, indicating that the tube is within the airway. In contrast, if the tube were incorrectly placed in the esophagus, it would not detect carbon dioxide because there would be no ventilation occurring from the lungs. Therefore, the presence of a consistent capnographic waveform and an appropriate numerical reading signifies effective ventilation and proper tube placement, making capnography an essential component of confirming airway management success. Other options, while relevant to respiratory assessment, do not specifically pertain to the confirmation of tube placement: - Monitoring a patient's oxygen saturation is typically done using pulse oximetry, which measures the level of oxygen in the blood but does not provide information about airway placement. - Exhaled carbon dioxide levels are important; however, without the context of confirming tube placement, this information alone does not validate that the endotracheal tube is in

8. What should be done if the hospital needs additional decontamination equipment during a hazmat call?

A. Inform them in advance

B. Defer all actions until they arrive

C. Proceed to transport without waiting

D. Call for backup

In a hazmat situation, effective communication with the hospital is vital to ensure they are prepared to manage the incoming patients safely. Informing them in advance about the need for additional decontamination equipment is crucial for several reasons. First, it allows the hospital staff to assess their resources and make necessary preparations. This proactive approach helps minimize the risk of exposure to hazardous materials once patients arrive. Additionally, this communication can help the hospital plan for specialized care or additional personnel, ensuring that they are ready to provide the necessary treatment efficiently. While the other options may seem viable, they do not prioritize the critical element of preparedness in an emergency. Defering all actions until the hospital arrives could prolong exposure risks, proceeding to transport without waiting may lead to inadequate patient management upon arrival, and calling for backup may delay immediate communication with the hospital. Thus, informing them in advance is the most appropriate and responsible action to take during a hazmat incident.

SAMPLE

9. If a patient is under 20 weeks pregnant, where should you transport them?

A. Obstetric clinic

B. Immediate care facility

C. The ER

D. Another hospital for specialized care

Transporting a patient who is under 20 weeks pregnant is best done to the emergency room (ER) for several reasons. The ER is equipped to handle a wide range of medical emergencies, including those that may arise from complications during pregnancy, such as potential bleeding, cramping, or signs of ectopic pregnancy. The ER also has access to diagnostic imaging, laboratory tests, and a multidisciplinary team that can provide comprehensive care and determine the next steps based on the patient's condition. While obstetric clinics can provide care related to pregnancy, they may not be equipped to handle emergencies that could arise, such as acute complications. Immediate care facilities may also lack the resources and staffing necessary for more complex medical situations. Transporting to another hospital for specialized care may be required in some cases, but it is often more prudent to stabilize the patient first in the ER before considering transport for specialized interventions. Overall, selecting the ER as the transport destination ensures that the patient receives the most appropriate and timely care for any condition that may arise during early pregnancy.

10. Which symptom is NOT part of the SLUDGEMM mnemonic?

A. Emesis

B. Muscle twitching

C. Headaches

D. Lacrimation

The SLUDGEMM mnemonic is used to remember the common symptoms associated with cholinergic toxicity, which can result from exposure to certain toxins or as a side effect of specific medications. The letters in the acronym stand for: - S: Salivation - L: Lacrimation - U: Urination - D: Diarrhea - G: Gastrointestinal distress (often represented by emesis or vomiting) - E: Emesis - M: Muscle twitching - M: Miosis (constricted pupils) In this context, headaches are not included in the SLUDGEMM mnemonic, making it the correct answer to the question. While headaches can be associated with various medical conditions, they are not typical symptoms of cholinergic crises that the SLUDGEMM mnemonic aims to address. Recognizing the key components of SLUDGEMM is essential for healthcare providers in identifying and responding to cases of exposure to cholinergic agents effectively.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://gmveemscprotocol.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE