GROSS ANATOMY II PALMER EXAM 4 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://grossanatomy2palmer4.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Bowman's capsule is also known as which of the following?

A. Renal capsule
B. Parietal capsule
C. Glomerular capsule
D. Fibrous capsule

2. Which muscle's fascia is thickened to form the medial arcuate ligament?

A. Psoas major
B. Psoas minor
C. Iliacus
D. Quadratus lumborum

3. The loop of Henle is located in which region of the kidney?

A. in the pyramid
B. in the cortex
C. in the medulla
D. in the renal pelvis

4. The vaginal artery is a branch of which artery?

A. Internal Pudendal Artery
B. Ovarian Artery
C. Middle Rectal Artery
D. Uterine Artery

5. The opening at the level of T12 is the

A. Caval Opening
B. Esophageal Opening
C. Aortic Opening
D. Central Tendon

6. What is the anterior border of the urogenital triangle?

A. Ischiopubic ramus
B. Pubic symphysis
C. Inferior fascia of levator ani
D. Perineal membrane

SAMPLE

7. The visceral pelvic fascia forms the adventitial layer of what?

A. Pelvic organs

B. Pelvic muscles

C. The abdominal viscera

D. The peritoneum only

8. Which form of hypospadias has the external urethral opening in the body of the penis?

A. Glanular hypospadias

B. Penile hypospadias

C. Penoscrotal hypospadias

D. Scrotal hypospadias

9. The term that designates the cavity within the uterus is?

A. Endometrium

B. Myometrium

C. Perimetrium

D. Uterine lumen

10. Which zone releases androgens and regulates sex hormones?

A. Zona fasciculata releases glucocorticoids regulating glucose.

B. Zona reticularis releases androgens regulating sex hormones.

C. Zona glomerulosa releases mineralocorticoids regulating mineral balance.

D. Adrenal medulla produces epinephrine and norepinephrine.

SAMPLE

Answers

SAMPLE

1. C
2. A
3. A
4. D
5. C
6. B
7. A
8. B
9. D
10. B

SAMPLE

Explanations

SAMPLE

1. Bowman's capsule is also known as which of the following?

A. Renal capsule

B. Parietal capsule

C. Glomerular capsule

D. Fibrous capsule

Bowman's capsule is the glomerular capsule. It forms the cup-shaped part of the nephron that completely envelops the glomerulus, so filtrate produced by the glomerular capillaries collects into its interior space. Calling it the glomerular capsule highlights its direct association with the glomerulus. The renal capsule is the kidney's outer fibrous covering, not this structure; the parietal capsule refers to the parietal (outer) layer of Bowman's capsule itself; and the fibrous capsule is another term for the kidney's renal capsule.

2. Which muscle's fascia is thickened to form the medial arcuate ligament?

A. Psoas major

B. Psoas minor

C. Iliacus

D. Quadratus lumborum

The medial arcuate ligament is formed by a thickened band of fascia over the psoas major as it traverses the posterior abdominal wall beneath the diaphragm. This fascial arch marks the boundary where the psoas major lies retroperitoneally and passes toward its insertion with the iliacus to form the iliopsoas. The psoas minor is a small, separate muscle and does not contribute to this ligament, while the lateral arcuate ligament comes from the fascia of the quadratus lumborum. So, the muscle whose fascia thickens to form the medial arcuate ligament is the psoas major.

3. The loop of Henle is located in which region of the kidney?

A. in the pyramid

B. in the cortex

C. in the medulla

D. in the renal pelvis

The loop of Henle is located in the renal medulla. It begins near the glomerulus in the cortex as the descending limb drops into the medullary tissue, travels through the outer and inner medulla, then turns around and ascends back toward the cortex as the ascending limb. The medulla contains the renal pyramids, and the loop of Henle traverses these medullary regions within the pyramids, not the renal pelvis. This placement is key to its role in creating the osmotic gradient used to concentrate urine.

SAMPLE

4. The vaginal artery is a branch of which artery?

A. Internal Pudendal Artery

B. Ovarian Artery

C. Middle Rectal Artery

D. Uterine Artery

In the pelvis, the vaginal artery typically arises as a branch of the uterine artery, which travels in the broad ligament to supply the uterus and cervix. From the uterine artery, a vaginal branch descends to the vagina and forms an anastomotic network with nearby vaginal vessels, providing the main blood supply to the vaginal wall. The uterine artery itself is a major branch of the internal iliac, so this pathway links vaginal blood supply to the internal iliac system rather than to the ovarian or rectal or pudendal arteries. While there can be some variation, the standard teaching is that the vaginal artery comes from the uterine artery.

5. The opening at the level of T12 is the

A. Caval Opening

B. Esophageal Opening

C. Aortic Opening

D. Central Tendon

The opening at the twelfth thoracic level is the aortic hiatus. The diaphragm has three main openings at different levels: the caval opening for the inferior vena cava at about T8, the esophageal hiatus for the esophagus (and vagal trunks) at about T10, and the aortic hiatus for the aorta at about T12. The aortic hiatus lies in the posterior part of the diaphragm and is formed mainly by the diaphragmatic crura with the median arcuate ligament. It also transmits the thoracic duct and, sometimes, the azygos vein. The central tendon is not an opening.

6. What is the anterior border of the urogenital triangle?

A. Ischiopubic ramus

B. Pubic symphysis

C. Inferior fascia of levator ani

D. Perineal membrane

The anterior border of the urogenital triangle is the pubic symphysis. The urogenital triangle is the front part of the perineum, and its front edge is defined by the pubic bones meeting at the midline anteriorly, i.e., the pubic symphysis. The line between the ischial tuberosities marks the posterior boundary that separates the urogenital from the anal triangle, while nearby structures like the ischiopubic ramus form part of the lateral boundaries, the inferior fascia of the levator ani contributes to the pelvic floor, and the perineal membrane lies deeper within the triangle as a boundary between pouches rather than at the front edge.

SAMPLE

7. The visceral pelvic fascia forms the adventitial layer of what?

A. Pelvic organs

B. Pelvic muscles

C. The abdominal viscera

D. The peritoneum only

Visceral pelvic fascia acts as the outer connective tissue covering of pelvic viscera, forming their adventitial layer. In the pelvis this fascia envelops organs such as the bladder, uterus or prostate, and rectum, anchoring them to the pelvic walls and outlining spaces between them. This adventitial wrapping is distinct from a serous membrane like the peritoneum, which lines organ surfaces, and from the separate fascial coverings over muscles. The endopelvic fascia provides a fibrous envelope around the pelvic organs rather than a serous lining, which is why it's described as the adventitial layer of pelvic organs.

8. Which form of hypospadias has the external urethral opening in the body of the penis?

A. Glanular hypospadias

B. Penile hypospadias

C. Penoscrotal hypospadias

D. Scrotal hypospadias

The form being described is penile hypospadias. In this type, the urethral opening is on the ventral side of the penis along the shaft itself, i.e., in the body of the penis, proximal to the glans. This differs from glanular hypospadias, where the opening is at the glans, and from penoscrotal or scrotal hypospadias, where the opening is near the junction with the scrotum or on the scrotum.

9. The term that designates the cavity within the uterus is?

A. Endometrium

B. Myometrium

C. Perimetrium

D. Uterine lumen

Inside a hollow organ, the space it encloses is called its lumen. The uterus has three layers: the innermost mucosa is the endometrium, the thick muscular middle layer is the myometrium, and the outer serous layer is the perimetrium. The cavity inside the uterus, the space that communicates with the cervical canal, is the uterine lumen. The endometrium lines this space and changes with the menstrual cycle, but it is the lining, not the cavity itself. So the term for the cavity within the uterus is the uterine lumen.

SAMPLE

10. Which zone releases androgens and regulates sex hormones?

A. Zona fasciculata releases glucocorticoids regulating glucose.

B. Zona reticularis releases androgens regulating sex hormones.

C. Zona glomerulosa releases mineralocorticoids regulating mineral balance.

D. Adrenal medulla produces epinephrine and norepinephrine.

The adrenal cortex has distinct zones that make different hormones. The zone that releases androgens, such as DHEA and androstenedione, is the zona reticularis. These adrenal androgens act as precursors to testosterone and estrogen and help regulate sex characteristics, especially during puberty. The other zones have different roles: zona fasciculata makes glucocorticoids like cortisol that control glucose metabolism; zona glomerulosa makes mineralocorticoids like aldosterone that regulate mineral balance and blood pressure. The adrenal medulla produces catecholamines (epinephrine and norepinephrine). Because this zone is the primary source of androgens that influence sex hormone regulation, it is the correct choice.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://grossanatomy2palmer4.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE