
HESI OBSTETRICS (OB) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://hesiobstetrics.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **In cases of meconium-stained amniotic fluid, what is a priority nursing action during labor?**

   A. Perform a fetal scalp blood sampling

   B. Prepare for possible fetal resuscitation

   C. Initiate continuous fetal heart monitoring

   D. Administer antibiotics to the mother

2. **A 24-hour-old newborn has a pink papular rash with vesicles. What is the best action for the nurse to take?**

   A. Notify the healthcare provider

   B. Move the newborn to an isolation nursery

   C. Document the finding in the infant's record

   D. Obtain a culture of the vesicles

3. **Which assessment finding in a client with preeclampsia is most significant in planning care?**

   A. Patellar reflex 4+

   B. Blood pressure 158/80

   C. Four-hour urine output 240 mL

   D. Respiration 12/minute

4. **Which symptom in the postpartum woman would warrant immediate assessment?**

   A. Heavy bleeding or large blood clots

   B. Mild cramping

   C. Fatigue

   D. Emotional changes

5. **When is the best time to use a home pregnancy test for accuracy?**

   A. Right after your first missed period

   B. After you have missed two periods

   C. Right after ovulation

   D. Home tests often give false positives

SAMPLE

6. Which assessment is crucial for evaluating fetal well-being during labor?

A. Maternal blood pressure

B. Fetal heart rate

C. Mother's contractions

D. Maternal temperature

7. During a prenatal visit, what should the nurse emphasize regarding the importance of calcium during pregnancy?

A. It helps to relieve constipation

B. It promotes fetal blood circulation

C. It supports the development of the fetal skeleton

D. It reduces the risk of gestational diabetes

8. Which test assesses the risk of chromosomal abnormalities in the fetus?

A. Amniocentesis

B. Ultrasound

C. Non-stress test

D. Chorionic villus sampling

9. During an emergency childbirth situation, what is the highest priority intervention for the newborn?

A. Use a thread to tie off the umbilical cord

B. Provide as much privacy as possible for the woman

C. Reassure the husband and try to keep him calm

D. Put the newborn to breast

10. Which finding indicates that epoetin alfa (Epogen) is effective for a premature infant?

A. Slowly increasing urinary output over the last week

B. Respiratory rate changes from the 40s to the 60s

C. Changes in apical heart rate from the 180s to the 140s

D. Change in indirect bilirubin from 12 mg/dl to 8 mg/dl

SAMPLE

Answers

SAMPLE

1. C
2. C
3. A
4. A
5. A
6. B
7. C
8. A
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. In cases of meconium-stained amniotic fluid, what is a priority nursing action during labor?

A. Perform a fetal scalp blood sampling

B. Prepare for possible fetal resuscitation

C. Initiate continuous fetal heart monitoring

D. Administer antibiotics to the mother

In cases of meconium-stained amniotic fluid, initiating continuous fetal heart monitoring is a critical nursing action during labor. The presence of meconium in the amniotic fluid can indicate fetal distress. Continuous monitoring of the fetal heart rate allows healthcare providers to assess the fetus's well-being in real-time and to identify any signs of distress or abnormal fetal heart patterns that may develop. This monitoring is essential for timely interventions, which may include preparing for possible resuscitation or other measures if the fetal condition worsens. While preparing for possible fetal resuscitation and performing fetal scalp blood sampling are also important considerations, they come after establishing the continuous monitoring to evaluate the fetal status accurately. Administering antibiotics is usually not a primary intervention unless there are further signs of infection or specific indications for antibiotic therapy. Thus, continuous fetal heart monitoring serves as the foundational step in managing the situation effectively.

2. A 24-hour-old newborn has a pink papular rash with vesicles. What is the best action for the nurse to take?

A. Notify the healthcare provider

B. Move the newborn to an isolation nursery

C. Document the finding in the infant's record

D. Obtain a culture of the vesicles

For a 24-hour-old newborn presenting with a pink papular rash that includes vesicles, it is crucial for the nurse to document the findings in the infant's record. Documentation serves multiple vital purposes: it ensures that there is a detailed account of the newborn's condition for ongoing patient care, it helps track any changes in the newborn's health status, and it provides an important reference for other healthcare providers involved in the infant's care. This type of rash, especially when observed at such an early age, could represent something benign, such as the common infantile or neonatal rash, which often resolves on its own without requiring immediate medical intervention. While notifying the healthcare provider may become necessary if the rash suggests an underlying infectious process, the immediate priority is accurate documentation. Other actions like moving the newborn to isolation or obtaining a culture of the vesicles might be warranted depending on the clinical context, but those steps should follow after proper assessment and documentation. Hence, focusing on the current findings documented properly is a critical and foundational nursing responsibility in this scenario.

SAMPLE

3. Which assessment finding in a client with preeclampsia is most significant in planning care?

A. Patellar reflex 4+

B. Blood pressure 158/80

C. Four-hour urine output 240 mL

D. Respiration 12/minute

In the context of preeclampsia, the assessment of the patellar reflex, particularly when it presents as hyperreflexia (4+), is significant because it indicates potential neurological involvement related to the disease process. Preeclampsia is characterized by hypertension and can lead to serious complications such as seizures, which are a hallmark of eclampsia. Hyperreflexia in the context of preeclampsia suggests increased central nervous system irritability, signaling that the patient's condition could deteriorate. Close monitoring of neurological signs, including reflexes, helps to assess the severity of the preeclampsia and to guide timely interventions. Recognizing hyperreflexia prompts healthcare providers to consider the need for magnesium sulfate therapy, which is used to prevent seizures in these patients. While other findings such as blood pressure readings, urine output, and respiratory rate provide important information about the patient's status, the presence of significantly exaggerated reflexes is directly linked to potential acute complications that may necessitate immediate action in the management of preeclampsia.

4. Which symptom in the postpartum woman would warrant immediate assessment?

A. Heavy bleeding or large blood clots

B. Mild cramping

C. Fatigue

D. Emotional changes

Heavy bleeding or the presence of large blood clots in a postpartum woman is a significant concern and warrants immediate assessment. In the postpartum period, it is crucial to monitor for signs of hemorrhage, which can indicate serious complications such as uterine atony, retained placental fragments, or lacerations. These conditions can lead to rapid deterioration in a woman's health if not addressed quickly. Recognizing heavy bleeding or large clots as a critical symptom underscores the importance of vigilance in the immediate postpartum period. Healthcare providers must act swiftly to evaluate the source and severity of the bleeding to provide appropriate interventions, which could include uterine massage, medications to promote uterine contraction, or surgical interventions if necessary. While mild cramping, fatigue, and emotional changes can occur during the postpartum recovery period, they are generally considered normal and do not typically require immediate intervention. Understanding the difference between these signs helps prioritize patient care and ensures that serious conditions are identified and managed promptly.

SAMPLE

5. When is the best time to use a home pregnancy test for accuracy?

A. Right after your first missed period

B. After you have missed two periods

C. Right after ovulation

D. Home tests often give false positives

Using a home pregnancy test right after the first missed period is considered the best time for accuracy because this timing coincides with the hormonal changes that occur once a pregnancy begins. After conception, the body starts to produce human chorionic gonadotropin (hCG), a hormone that is detectable in urine. By the time a woman misses her period, there is typically enough hCG present for a reliable result. Testing immediately after ovulation might yield inaccurate results since it is too early for hCG levels to rise significantly. Waiting until two missed periods may still yield accurate results but is not necessary for confirming a pregnancy. Additionally, while false positives can occur due to various reasons, they are less common than false negatives in the early stages of pregnancy, especially when testing before the missed period. Therefore, the ideal time for optimal results is shortly after the first missed period, making it the most accurate timeframe for using a home pregnancy test.

6. Which assessment is crucial for evaluating fetal well-being during labor?

A. Maternal blood pressure

B. Fetal heart rate

C. Mother's contractions

D. Maternal temperature

Evaluating fetal well-being during labor is primarily centered around monitoring the fetal heart rate. The fetal heart rate provides critical information about the baby's condition and response to labor. It helps identify any signs of fetal distress, which can indicate potential complications. For instance, a consistent and healthy fetal heart rate pattern typically suggests that the fetus is tolerating labor well, while sudden drops or abnormal patterns in the heart rate may warrant immediate medical intervention to protect the well-being of both the mother and the fetus. While maternal blood pressure, contractions, and maternal temperature are all important assessments in the context of labor, they do not provide as direct an indication of fetal well-being. Maternal blood pressure can reflect the mother's health but doesn't directly assess fetal status. The strength and frequency of mother's contractions are vital for assessing labor progress but do not inform on the fetus's condition. Maternal temperature may signal infection or complications that could affect both mother and baby; however, it is not as specific to fetal well-being as fetal heart rate monitoring. Monitoring fetal heart rate is the most direct and essential assessment to evaluate how well the fetus is coping with the stresses of labor.

SAMPLE

7. During a prenatal visit, what should the nurse emphasize regarding the importance of calcium during pregnancy?

A. It helps to relieve constipation

B. It promotes fetal blood circulation

C. It supports the development of the fetal skeleton

D. It reduces the risk of gestational diabetes

Calcium plays a crucial role during pregnancy, particularly in supporting the development of the fetal skeleton. The fetus requires a significant amount of calcium for bone mineralization and growth. Adequate calcium intake helps ensure that the developing baby's bones and teeth form properly. During pregnancy, the mother's body also needs to maintain its own bones and teeth, and sufficient calcium intake helps meet these needs as well. While other factors like nutrients and overall maternal health can contribute to various aspects of pregnancy, the specific focus on calcium emphasizes its direct impact on fetal skeletal development. Failure to consume enough calcium can lead to potential complications for both the mother and the fetus, including a higher risk of maternal bone density loss and suboptimal fetal bone development. Therefore, highlighting the importance of calcium specifically for skeletal development is essential during prenatal care discussions.

8. Which test assesses the risk of chromosomal abnormalities in the fetus?

A. Amniocentesis

B. Ultrasound

C. Non-stress test

D. Chorionic villus sampling

Amniocentesis is a diagnostic procedure that involves taking a sample of amniotic fluid surrounding the fetus. This fluid contains fetal cells and various substances that can be analyzed for chromosomal abnormalities. During this procedure, healthcare providers can perform genetic testing on the cells to identify conditions such as Down syndrome, trisomy 18, and other chromosomal disorders. It is typically performed between 15 and 20 weeks of pregnancy and is considered a highly accurate method for assessing genetic risks. In contrast, while chorionic villus sampling is also used to detect chromosomal abnormalities, it is performed earlier in the pregnancy and does not involve amniotic fluid. Ultrasound serves primarily as an imaging tool to assess fetal growth and structure, rather than specifically analyzing for chromosomal issues. The non-stress test is utilized to evaluate fetal heart rate and well-being, focusing on the baby's oxygenation and health rather than genetic abnormalities.

SAMPLE

9. During an emergency childbirth situation, what is the highest priority intervention for the newborn?

A. Use a thread to tie off the umbilical cord

B. Provide as much privacy as possible for the woman

C. Reassure the husband and try to keep him calm

D. Put the newborn to breast

In an emergency childbirth situation, the highest priority intervention for the newborn is to put the newborn to breast, assuming the newborn is stable and able to do so. This immediate breastfeeding can help in several ways. First, it promotes early bonding between the mother and the baby, which is essential for emotional and psychological well-being. Secondly, initiating breastfeeding shortly after delivery stimulates the mother's uterus to contract, which can help reduce the risk of postpartum hemorrhage. Moreover, breastfeeding provides the newborn with colostrum, which is the first milk rich in antibodies and essential nutrients, crucial for the newborn's immune system and overall health. Establishing breastfeeding early can also pave the way for successful breastfeeding in the future, which is important for the baby's growth and development. Other options, while they may have their place in the overall management of the situation, do not address the immediate needs of the newborn as effectively as initiating breastfeeding does. The focus should remain on ensuring that the newborn receives proper nutrition and establishes a bond with the mother right after birth.

10. Which finding indicates that epoetin alfa (Epogen) is effective for a premature infant?

A. Slowly increasing urinary output over the last week

B. Respiratory rate changes from the 40s to the 60s

C. Changes in apical heart rate from the 180s to the 140s

D. Change in indirect bilirubin from 12 mg/dl to 8 mg/dl

The effectiveness of epoetin alfa (Epogen) in a premature infant can be indicated by slowly increasing urinary output over the last week. Epoetin alfa is a synthetic form of erythropoietin, which stimulates the production of red blood cells. In premature infants, who often struggle with anemia due to underdeveloped production of red blood cells, an increase in urinary output suggests that the kidneys are functioning well and that there is improved blood volume and oxygen delivery, resulting in better renal perfusion. While changes in respiratory rate, heart rate, and bilirubin levels can be important indicators of overall health and complications in premature infants, they do not directly reflect the effectiveness of epoetin alfa. Increasing urinary output specifically correlates with improved red blood cell production and better perfusion, thereby showing that the medication is having the intended effect of addressing anemia in the infant.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://hesiobstetrics.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE