HESI PEDIATRIC NURSING CASE STUDY – CLEFT LIP AND CLEFT PALATE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://hesipediacasestudycleftlippalate.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How do feeding goals change as the child grows with a cleft condition?

A. Transition from specialized bottles to standard feeding methods; adjusting textures; monitoring growth and caloric intake through age

B. Continue using specialized bottles indefinitely

C. Stop monitoring growth after infancy

D. Use only pureed foods forever

2. What is a common post-repair instruction to prevent wound complications?

A. Do nothing

B. Massage around the lip to accelerate healing

C. Avoid cleansing instructions

D. Cleanse and dry suture lines, monitor for infection, avoid pressure/trauma, follow cleansing instructions

3. Why might school accommodations be needed for a child with cleft lip/palate?

A. They are never needed

B. School accommodations may be needed to support speech, language, and hearing needs

C. They apply only to physical disabilities

D. They always require medical leave

4. Which incision care instruction should the nurse discuss with the parents after discharge?

A. Keep the incision clean and dry; monitor for redness or drainage.

B. Soak the incision in bath water daily.

C. Apply hydrogen peroxide to the incision daily.

D. Remove sutures at home.

5. How should a new nursing student study for a HESI pediatric case study on cleft lip/palate?

A. Review anatomy, pathophysiology, pre/postoperative care, and safety; practice case-based questions and apply clinical reasoning.

B. Memorize random facts without context.

C. Only study pharmacology.

D. Only study postoperative medications.

SAMPLE

6. What is the recommended practice regarding oral suction and straw use after cleft palate repair?

A. Avoid oral suction and straws

B. Use suction regularly to keep the mouth clean

C. Allow suction as needed

D. Only use suction if directed by the surgeon, otherwise avoid it

7. Which statement about the Haberman nipple is accurate?

A. The Haberman nipple is designed to support slow milk flow and back-of-mouth delivery for infants with cleft lip/palate.

B. The Haberman nipple heats milk.

C. The Haberman nipple is used for all infants regardless of feeding needs.

D. The Haberman nipple eliminates the need for burping.

8. The parents' compliance with recommendations most directly supports which aspect?

A. Curative surgery only

B. Financial planning only

C. Social isolation

D. Physical and developmental needs

9. Which feature is characteristic of Pierre Robin sequence and contributes to airway concerns?

A. Glossoptosis causes airway obstruction

B. Hypertonia of limbs

C. Cleft lip always present

D. No airway risk

10. Which nursing statement best supports a mother who is hesitant about feeding a newborn with cleft lip/palate?

A. Your breast milk is the best option and is customized to meet your baby's physiological needs.

B. The breast milk production is physically beneficial to you and the baby.

C. I am happy to teach you how to pump your breasts so that you can feed your baby your breast milk.

D. Breastfeeding may still be possible even with a cleft lip/palate, and I can help you explore techniques.

SAMPLE

Answers

SAMPLE

1. D
2. D
3. B
4. A
5. A
6. A
7. A
8. D
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. How do feeding goals change as the child grows with a cleft condition?

A. Transition from specialized bottles to standard feeding methods; adjusting textures; monitoring growth and caloric intake through age

B. Continue using specialized bottles indefinitely

C. Stop monitoring growth after infancy

D. Use only pureed foods forever

Feeding management for a child with cleft lip/palate evolves with age to support development while ensuring adequate nutrition. Early on, the goal is to minimize effort and nasal regurgitation, often using specialized feeding devices and nipples designed for cleft conditions so the child can receive enough calories with less risk of aspiration. As the child grows and oral motor skills develop, the aim shifts toward transitioning to standard feeding methods when it's safe, and gradually introducing age-appropriate textures. Start with smooth, easily swallowed textures and progressively move to thicker liquids, mashed foods, and then soft solids as tolerated. Encouraging self-feeding and using a cup or appropriate utensil becomes appropriate as coordination improves. Crucially, feeding plans are guided by regular growth monitoring and caloric assessment. Tracking weight, height, and dietary intake helps ensure the child's growth stays on track and informs any texture or feeding method adjustments. This ongoing monitoring is essential because a child with a cleft palate may have different caloric needs or feeding challenges at various stages, requiring timely changes. Other approaches that rely on keeping the child on highly specialized feeding methods indefinitely or neglect ongoing growth assessment don't support the child's development toward normal feeding skills or nutrition adequacy. Similarly, restricting to pureed foods forever prevents the natural progression of feeding abilities and is not appropriate as the child grows.

2. What is a common post-repair instruction to prevent wound complications?

A. Do nothing

B. Massage around the lip to accelerate healing

C. Avoid cleansing instructions

D. Cleanse and dry suture lines, monitor for infection, avoid pressure/trauma, follow cleansing instructions

Post-repair wound care for lip surgery focuses on preventing infection and wound complications by protecting the suture line and keeping the area clean and dry. The best instruction is to cleanse and dry the suture lines, monitor for infection, avoid pressure or trauma to the repair, and follow cleansing instructions closely. This approach directly reduces bacterial contamination, helps the sutures stay intact, and promotes proper healing. Doing nothing fails to protect the wound; massaging around the lip can disrupt sutures and delay healing; avoiding cleansing instructions increases the risk of infection because bacteria aren't being removed or managed.

SAMPLE

3. Why might school accommodations be needed for a child with cleft lip/palate?

A. They are never needed

B. School accommodations may be needed to support speech, language, and hearing needs

C. They apply only to physical disabilities

D. They always require medical leave

Accommodations in the classroom are about supporting communication for a child with cleft lip and/or palate. This condition often affects how speech sounds are produced and how the voice resonates, which can make articulation clearer and more consistent with peers. In addition, children with cleft lip/palate frequently experience ear infections or fluid buildup that can cause temporary or fluctuating hearing loss. When hearing is affected, it's harder to catch instructions, participate in conversations, and learn new language and literacy skills. Because of these potential speech, language, and hearing challenges, schools may provide supports such as access to speech-language pathology services, preferential seating or a quiet listening space, assistive listening devices, clear or visual instructions, and extra time for assessments or participation in class activities. These accommodations help the child understand and express themselves more effectively, participate fully in lessons, and reduce frustration or social difficulties. Other options don't fit as well because the need isn't solely about physical limitations, and it doesn't imply always taking medical leave. Some children will benefit from classroom supports, while not every situation requires leave, and saying accommodations are never needed ignores documented communication and hearing needs.

4. Which incision care instruction should the nurse discuss with the parents after discharge?

A. Keep the incision clean and dry; monitor for redness or drainage.

B. Soak the incision in bath water daily.

C. Apply hydrogen peroxide to the incision daily.

D. Remove sutures at home.

Keeping the incision clean and dry and watching for signs of infection is essential after cleft lip repair. Cleanliness reduces the chance of bacteria reaching the wound, and a dry site helps the skin edges stay intact and heal without maceration. If redness, drainage, warmth, swelling, or foul odor appears, or if the child develops fever, these can signal an infection and should be reported promptly so the surgeon can assess. Soaking the incision in bath water daily isn't advised because wetting the area can soften the wound margins, loosen any protective crusts, and introduce bacteria, all of which can delay healing. Hydrogen peroxide is not recommended for routine wound care, as it can irritate or damage healthy tissue and slow recovery. Removing sutures at home is unsafe because proper assessment and handling are needed; sutures are typically removed by a clinician at a follow-up appointment or are absorbable, and attempting removal yourself can reopen the wound or cause bleeding. Follow the surgeon's instructions and contact the clinic if there are any concerns or signs of infection.

SAMPLE

5. How should a new nursing student study for a HESI pediatric case study on cleft lip/palate?

A. Review anatomy, pathophysiology, pre/postoperative care, and safety; practice case-based questions and apply clinical reasoning.

B. Memorize random facts without context.

C. Only study pharmacology.

D. Only study postoperative medications.

Understanding how cleft lip/palate affects care requires integrating anatomy and physiology with practical nursing actions across the perioperative timeline, and reinforcing that through case-based practice. Start with how the infant's oral and facial anatomy influences feeding, breathing, and growth, then connect that to what happens before and after surgery. Grasp the pathophysiology enough to anticipate common challenges, such as feeding difficulties, risk of aspiration, and airway concerns, so you know what needs close monitoring and timely interventions. Before surgery, focus on feeding techniques that protect hydration and nutrition, parent education, and early assessment of airway safety. After surgery, your attention shifts to protecting the surgical site, managing pain, promoting healing, monitoring for signs of infection or airway compromise, and providing guidance on positioning and activity that support recovery. Throughout, safe medication administration and accurate dosing in infants are essential, but they sit within a broader care plan rather than in isolation. The reason this option stands out is that it emphasizes an integrated approach: understanding the condition's anatomy and physiology, linking that knowledge to real-world pre- and post-operative nursing actions, and reinforcing learning through case-based practice to build clinical reasoning. You'll learn to prioritize issues, such as safeguarding the airway, ensuring adequate nutrition, preventing complications, and communicating effectively with families. Other approaches fall short because they isolate facts or focus on a single domain. Memorizing random facts without context doesn't prepare you to apply knowledge to a real case. Studying pharmacology alone or concentrating only on postoperative medications ignores how anatomy, feeding, safety, and perioperative care all interact to shape the nursing plan for a child with cleft lip/palate.

6. What is the recommended practice regarding oral suction and straw use after cleft palate repair?

A. Avoid oral suction and straws

B. Use suction regularly to keep the mouth clean

C. Allow suction as needed

D. Only use suction if directed by the surgeon, otherwise avoid it

After cleft palate repair, the palate needs to stay as undisturbed as possible to allow the sutures to heal and the tissue to re-approximate. Using oral suction or a straw can create negative pressure and mechanical stress at the surgical site, which may pull the repair apart, cause bleeding or swelling, and slow healing. Because of that, the recommended practice is to avoid oral suction and straw use during the initial healing period. Follow the surgeon's specific instructions; if they say it's okay to use suction later on, do so only as directed. In the meantime, use gentle mouth care as advised by the care team.

SAMPLE

7. Which statement about the Haberman nipple is accurate?

A. The Haberman nipple is designed to support slow milk flow and back-of-mouth delivery for infants with cleft lip/palate.

B. The Haberman nipple heats milk.

C. The Haberman nipple is used for all infants regardless of feeding needs.

D. The Haberman nipple eliminates the need for burping.

The Haberman nipple is designed for babies who need a very controlled, paced feed, such as those with cleft lip/palate. It delivers milk slowly and toward the back of the mouth, which helps the infant coordinate sucking, swallowing, and breathing and reduces the risk of milk flowing too quickly or into the nasal cavity. This targeted flow supports safer, easier feeding for kids who have difficulty with latching or managing a normal flow. It does not heat the milk, and it isn't used for every infant—it's specifically for those with feeding challenges like cleft lip/palate. It also doesn't eliminate the need to burp, since air swallowed during feeds still needs to be released.

8. The parents' compliance with recommendations most directly supports which aspect?

A. Curative surgery only

B. Financial planning only

C. Social isolation

D. Physical and developmental needs

Following care recommendations for a child with cleft lip and palate directly supports the child's physical health and development. Adhering to feeding guidance, nutrition monitoring, airway and wound care after procedures, and timely follow-up helps ensure adequate growth, proper healing, and early detection of issues that can affect development. Ongoing therapies—such as speech-language therapy, hearing evaluations, and dental/orthodontic planning—address how the child develops communication skills, feeding efficiency, and facial growth. In short, parental compliance strengthens physical well-being and developmental progress, which is why this option is the best fit. It isn't limited to a single curative surgery or to financial planning, and while it can influence social outcomes, the direct impact of following recommendations is on physical and developmental needs.

9. Which feature is characteristic of Pierre Robin sequence and contributes to airway concerns?

A. Glossoptosis causes airway obstruction

B. Hypertonia of limbs

C. Cleft lip always present

D. No airway risk

Pierre Robin sequence typically involves micrognathia (a small lower jaw) that causes the tongue to sit back toward the throat (glossoptosis). This backward tongue position can narrow or completely obstruct the airway, especially during feeding or sleep, making airway obstruction a central concern. While cleft palate often occurs with this condition, cleft lip is not a defining or always-present feature, so saying a cleft lip is always present isn't accurate. Hypertonia of the limbs isn't characteristically related to Pierre Robin sequence, and saying there's no airway risk is incorrect. The feature that most directly contributes to airway concerns is glossoptosis causing airway obstruction.

SAMPLE

10. Which nursing statement best supports a mother who is hesitant about feeding a newborn with cleft lip/palate?

A. Your breast milk is the best option and is customized to meet your baby's physiological needs.

B. The breast milk production is physically beneficial to you and the baby.

C. I am happy to teach you how to pump your breasts so that you can feed your baby your breast milk.

D. Breastfeeding may still be possible even with a cleft lip/palate, and I can help you explore techniques.

Breast milk best meets a baby's physiological needs and provides optimal nutrition and immune protection, which is especially important for a newborn who may face feeding challenges. The statement reassures the mother that breastfeeding is the most beneficial option for her baby, while also inviting supportive nursing help to address any difficulties with latch or technique so feeding can proceed. While other statements offer helpful possibilities—such as pumping or exploring techniques—they don't affirm as clearly that breastfeeding is the best and most appropriate option for this infant, making the chosen message the strongest encouragement for the mother.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://hesipediacasestudycleftlippalate.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE